House of Worship

Insurance Package

Developing a House of Worship Safety Program





Disclaimer

This booklet has been developed by Grinnell Mutual Reinsurance Company and is for informational purposes only. It was designed to provide reasonably accurate information in regard to the subject matters covered. The information contained herein has been obtained from sources that we believe to be competent and reliable.

Grinnell Mutual Reinsurance Company is aware that this booklet will not fit the operations of all companies. Applicable state/federal statutes must supersede any conflicting statements made or referred to in this booklet.

Grinnell Mutual Reinsurance Company cannot be held responsible or liable for any damages, direct or indirect, which may arise, in part or in whole, from the use of this booklet or from any representation or misrepresentation contained therein. Also, it cannot be assumed that all acceptable safety and health measures are listed in this booklet.

Table of Contents

Section	on I – Introduction	1
Sat	ety Policy Statement	1
Sat	ety Program for the Organization	1
Sat	fety Director	2
Em	ployee Training	3
Em	ergency Action Planning	3
Acc	cident Investigation	3
Sel	f Inspection/Hazard Identification	4
Section	on II – Safety Foundation	5
	Safety Policy Statement	5
	House of Worship Leadership Commitment to Safety	5
	Assignment of Responsibilities	5
	Accountability for Safety	7
		7
	Opinion Survey	
г.	Employee & House of Worship Volunteer Suggestions	7
Section	on III – Safety Training	9
	New Employee House of Worship Volunteer Safety	9
B.	Safety Meetings/Training	9
C.	Food Preparation Safety Training	10
Section	on IV – General Safety	13
		13
۸.	3 ,	13
		13
R		13
D.		13
	•	14
	g ,	14
		15
	3 ,	15
		15
	,	16
		16
	9. Prevention of Burns	17
	10. Prevention of Slips, Trips and fall	17
	11. Prevention of Cuts	18
	12. Serving Alcoholic Beverages	19
	13. Security and Crime Control	19
Section	on V – Accident Management	21
		21
		21
Section	on VI – Safetv Violation	29

Table of Contents (Cont'd)

Secti	on VII – Special Emphasis Programs	31
	Chemical Handling Procedures/Hazard Communication Program	31
В.	Personal Protective Equipment	37
C.	Smoking Policy	42
	Violence Prevention Program	42
E.	Lockout/Tagout	43
F.	Transportation and Passenger Van Policies	52
G.	Pastoral Counseling	63
	Sexual Misconduct and Molestation	63
I.	Registered Sex Offenders (For Information Only)	64
J.	Sanctuary and Acts of Sanctuary (For Information Only)	64
Secti	on VIII – Inspections	67
Secti	on IX – OSHA (Occupational Safety and Health Administration)	69
A.	OSHA Record Requirements	69
В.	OSHA Inspection: What you can expect during an OSHA Inspection	69
Secti	on X – Acknowledgement Form	83
Appe	ndixes	
Α.	Sample Safety Policy Statements	A-1
В.	Sample Checklist – Planning For Emergencies	B-1
C.	Self-Inspection Checklist	C-1
	Food Preparation/Serving Safety Talks	D-1
	Safety and Health Audio Visuals	E-1
F.	Resources	F-1

Section I – Introduction

One of the most valuable assets any house of worship congregation/worship center has is "the people." This group consists of the employees, house of worship volunteers, members, visitors and others that may take part in the house of worship services or activities on and off the house of worship property. This is true if referring to a small country house of worship or a large metropolitan Cathedral. The people not the building and equipment are the most important element of a house of worship. Therefore, it follows that investing in the development of a House of Worship safety program is one way of preventing injury and/or loss of life to your greatest asset.

It is well known that the direct costs of work injuries are substantial. Also, there are many indirect or hidden costs of injuries, which are often three-to-four times greater than the direct costs. Many of these costs are associated with – loss of productive time by an injured employee – time and cost to locate a temporary facility following a property loss at a worship center – time and cost to hire or retrain other individuals to replace the injured worker until his/her return to work – cost of continuing all or part of the employee's wages, in addition to the incurred medical costs – reduced morale among your employees, volunteers, etc and perhaps lower efficiency – increased insurance premiums – administrative costs generated by the incidents – overtime costs – adverse publicity. By developing a Safety Program, it will enable you to avoid possible losses in the future.

A formal safety program will also assist your organization in complying with Federal and State safety, health, and environmental laws. Lack of compliance with these laws can result in citations, fines, unfavorable publicity and, in some cases, civil suits.

Establishing a quality safety program at your house of worship/worship center will take some time and involve some resources; however, you should be pleasantly surprised with the results. You will have happier employees, volunteers, house of worship members and visitors, as they will know your congregation is committed to safety on and off the house of worship grounds. The reward you receive will surely exceed the cost of your investment in safety protection.

The objectives of any safety program should be to reduce the frequency and severity of accidents, to comply with State and Federal OSHA regulations, and to provide a safe and healthful workplace.

SAFETY POLICY STATEMENT

An organization that attempts to prevent accidents without a definite guiding policy, one that is planned, publicized, and promoted, will find it difficult to prevent accidents. If your congregation wants acceptable safe performance, it must first write a safety policy statement. This policy statement should be brief, to the point, and define your organization's attitude towards safety.

In order for your safety policy statement to be effective, you must clearly communicate it to all employees, volunteers, house of worship board members and others. The statement should be communicated in writing and in action by all parties involved in the development of your safety program.

Your policy statement should be typed and distributed to all house of worship members, employees, volunteers as an insert within your weekly or monthly house of worship publication, which is distributed or mailed to members. Consideration should also be given to posting the information at or near your facility for members and the general public to see.

The house of worship safety policy statement should be reviewed with all employees and house of worship volunteers, and they should sign a document indicating they have read and understand the safety policy statement.

See Section II and Appendix A for examples of sample Safety Policy Statements.

SAFETY PROGRAM FOR THE ORGANIZATION

The safety policy statement is a beginning, but certainly not a complete program. A comprehensive **Safety Program** should be developed for your organization. Also, irregularly executed inspections or safety meetings and brief spurts of **(Insert name of group(s) that oversee and approve major house of worship projects at your facility)** interest are no substitute for pro-active, consistent, and visible support and leadership for a well planned and executed safety program.

(Insert name of group(s) that oversee and approve major house of worship projects at your facility) need to lead and set a positive example. If the safety program is a "low priority" for the senior leadership of the house of worship, it will likely be a "low priority" for employees, volunteers and house of worship members. Low priority will mean inadequate attention and that will sooner or later result in an accident or accidents that can disable, maim, or kill.

OSHA's "General Industry Digest" notes that management commitment and employee involvement are "complimentary and form the core" of any safety program. This guide provides several recommendations for achieving these two goals. Recommended actions that bear directly on drafting the safety policy include:

- Stating the house of worship congregation's policies on safety and health clearly
- Establishing and communicating safety goals and defining objectives to meet that goal
- · Assigning and communicating responsibility for all aspects of the program
- Reviewing program operations at least once a year so that deficiencies can be identified and revised as necessary

Make sure your program assigns responsibility and accountability to all leadership members in your organization. A good safety program makes it clear that every house of worship member is responsible for his or her part in the program. You should make their safety and health duties clear and each of them should be held accountable for his or her safety and health related duties.

(Insert name of group(s) that oversee and approve major house of worship projects at your facility) members should accept responsibility for the organization's injury rate and should provide pro-active, visible leadership on safety management. They should also provide the resources required to design and implement a safety program that meets at least the legal requirements at the state and federal level.

• For employees and volunteers, accountability should include adherence to safety rules and procedures and prompt reporting of any hazard.

Employees and volunteers must be involved in all aspects of the program from the beginning. They are the people most in contact with the potential and actual safety hazards at your facility. They will have constructive input into the development of your safety program. The ultimate success will depend upon their support - support that will be more forthcoming for a program which they have had meaningful input.

Your safety policy should be tailored to fit your organization's beliefs, philosophy, needs, and culture.

See Section II for additional assistance in developing the program Safety Foundation.

SAFETY DIRECTOR

(Insert name of group(s) that oversee and approve major house of worship projects at your facility) are ultimately responsible for ensuring that a safety program is implemented and maintained. Members of this group need to provide the commitment, leadership, and resources. However, it is common and practical to delegate some implementation duty to a specific individual within the organization. This individual may be assigned a title, such as Safety Director, and he/she may be delegated the overall functions of coordinating the development and monitoring the performance of the safety program.

The Safety Director or designee should meet the following criteria.

- Conceptually committed to safety and health within your organization
- Has the time to develop and implement the program
- Has sufficient authority to develop and implement the program
- Is supported by adequate resources to develop and implement the program
- Sincerely cares about the welfare of employees, volunteers, and house of worship members as it relates to safety
- Has a high degree of credibility with house of worship employees, volunteers, members and the local community

In some situations, the Safety Director function can be added to the duties of an existing board member, employee, etc. The pastor, minister, priest, etc. of your organization typically wears many hats and carries the responsibility of meeting the needs of the many house of worship Parishioners on a daily basis. It is preferable that the position of Safety Director be held by someone within your organization other than this individual.

The success of your program hinges on the success of the individual you choose, and he or she cannot succeed without your full cooperation and support. Remember, when you appoint someone as your Safety Director and delegate the authority to manage the program, the ultimate responsibility for safety in your workplace rests with the (Insert name of group(s) that oversee and approve major house of worship projects at your facility).

See Section II – C.2. for Safety Director Program Responsibilities.

EMPLOYEE TRAINING

As an organization, you must ensure that all employees and house of worship volunteers know about the material and equipment they work with, what known hazards are in the operation, and how you are controlling the hazards.

Each employee and house of worship volunteer needs to know the following:

- No one is expected to undertake a job until he or she has received job instructions on how to do it properly and has been authorized to perform that job.
- No individual should undertake a job that appears unsafe.

Combine safety training with other training your organization may provide to , the result you want is everyone knowing what they need to know to keep themselves and fellow employees, volunteers and house of worship members safe and healthy.

During an employee's orientation and prior to the beginning of any work activity involving house of worship volunteers, each employee and/or volunteer should be given a copy of the congregation's Safety Policy Statement, and the House of Worship Safety Program should be discussed with them.

After the initial orientation and volunteer pre-activity meeting, your safety program can be communicated by a variety of techniques and methods. Regular meetings could be scheduled during which safety is openly discussed. Attendance should be required for all employees and encouraged for all active house of worship volunteers. If properly planned, effective safety meetings can be held in a 15-20 minute time frame. Other methods could be posters on bulletin boards, safety and health booklets, safety signs, newsletters, safety banners, safety films/videos, etc. See Appendix E for a list of safety films/videos.

As changes are made to your safety program, keep your employees and active volunteers informed. The more you do to keep them informed of the changes and improvements you are making, the greater are the chances for your success.

All safety training meetings should be documented. The date of the meeting, name of the instructor, subject discussed, and the names of the employees/individuals attending the meeting should be documented on an attendance form.

See Section III for an example of a New Employee Safety Checklist.

EMERGENCY ACTION PLANNING

Planning and training for an emergency is essential in order to minimize the harmful consequences of an emergency incident. If employees, volunteers, and the house of worship members are not thoroughly trained for emergencies so their response is immediate and precise, they may expose themselves and others to greater danger, rather than reduce their exposure. The types of emergencies that may arise at your worship center/ house of worship or off premise during a house of worship activity, depend on the nature of the emergency and its geographical location. They could include fire, severe weather, chemical spills, earthquakes and bomb threats. The extent to which training and drills are needed will depend upon the potential severity and complexity of the emergency. You should have an emergency procedure for handling injuries, transporting ill or injured individuals, and notifying medical facilities, with a minimum of confusion. The procedures for reporting injuries and illnesses should be understood by all house of worship leadership members, house of worship employees, volunteers, and house of worship members.

Emergency phone numbers should be posted. They should include at least the fire department, hospital emergency room, ambulance, and law enforcement.

See Section IV – A for additional information on Emergency and Evacuation Procedures and see Appendix B for Planning for Emergencies Sample Checklist.

ACCIDENT INVESTIGATION

House of worship leadership members, your safety committee and/or your Safety Director can gain valuable information from a thorough investigation of accidents, occupational health problems, and near-miss incidents. Variances from or defects in present operating procedures, unsafe work practices, and even environmental hazards may be determined.

Determining the causes of accidents – and doing something about them – will reduce accident incidence, lower workers' compensation costs, and enhance employee/membership morale. All will feel they are working with and are members of a congregation that cares and wants to correct hazards and unsafe work procedures/conditions.

REMEMBER, AN ACCIDENT INVESTIGATION IS NOT DESIGNED TO FIND FAULT OR BLAME, IT IS AN ANALYSIS TO DETERMINE CAUSES THAT CAN BE CONTROLLED OR ELIMINATED.

See Section V for assistance in developing an Accident Investigation Program and sample accident investigation forms.

SELF INSPECTION/HAZARD IDENTIFICATION

The assessment of your facilities should be conducted by the person(s) responsible for the safety program and/or a professional safety and health consultant.

Conduct a comprehensive safety and health survey of your entire facility that is designed to identify any existing or potential safety and health hazards. This initial survey should focus on evaluating conditions with respect to safety and health regulations and generally recognized safe and healthful work practices. It should include checking on the use of any hazardous materials, observing employee/ house of worship volunteer work habits and practices, and discussing safety and health problems with employees and volunteers.

Create the systems and procedures necessary to **Prevent and Control the Hazards** that have been identified through your hazard identification facility analysis. These control procedures will be your basic means for preventing accidents. The OSHA standards that have been promulgated can be of great assistance to you, since they address controls in order of effectiveness and preference. Where no standard exists, creative problem solving and consultant resources should help you create effective controls. The basic formula OSHA follows is, in order of preference:

- 1. Eliminating the hazard from the machine, the method, the material, or the building/structure
- 2. Abating the hazard by limiting exposure or controlling it at its source
- 3. Training personnel to be aware of the hazard and to follow safe work procedures to avoid it
- 4. Prescribing personal protective equipment for protecting employees against the hazard

See Appendix C for Self-Inspection Checklist, to help you get a good start on creating this initial survey.

Section II – Safety Foundation

A. Safety Policy Statement

(Insert House of Worship Name) is dedicated to providing a safe and healthy work environment/place of worship for all of our employees, volunteers, house of worship members, and visitors. Our Organization will follow operating practices that will safeguard employees, members, volunteers, the public, and house of worship operations. <u>We believe all accidents are preventable</u>. Therefore, we will make every effort to prevent accidents and comply with all established safety and health laws and regulations. *(For additional sample Safety Policy Statements, see Appendix A)*

B. House of Worship Leadership Commitment to Safety

The members of the (Insert name of group(s) that oversee and approve major house of worship projects at your facility) are truly concerned about employee, house of worship member, and visitor safety. Accidents, unsafe working conditions, and unsafe acts jeopardize employees, house of worship members, visitors, and the House of Worship resources. Injuries and illnesses result in discomfort, inconvenience, and possibly reduced income for the individual(s) involved. Costs to the House of Worship may include, but not be limited to, direct expenses (workers' compensation premiums, damaged equipment or materials, and medical care) and indirect expenses (loss of employee services, reduced ability to meet member worship needs, employee/member morale problems, negative publicity or community perception of our organization, etc.). These indirect costs are reported to be 4-10 times higher than the insured costs of an accident. Accordingly, our organization will provide sufficient staffing, funds, time, and equipment so that employees, volunteers, members and visitors can work and attend services safely and free of recognized and controllable hazards.

C. Assignment of Responsibilities

Safety is everyone's responsibility. Everyone should have a safe attitude and practice safe behavior at all times. To best administer and monitor our safety policies, the following responsibilities are delegated. This list should not be construed as all-inclusive and is subject to change as needed.

1. (Insert name of group(s) that oversee and approve major house of worship projects at your facility) will:

- **a.** Provide sufficient staffing, funds, time, and equipment so that employees, members, and visitors can work and attend house of worship activities safely and free of recognized and controllable hazards.
- **b.** Demand safe performance from each employee and volunteer and express this demand periodically and whenever the opportunity presents itself.
- **c.** Delegate the responsibility for a safe performance to the (minister, pastor, priest, deacon or other appropriate title), house of worship employee in a supervisory position, house of worship activity leader, employees, and house of worship volunteers as appropriate.
- **d.** Hold every employee, house of worship volunteer, member accountable for safety.
- e. Periodically review the Safety Program effectiveness and results.

2. (Safety Director) will:

- **a.** Provide the resources, direction, and audits to integrate safety into the daily house of worship activities conducted on and off premises.
- **b.** Establish and maintain a safety education and training program.
- **c.** Periodically conduct safety surveys, meetings, and inspections.
- **d.** Advise house of worship employees, members, volunteers, and visitors (when appropriate) on safety policies and procedures.
- **e.** Assure that all newly hired employees and all volunteers have been given a thorough orientation concerning the house of worship's Safety Program.
- f. Prepare and maintain safety records, analysis, evaluations, and reports to improve the house of worship's safety performance and comply with all government agencies, insurance carriers, and internal procedures.
- g. Work with house of worship leadership members, ministers/pastors/priests/deacons, house of worship members, and employees to maintain and implement new and ongoing safety programs and comply with recommendations provided by outside consultants, OSHA inspectors, and insurance companies.
- h. Make available all necessary personal protective equipment, job safety material, and first-aid equipment.

- i. Review all accidents with appropriate house of worship member personnel and/or employees and ensure that corrective actions are taken as soon as possible after the root cause of the accident has been determined.
- **j.** File all workers' compensation claims immediately and work with the workers' compensation carrier to ensure proper medical treatment is provided to injured workers, volunteers, etc. and that they are returned to work as quickly as medically possible.

3. Supervisors and House of Worship Activity Leaders

Each employee or house of worship member who is in charge of a specific work area or house of worship activity, supervises the work of others, or is assigned a specific task or project is responsible and accountable for safety. Supervisors and house of worship Activity Leaders will:

- a. Establish and maintain safe working conditions, practices, and processes through:
 - (1) Safety Meetings
 - (2) Safety Training
- b. Observe work activities and facilities to detect and correct unsafe actions.
- c. Ensure that all injuries are reported promptly and cared for properly. Make available first aid treatment.
- **d.** Investigate all accidents promptly. Complete an accident report and provide it to the appropriate house of worship organizational group (i.e. house of worship Board, Trustees, house of worship Council, etc.) the same day the accident occurs. Review all accidents with the individual(s) involved and attempt to correct any unsafe condition or unsafe action that resulted in the accident immediately.
- **e.** Assist in the review of employment applications, volunteer qualification files, personnel files and interview prospective employees, house of worship volunteers and subcontractors, if used, to determine physical qualifications for specified jobs.
- **f.** Consistently enforce safety rules/regulations, programs, and protective measures (i.e. use of personal protective equipment, machine guarding, proper clothing, etc.).
- **g.** Post signs, notices, and instructions as needed or required.
- **h.** Brief employees and volunteers of any new hazards before they start work and weekly and/or monthly host brief safety meetings to discuss safety practices related to job hazards and general safe work behavior.
- i. Work with house of worship leadership committees or groups and employees to maintain and implement new and ongoing safety programs and comply with recommendations provided by outside consultants, OSHA inspectors, and insurance companies.

4. Employees and House of Worship Volunteers

Each employee and volunteer are responsible for his/her own safety. No task should be completed unless it can be completed safely. Employees and volunteers will:

- **a.** Comply with all house of worship safety programs, rules, regulations, procedures, and instructions that are applicable to the work or activity being performed.
- **b.** Refrain from any unsafe act that might endanger him/her self, fellow workers, other volunteers, house of worship members, visitors, etc.
- **c.** Use all safety devices and personal protective equipment provided for his/her protection.
- **d.** Report all hazards, incidents, and near-miss occurrences to their Supervisor or Activity Leader, regardless of whether or not injury or property damage was involved.
- **e.** Promptly report all injuries and suspected work related illnesses, however slight, to his/her immediate Supervisor or Activity Leader.
- **f.** Participate in safety meetings, training sessions, and surveys as requested and provide input into how to improve safety.
- **g.** Notify the Supervisor or house of worship activity leader immediately of any change in physical or mental condition or use of prescription drugs that would affect the individual's job performance/ability to perform activity assigned or the safety of him/her self or others.
- h. Notify the (Insert name of group(s) that oversee and approve major house of worship projects at your facility), Safety Director, or Supervisor within five days of any serious driving, drug/alcohol, or criminal convictions.

i. Be a safe worker on (and off) the job. Help co-workers and house of worship volunteers do their job safely. Come to work everyday with a safe attitude.

D. Accountability for Safety

Everyone is accountable for safety. The (designate the individual, group or members responsible for overseeing the house of worship safety program success) will establish safety objectives and develop/direct accident prevention activities. All employees, house of worship volunteers, subcontractors, etc. should strive to reach those objectives and will be evaluated accordingly. All Supervisors' annual employment appraisals will include an evaluation of their efforts to contribute to achieving the safety objectives of their work area and the overall safety objective of the organization. An audit of their performance with regards to their safety responsibilities will also be conducted. All employee salary reviews will be affected by the company's safety performance record. Appraisals, which include safety records, will also be performed on all employees seeking a promotion.

E. Opinion Survey

The house of worship requests ongoing comments and feedback from all employees, volunteers, and members. In addition, annually, the organization may request all employees' opinions and input on the house of worship's safety program through an opinion survey. Be honest. You know your job better than anyone else does. Therefore, you can provide valuable input into performing the job safely. Changes to existing safety programs, rules, procedures, etc. may be influenced by your responses. Full cooperation of all employees is expected.

F. Employee and House of Worship Volunteer Suggestions

Safety suggestions from employees and house of worship volunteers are welcomed and encouraged. To make a safety suggestion, complete the employee/house of worship volunteer safety suggestion form on the following page and provide it to your immediate superior or house of worship activity leader. The suggestion(s) will be reviewed by the Safety Director and (Insert name of group(s) that oversee and approve major house of worship projects at your facility) at the next house of worship Board meeting. Responses to suggestions will be discussed with the individual and posted where applicable on the house of worship's bulletin board.

EMPLOYEE/HOUSE OF WORSHIP VOLUNTEER SAFETY SUGGESTION FORM

Employee or Volunteer Name (optional):	Date:
Supervisor or Activity Leader's Name:	
Current Practice Or Condition:	
Suggestion:	
Benefits Expected From Change:	
(FOR HOUSE OF WORSHIP BOARD USE, if applicable)	
Year: Number:	_
Suggestion Implemented?	☐ Yes - with changes ☐ No
Implementation Date:	
Comments/Changes Made/Reason for change or not impler	nented:

Section III – Safety Training

A. New Employee and House of Worship Volunteer Safety

The Safety Director, Supervisor, Activity Leader should provide safety training to all newly hired employees and all house of worship volunteers. Each new employee or volunteer will be given a copy of the safety manual.

- General safety orientation containing information common to all employees and volunteers should be reviewed, before beginning their regular job duties or house of worship activity. Recommendations include (at a minimum):
 - **a.** Review the Safety Manual, with extra time spent on: accident and hazard reporting procedures, emergency procedures, first aid, and special emphasis programs which are included within this program.
 - **b.** Encourage and motivate employee/volunteer involvement in safety. Make each employee and volunteer accountable for their safety and the safety of their coworkers.
 - c. Review any known workplace hazards.
 - **d.** Conduct training on any topics that are not scheduled to be addressed within a reasonable timeframe if the topic is relevant to the employee's job or the volunteer's activity.

2. Job-specific training provided before performing the task should include:

- **a.** Specific safety rules, procedures, hazards, and special emphasis programs (Chemical Handling Procedures/Hazard Communication Program, Personal Protective Equipment, Smoking Policy, Violence Prevention Program, Lockout/Tagout) that will impact them as they complete their job for the house of worship.
- b. Identify employee's, volunteer's, and the house of worship organization's responsibilities.

Continual training should be provided to new hires and volunteers. Each new hire and volunteer should be assigned to work with an experienced employee or experienced volunteer for a predetermined length of time established by the Safety Director based on the knowledge and experience level of the employee or volunteer. The senior employee or experienced house of worship volunteer should act as a mentor and ensure that the new employee or new volunteer is working safely and exhibits a positive safe attitude.

The Safety Director should complete the New Employee/New Volunteer Safety Checklist for each new employee or new volunteer during their safety training.

B. Safety Meetings/Training

Supervisors or the Safety Director should hold a minimum of (*insert appropriate number here*) safety meetings per month. Safety meetings will begin at (*insert time and day of month*).

- 1. All employees and volunteers (active in a project at the time of the monthly safety meeting) are required to attend safety training meetings, if they are present at the house of worship the day of the meeting. Exceptions should be cleared in writing with your immediate Supervisor the first full workday preceding the day of the safety meeting. Employees, Supervisors, the Safety Director, and Volunteers should offer comments and safety suggestions at the safety meeting and regularly throughout the year as needed.
- 2. The Safety training topic should be announced in advance of the meeting.
- **3.** Supervisors and/or the Safety Director should update employees and volunteers on any changes in procedures, new equipment, and general safety issues.
- **4.** Emergency procedures should be periodically reviewed.
- **5.** Employees and volunteers are reminded to put safety first and look out for their coworker, other volunteers, house of worship members, and visitors that may be in the area.
- **6.** Employees, volunteers and project teams with outstanding safety records will be recognized during these meetings. Quizzes and surveys may be administered after safety training or meetings.
- 7. Supervisors and/or the Safety Director should provide a summary of the safety issue(s) discussed and verbally review the information with all employees and active house of worship volunteers that may have been absent from that month's safety meeting.
- **8.** The Safety Training Log should be completed following every safety meeting/training session and maintained by the Supervisor, Safety Director, house of worship Board, Activity Leader, etc.

C. Food Preparation Safety Training (Include this section if food is prepared or served on or off premises by the House of Worship)

Training is a critical component of our safety program. It is important to the leadership of our organization that all employees and volunteers are aware of the hazards they may encounter and the proper procedures to control or eliminate them. Employees and volunteers will not be permitted to perform any job or be involved in any activity unless that employee or volunteer has received proper instructions on how to perform the task properly and safely.

Our training program will include a review of operations, procedures, job hazards, and safety rules. Training topics for new and existing employees and volunteers will include:

- 1. Food Customer Safety
- 2. Safe Food Handling
- 3. Prevention of Burns
- 4. Prevention of Slips, Trips, and Falls
- 5. Prevention of Lifting Injuries
- 6. Prevention of Cuts
- 7. Fire Prevention
- 8. Electrical Safety
- 9. Serving Alcoholic Beverages
- 10. Hazard Communication
- 11. Food Delivery Safety
- 12. Security and Crime Control

Each of the above listed items is addressed within this safety program in "General Safety," "Special Emphasis Programs" and/or Appendix D.

NEW EMPLOYEE/VOLUNTEER SAFETY CHECKLIST

Employee or Volunteer Name:	ID:
Date Employed or Date House of Worship Activity Began:	Date Checklist Completed:
Checklist completed by:	
Department or House of Worship Activity Assigned:	
Type of Work or Activity:	
Summary of Work Experience:	
Supervisor or Activity Leader:	
Ask Employee or Volunteer: Do you have any physical condit this job, activity or task? ☐ Yes ☐ No	ions or handicaps which might limit your ability to perform
If so, what reasonable accommodation can be made by us?	
Any work restrictions indicated from the employment application	or volunteer qualification form?
The Safety Director, Supervisor, Activity Leader or (insert ap should review the following safety concerns. Check and diswith a copy of the Safety Manual.	
☐ House of Worship safety policies and programs	
☐ Safety rules (general and specific to job, activity or task)	
Safety rule enforcement	
Materials Handling	
Accident and Hazard Reporting Procedures	
Housekeeping	
☐ Special hazards of the job, activity or task	
Emergency Procedures	
Employee or Volunteer Responsibilities/Accountability	
Hazardous Materials	
Location of First Aid Kits	
☐ Where to go for medical treatment	
Other:	
Employee or Volunteer shall receive additional training from	n:
Probationary period (for employees only) is from	
Employee performance (including safety) will be reviewed for	
Employee and volunteers agree to cooperate fully with the safe and use good judgment concerning safe work behavior.	ety efforts of the house of worship, follow all safety rules,
Comments:	
Signed: Signed:	gned:
Trainer	Employee or Volunteer

SAFETY TRAINING LOG

House of Worship Name:			
Date of Meeting:	Instructor	:	
	Attending Employe	ees and/or Volunteers	
Print Name	e		Signature
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.	_		
11.		_	
12.		_	
13.		_	
14.			
15.			
16.			
Safety Topics Covered: Housekeeping Accident Reporting Injuries or Accidents Review Accident Investigation Emergency Procedures Materials Handling/Back Safe Fire Protection Other			
Comments:			
·			

Section IV – General Safety

A. Emergency and Evacuation Procedures

Our goal is to provide prompt and immediate action in an emergency to protect employees, volunteers, house of worship members, visitors, and individuals within the community surrounding the house of worship, property, and equipment.

1. Emergency Procedures

In case of emergency, the employee, volunteer, or house of worship member nearest the stricken person should call 911 (or the emergency phone number posted within the facility) and direct a fellow employee, volunteer, or house of worship member to:

- **a.** Notify the nearest Supervisor, (Pastor, Minister, Priest, Deacon, Senior House of Worship Leader, House of Worship Elder, Board Member, etc.) to come to the scene.
- b. Simultaneously dispatch available individuals present in the immediate area to quickly retrieve the first aid kit.
- ONLY an individual trained in first-aid should apply emergency rescue procedures until medical assistance arrives.

The (Safety Director, Pastor, Minister, Priest, Deacon or other appropriate title) or Supervisor should be notified. The (Safety Director, Board Member present, Trustee, House of Worship Elder, Pastor, Minister, Priest or other properly designated person) will decide whether or not to evacuate, inspect, or shut down a facility.

2. Evacuation Procedures

- **a.** Each area will be assigned a primary and an alternate Evacuation Coordinator by the Safety Director or the Department Supervisor. They will be responsible for the effective evacuation of all persons. If neither is available, the Supervisor is then responsible for evacuation.
- **b.** When alerted by alarm or by the Evacuation Coordinator(s) to evacuate, employees, volunteers, house of worship members, and visitors should:
 - 1. Properly secure all classified materials (if any) in your possession and ensure all classified areas are properly locked.
 - 2. Proceed to the nearest designated area of safety (i.e. fire exit building, tornado interior corridor away from exterior windows and/or lowest level at the building) and assemble in the designated area.
 - **3.** Remain in the designated area, until instructions are provided.

See Appendix B for a Sample Checklist – Planning for Emergencies.

B. Safe Operating Procedures

All employees, volunteers and house of worship members are responsible for safety. The following safe operating procedures apply to all employees, volunteers, and members working, visiting or attending an on or off premise activity in conjunction with the house of worship.

1. Rules/Regulations

- **a.** Emergency telephone numbers should be posted on at least one telephone on each level within the building. Emergency phone numbers would include: ambulance service, local hospital/medical facility, fire, law enforcement, poison control center, etc.
- **b.** Comply with all established safety rules, regulations, procedures, and instructions which are applicable to you as a member of, or employee of, this house of worship.
- **c.** Promptly report all accidents, hazards, incidents, and near-miss occurrences to your immediate supervisor or activity leader, regardless of whether or not injury or property damage was involved.
- **d.** Do not visit, talk to, or distract another employee/volunteer who is operating equipment or who is engaged in a work activity where the possibility of injury exists.
- **e.** Do not participate in horseplay, scuffling, pushing, fighting, throwing things, or practical jokes.
- f. Observe all no-smoking signs and regulations.
- **g.** Do not run on house of worship premises, unless involved in a sporting activity on or off premises or house of worship function where running is permitted and encouraged.

- **h.** Use handrails on steps, elevated platforms, scaffolds, or other elevations.
- i. Assist others and ask for assistance in lifting and carrying heavy or awkward objects.
- **j.** Firearms, ammunition, and explosives are prohibited on house of worship properties or at off premise activities involving the house of worship.
- **k.** Personal stereos with headphones are not to be worn in the workplace.
- Alcohol and drug use and possession of these substances on house of worship property are strictly prohibited.
- m. Seat belts must be worn at all times:
 - while operating or riding in a house of worship owned or leased vehicle
 - while in a vehicle (employee owned, house of worship member owned or subcontractor owned) when on house of worship property
 - when traveling within one of the types of vehicles listed above on route to or from a house of worship activity or function

2. Housekeeping

- **a.** Practice good housekeeping by keeping all work areas, aisles, walkways, stairways, roads, or other points of egress clean and clear of all hazards.
- **b.** Store and/or return parts, materials, tools, and equipment so as not to create a tripping hazard.
- **c.** Clean-up scrap materials, debris, and other excess materials. Place oil soaked rags, trash, and scrap in proper waste containers.
- d. Keep work area floors clean, dry, and free of oils, grease, and liquids. Clean-up all spills immediately.
- **e.** Store parts, materials, or equipment with protruding sharp ends or edges where individuals can not accidentally bump into them.
- f. Materials and equipment are not to be stored in the aisles or near exits. Permission in writing from your immediate Supervisor or Activity Leader must be obtained for temporary or permanent storage of any materials or equipment in aisles or near exits.

3. Material Handling and Back Safety

- a. Know the approximate weight of your load and make certain any material handling equipment you may operate to move materials is rated to handle the weight of the load. (Never exceed the manufacturer's recommended safe working load for any material handling equipment. Doing so increases the probability of equipment failure, dumping of the load, personal injuries, and/or damage to materials, the facility, etc.).
- **b.** Lift heavy objects as instructed, with the leg muscles and not with the back. On average, do not manually lift over 50 pounds.
- **c.** Call for assistance, as needed, for handling heavy or bulky objects or materials.
- **d.** Use an appropriate, approved lifting device (i.e. special trucks, racks, hoists, and other devices) for lifting very heavy, bulky, large, or unyielding objects.
- e. All ropes, chains, cables, slings, etc., and other hoisting equipment must be inspected prior to each use.
- f. A load should never be lifted and left unattended.
- g. Wear safety gloves when handling materials that pose cutting exposures.
- h. Properly stack and secure all materials prior to lifting or moving to prevent sliding, falling, or collapse.
- i. Avoid moving or lifting loads by hand whenever possible.

Tips for manual lifting:

- (1) Get a good footing.
- (2) Place feet about shoulder width apart.
- (3) Bend at the knees to grasp the weight.
- (4) Keep back as straight as possible.
- (5) Get a firm hold.
- **(6)** Lift gradually by straightening the legs.

- (7) Don't twist your back to turn. Move your feet.
- (8) When the weight is too heavy or bulky for you to comfortably lift GET HELP.
- (9) When putting the load down, reverse the above steps.

Note: If lifting stacked materials, materials should be carefully piled and stable. Piles should not be stacked as to impair your vision or unbalance the load. Materials should not be stacked on any object (i.e. floor, shelving units, ladders, scaffolds, etc.) until the strength of the supporting members has been checked.

4. Office, Classroom, Sanctuary Safety

- **a.** Practice good housekeeping throughout all areas. Do not leave materials or position telephone or electrical cords in the aisles.
- **b.** Report or correct any obvious hazards as soon as they are discovered.
- **c.** Do not carry articles weighing more than 20 pounds when ascending or descending stairs that rise more than 5 feet.
- d. Close files and desk drawers. Arrange heavy or large files in the rear of file cabinet drawers to prevent tipping when draws are open. Always store heavy materials in the lower drawers and light objects on upper shelves. Do not open more than one drawer at a time, as tipping of the cabinet or desk may occur. Secure cabinets to each other and/or to building structural members to improve stability.
- e. Report damaged furniture and broken veneer surfaces immediately.
- f. Do not carry pointed or sharp objects in hand, pockets, or attached to clothing with points or blades exposed.
- g. Do not leave paper cutters with the blade in the open or upright position.
- h. Remove, secure, or arrange material on file cabinets and desks to prevent materials from falling from office furniture.
- i. Do not stand on chairs, desks, boxes, wastebaskets, or any other furniture or object. These items are not be used as substitutes for an approved step-stand or stepladder.
- **j.** Report slippery floor surfaces to your Supervisor, Activity Leader or appropriate individual responsible for floor conditions immediately.
- k. Clean up spills on floors immediately.
- I. Position desks and files so that drawers do not extend into the aisle or walkway when open.

5. Clothing, Shoes, Jewelry

- **a. Clothing:** Wear safe and practical apparel for work, house of worship activity, or house of worship function. Be sure that any clothing you wear is not highly flammable. Neckties and loose, torn, or ragged clothing should not be worn while operating machines with revolving spindles or cutting tools.
- **b. Shoes:** Low-heeled, closed-toe shoes, or proper work boots with sufficient heavy soles must be worn in areas where foot/toe injuries are likely to occur.
- **c. Jewelry:** Do not wear rings or any form of jewelry or ornamentation when working around machinery or exposed electrical equipment.

6. Fire Prevention

- **a.** Good housekeeping is the first rule of fire prevention. Oily rags, paper shavings, trim, and miscellaneous scrap materials should be cleaned up and placed in trash receptacles.
- **b.** All flammable liquids should be stored in an approved manner and dispensed from a UL Listed or Factory Mutual Approved portable flammable liquid safety containers.
- **c.** Liquefied Petroleum (LP) Gas presents special fire and explosion hazards. Only qualified persons are to handle LP gas. LP gas equipment should be inspected daily for leaks, etc.
- **d.** Open fires of any kind are not permitted on house of worship grounds.
- e. Combustible materials or equipment in combustible containers should be stored properly.
- f. Fire extinguishers should be located near an exit door.
- **g.** Fire extinguishers should be recharged and inspected annually by a qualified fire extinguishing service contractor. A tag indicating the date the unit was recharged should be affixed to each extinguisher.

- **h.** Access to fire hydrants should be maintained at all times. Fire hydrants should never be blocked or obstructed in any way.
- i. All combustible waste materials, rubbish, and debris should be disposed of daily.
- j. Smoking is prohibited in any hazardous area and "No Smoking" signs should be posted in these areas.
- **k.** Compressed gas cylinders should be transported and stored in an upright position.
- I. Compressed gas fuel cylinders should be separated from oxygen cylinders by at least 20 feet or by a 5 foot high ½-hour fire rated wall.
- m. No material should be stored within 3 feet of an electrical panel, outlet, or fire suppression equipment.

7. Member and Visitor Safety

Protecting our members and visitors from injury is a top priority for our organization. Proper maintenance and housekeeping of all public areas should be a top priority for all employees, volunteers, and house of worship members. Members and visitors must also be protected against hazards presented by food and broken utensils. Some items to evaluate on a daily basis by each department Supervisor or Activity Leader should include:

- **a.** Parking lots, sidewalks and steps should be well maintained.
- **b.** Adequate interior and exterior lighting should be evaluated and deficiencies should be corrected as soon as possible within all areas of this facility.
- c. Prompt removal of snow and ice.
- **d.** Chair, tables, and booths must be inspected and maintained in good condition.
- e. Carpet and floors should be kept clean and in good condition.
- f. Mats and rugs should lie flat and be in good repair.
- g. Wet floors should be posted with wet floor warning signs.
- **h.** An inspection of utensils, dishes and glasses should be conducted prior to placing these items within a dishwasher, after removing them from the dishwasher and prior to assembling place settings.
- i. Individuals served food should be warned of hot dishes and food.
- **j.** Employees, volunteers and Senior House of Worship Leadership should be trained on how to assist a choking victim.
- **k.** Safe food handling procedures should be followed at all times.

8. Safe Food Handling

a. Exposures

Preparing and serving food to the public carries with it a great responsibility. Increased incidences of food borne illnesses highlight the need for effective safe food handling procedures. An evaluation of all potential exposures should be conducted on a daily basis by the Supervisor or Activity/Project Leader. Please review the following items to identify possible exposures to food handling losses and safety controls, which may help to reduce the probability of food handling losses.

b. Possible Exposures

- (1) Foreign objects in food.
- (2) Food poisoning as a result of spoilage, contamination, or deterioration of food; food stored improperly; improper temperature in the food storage facilities.
- (3) Lack of adequate housekeeping and cleanliness in the food preparation area.
- (4) Expired shelf-life products.
- (5) Improper storage of cleaning materials and pest control chemicals.
- (6) Insufficient supply of hot water for the dishwasher.
- (7) Rodents and pests.

c. Controls

- (1) Develop and enforce strict hand washing procedures
- (2) Sanitize serving equipment, counters, and table surfaces often.
- (3) Refrigerate food promptly.
- (4) Establish a pest control program.
- (5) Refrain from bare-hand contact with ready-to-eat foods.
- **(6)** Wash fresh fruits and vegetables thoroughly.
- (7) Use meat thermometers to ensure proper cooking temperatures.

9. Prevention of Burns

Unsafe actions by employees, food serving volunteers, etc. could lead to contact with hot surfaces including cooking equipment, grease, open flames, etc. Although not all inclusive, the following is a partial list of safety procedures to help reduce the probability of employee and volunteer injuries due to burns.

a. Safety Procedures to Prevent Burns

- (1) Individuals must call out "Behind You!" when passing another person who is carrying hot items.
- (2) Do not use wet towels as hot pads.
- (3) If you do not know if something is hot, assume that it is.
- (4) The use of potholders or oven mittens should be strictly enforced whenever removing items from cooking appliances or when there is a high probability the pan or container is hot.
- (5) Alert customers of hot products from the oven when they are delivered to the table.
- (6) Use care when pouring hot liquids, such as coffee or hot tea.
- (7) Keep pot handles turned inward so that they do not protrude over the edge of range, table, or counter.
- (8) When adding ingredients to hot liquids, add small portions at a time to prevent splashing.
- (9) Use the release valve to release pressure before opening pressurized steam kettles or pressure cookers.
- (10) Transport hot liquids in closed containers.
- (11) Use carts for moving large hot items, such as coffee urns, containers of hot water, or containers of hot food.

10. Prevention of Slips, Trips, and Falls

The most common cause of individual injuries in food handling areas is falls. Twenty percent of all serious injuries are caused by falls in the workplace. Fortunately, slips, trips, and falls are highly preventable through hazard identification procedures and adherence to some fairly simple control guidelines.

a. Hazards That Cause Slips, Trips, and Falls

- (1) Small items in the walkway, such as food scraps.
- (2) Loose carpet or tile.
- (3) Wet and slippery floors, caused by spilled liquids or snow tracked in during inclement weather.
- (4) Changes in floor elevations.
- (5) Poor lighting.
- (6) Snow and ice-covered parking lot surfaces.
- (7) Potholes in parking areas.

b. Controls

- Keep floors clean and dry.
- (2) Use "Caution-Wet Floor" signs when mopping the floor and leave the sign in place until the floor is completely dry.
- (3) Flooring should be inspected regularly for cracked or uneven surfaces.

- (4) Daily cleaning of kitchen floors, using heavy-duty cleaners and degreasers.
- (5) Clean up spills immediately.
- (6) Repair defects in the parking lot, sidewalks, floors, and carpets.
- (7) Employees and volunteers should wear shoes with good traction and closed toes.
- (8) Use grid-pattern rubber floor mats or special floor treatments in the kitchen.
- (9) Place trash in proper waste containers.
- (10) All employees and volunteers should exercise good housekeeping practices and clean as they go.
- (11) Repair tears in carpeting as soon as possible. Tape can be used temporarily.
- (12) Use floor mats at all entryways.
- (13) Make sure the drink station floor remains free of spilled ice.
- (14) Do not store or leave items on stairways.
- (15) Straighten or remove rugs and mats that do not lie flat on the floor.

11. Prevention of Cuts

Cuts are one of the leading types of injuries in food service areas. They arise mainly from knives and broken glass. Other potential sources of cuts are from handling and/or cleaning slicers, box cutters, plastic wrap, cutting bars, and opening cans.

a. Safety Procedures to Prevent Cuts

- (1) All employees and volunteers should be trained in the safe use of knives.
- (2) Use retractable safety razors for opening boxes. Never use a knife for this purpose.
- (3) Place can lids into the empty can before disposing of the can.
- (4) Use the correct knife for the job. Use knives for cutting, slicing and dicing. Do not use knives as screw-drivers or ice picks.
- (5) Carry the knife with the point down.
- (6) Always use a cutting board. Put a damp towel under the cutting board to prevent slippage.
- (7) Cut away from your body and do not "hack" at food.
- (8) Never try to catch a falling knife.
- (9) Wash knives by themselves not with other utensils. Never leave knives soaking under water because they cannot be seen.
- (10) When not in use, store knives in drawers or racks.
- (11) Use a broom and dust pan or damp towel to pick up broken glass. Never use your bare hands even to pick up the larger pieces.
- (12) Set up a labeled container in the kitchen in which to store only broken glass.
- (13) All employees and volunteers should be trained on how to safely operate and clean slicers.
- (14) Keep knives sharp. A sharp knife is safer than a dull knife. Dull blades require more force and may be more likely to slip, cutting you rather than the food.
- (15) Do not place drinking glasses inside each other.
- (16) Visually inspect all glassware for cracks or chips. If chips or cracks are discovered in the glasses, place them in containers labeled "broken glass."
- (17) Do not use a drinking glass to scoop ice. Use a metal scoop or pan instead.
- (18) Always keep your eyes on your work while you are using a slicer.
- (19) Do not place your hand on top of the blade guard while operating a slicer.
- (20) Replace the guards after cleaning or making any adjustments to a slicer.

- (21) Turn the power switch of the slicer to "off" and unplug it when it is not being used.
- (22) Wear a wire mesh glove when cleaning the exposed edge of the slicer blade.
- 12. Serving Alcoholic Beverages (IF ALCOHOL IS NOT SERVED AT ANY HOUSE OF WORSHIP SOCIAL EVENT, PLEASE DELETE THIS ITEM FROM YOUR PROGRAM. If served on or off premises at a house of worship function, such as wedding receptions, anniversary parties, etc. Please consider modifying, but including this section within your House of Worship Safety Program).
 - **a.** Exposures may arise out of selling or serving alcoholic beverages. Areas of concern include:
 - (1) Serving alcoholic beverages to minors.
 - (2) Serving alcoholic beverages to intoxicated persons.
 - (3) Automobile accidents caused by people that were served alcoholic beverages at a house of worship function or activity.

b. Controls

- (1) Our house of worship will refrain from activities that promote drinking.
- (2) Established drinking limits to discourage excessive drinking will become a part of all employee or volunteer bartender training.
- (3) When in doubt, require identification showing proof of age before serving alcoholic beverages to an individual.
- (4) All servers will be trained to recognize the effect of alcohol on customers and deal with intoxicated customers appropriately. One of the training programs that is available and may be used by our facility is TIPS Training in Intervention Procedures for Servers. Training can be arranged for servers through 1-800-GET TIPS.
- (5) When necessary, make arrangements (such as taxi service) to transport intoxicated individuals to their homes.

13. Security and Crime Control

a. Due to cash donations and valuable house of worship artifacts, house of worship's are attractive targets for break-ins and robberies. But, there are ways to prevent robberies and minimize the risk of danger to our employees, volunteers, house of worship members, and visitors in the event of a hold-up. There are also cash control procedures that will help us prevent theft.

The following guidelines may help us reduce the chance of employees, volunteers, house of worship members, and visitors becoming crime victims.

- (1) Make sure all employees and volunteers are trained in how to recognize suspicious activities.
- (2) All exterior door locks will be change after an employee that has key access to the facility has left the house of worship employment.
- (3) Keep the back doors, basement doors, and all other entrances locked at all times when the house of worship is not in use.
- (4) Try to use only the front doors to enter and exit the house of worship whenever possible.
- (5) Proper lighting and visibility can deter crime outside and inside the house of worship buildings.
- **(6)** Exterior lights should be turned on at dusk and during bad weather.
- (7) Floodlights should illuminate the sidewalks, back door, and front door.
- (8) Burned out lights should be replaced immediately.
- b. All employees, volunteers, and house of worship members should adhere to the following procedures:
 - (1) Do not panic during a robbery.
 - (2) Do not argue with the robber.
 - (3) Be observant. Note as many details as possible about the robber(s).
 - (4) Know how to set off the alarm if your house of worship has one, but only if it can be done without risk.
 - (5) Do not lie to the robber. Do not volunteer information, but if asked a question, always tell the truth.

- (6) Do not surprise the robber or do anything to excite or confuse him/her.
- (7) Do not chase after or use weapons against the robber. That is the responsibility of the police.
- **(8)** Call the police immediately after the robber leaves. Lock the doors. Do not touch evidence or discuss the robbery with other employees, volunteers, or house of worship members.
- (9) Cooperate and answer all questions that police ask about the robbery.
- (10) **Never** give statements to the media.
- (11) Perform cash counts following each service where collection plates are used.
- (12) Do not keep cash in the building overnight, if at all possible.
- (13) All cash should be removed from the building daily and deposited at the bank (night depository if necessary on weekends).
- (14) Bank deposits should be made at varying times.
- (15) Take different routes to the bank.

Section V – Accident Management

A. Accident and Near Miss Reporting Procedures

If you, a house of worship volunteer, member, or visitor has a near-miss situation while working or attending a house of worship function, on or off premises, notify your Supervisor, Activity Leader or Safety Director immediately. The situation will be investigated and corrective action implemented to prevent future injury. Employees, volunteers, members, and witnesses must fully cooperate in the investigation.

If you are injured on the job:

- 1. Contact your Supervisor, Activity Leader, Safety Director, or the nearest house of worship member (who should notify the Safety Director, injured employee's Supervisor, Activity Leader), if you are unable to contact the appropriate individual due to the severity of your injury.
- 2. The designated employee(s) that are trained in first-aid and/or CPR should be immediately notified to assist in the situation.
- **3.** First aid kits, which are prominently displayed throughout the workplace, should be made available and medical supplies promptly refilled (by the Safety Director).
- **4.** If needed, the Supervisor, Safety Director or his/her authorized representative should transport the injured worker to the house of worship's designated medical facility to receive appropriate medical attention.
- 5. If rescue personnel are summoned, the Supervisor or Safety Director should delegate an individual to wait for the rescue team and escort them to the injured person(s).
- **6.** All witnesses to the accident should be available to speak with the Safety Director and/or Supervisor and cooperate in all accident investigations.
- 7. The Safety Director or immediate Supervisor should immediately notify the insurance company of the accident and file, if necessary, a workers' compensation claim or other type of insurance claim if required.

Every accident or near-miss situation should be reported immediately. Injured employees, volunteers, house of worship members, or visitors witnessing an accident should be strongly encouraged to assist the Supervisor or Safety Director in completing an accident investigation. Injured employees, volunteers, house of worship members, etc. should comply with the medical treatment provided by the treating physician and cooperate with the insurance company and its designees.

B. Accident Investigation

When an accident occurs, it is an indication that something has gone wrong. Accidents don't just happen, they are caused. The basic cause(s) of accidents are unsafe acts and/or conditions. The Supervisor and/or Safety Director for the house of worship must investigate every accident to determine the cause and to initiate corrective action to assure that similar type accidents will not reoccur from the same causes.

Supervisors or the Safety Director should complete the Supervisor's Accident Investigation Report and submit a copy to the (Insert Appropriate top house of worship personnel title here such as Pastoral Council President, House of Worship Trustees, Senior House of Worship Leadership Committee, etc.) for review. The (insert title of person or group mentioned in prior sentence here) should evaluate the corrective action(s) taken or suggested by the Supervisor or Safety Director and instruct if additional changes should be made.

Tips on accident investigations:

- 1. Every accident is caused. Carelessness is not a cause, but the result of some deficiency. Telling individuals to be more careful will not eliminate the real accident cause.
- 2. An accident investigation is not a trial to find fault or to place blame. Its purpose is to find accident causes so that corrective measures may be taken to prevent future accidents.
- 3. Most accidents result from a combination of human error (unsafe behavior) and a physical hazard (unsafe condition). Do not overlook the possibility of multiple errors and hazards.
- **4.** Don't stop at the obvious answer. For instance, a fall on greasy floor surface does not happen because someone slipped. The accident happened because the grease was allowed to remain on the floor and the individual walked onto it. Determine why the injured person did this and why the grease was not cleaned up. Only by correcting both problems can you prevent future accidents.

- **5.** The accident investigation should be conducted as soon after the accident as possible. Facts should be gathered while the accident is fresh in the minds of those involved. If possible, question every person who was involved or witnessed the incident. Delay interviewing injured parties until after medical treatment has been received.
- **6.** Other persons who did not witness the accident, but were in the area at the time of the accident, may contribute information regarding the injured person's activities prior to the accident and conditions at the time of the accident.
- 7. The accuracy and completeness of the information received from the injured person(s) and witness(es) depends on how well the interview is conducted. Supervisors and/or the Safety Director should:
 - a. Put interviewee at ease.
 - **b.** Ask what happened and how it happened.
 - c. Permit persons to answer without interruptions.
 - d. Show concern.
 - **e.** Remember, nothing is gained with criticism or ridicule.
 - f. Ask "why" questions, only to clarify the story.
 - g. Repeat the story, as you understand it.
 - h. Give the person the chance to correct any misunderstandings that you may have.
 - i. Photographs of the conditions as they exist immediately following the accident, including photos of the damaged equipment, are very helpful.
 - j. Damaged equipment should be removed or secured for future testing and used as evidence.
 - **k.** Individuals should not be permitted, under any circumstances, to operate machines or equipment that was damaged in an accident until all necessary repairs have been completed and all damaged parts have been repaired or replaced.
 - I. Take immediate action to correct any obvious unsafe conditions. Determine the basic accident causes and correct or recommend action to prevent reoccurrence.
- 8. In addition to employee accidents/injuries, volunteers, house of worship members, and visitor reported incidents should be documented to assist the house of worship leadership, and the insurance carrier (should a claim be filed), to thoroughly investigate the reported incident. If a house of worship member or house of worship visitor incident of any type is reported to you, the following procedures should be followed:
 - **a.** If you are not a Supervisor or member of the Senior House of Worship Leadership, your superior, Activity Leader, etc. should be contacted to speak with the injured person.
 - **b.** If you are a Supervisor or you are a member of the Senior Leadership for the house of worship and an incident is being reported to you by a house of worship volunteer, member, or visitor, NEVER admit guilt but complete the attached applicable House of Worship Incident Investigation Report Form (i.e. if a food incident, complete the Food Incident Investigation Report).
 - c. All instructions on the incident report forms should be closely followed and the completed forms should be forwarded to the (Insert name of group(s) that oversee and approve major house of worship projects at your facility) for further investigation and/or action.

SUPERVISOR ACCIDENT INVESTIGATION REPORT

(Completed by Supervisor of Injured Employee)

House of Worship Name			Address			
Name of Injured Person		Dept		Position How long in position		How long in position?
Date of Accident	Time of	Accident		Nature of Injury		
Injury Resulted in: Injury Fatal	ity 🔲	Property Damage (spe	ecify)			
Medical Treatment ☐ None ☐ First Aid ☐ EMT or Parame	edic 🔲 🗆	Doctor or Clinic	spital		Days Lost	Time (if employee)?
Drug tested? Yes No Alcohol Tested? Yes No						
What was the injured employee doing at	the time	of the accident?				
How did the accident occur (brief descrip	otion)?					
What environmental factors (unsafe cond	ditions) c	ontributed to the acc	ident? (See	e next page for example	es)	
What behavioral factors (unsafe acts) co	ntributed	to the accident? (Sec	e next page	e for examples)		
What corrective actions can be taken to	prevent re	ecurrence? (See next	page for e	xamples)		
What corrective actions have been taken	to preve	nt recurrence?				
Names of Witnesses						
Supervisor	Date	е	Reviewed	by:		Date

<u>Supplemental Information</u> for completing the Accident Investigation Report

Note: Each accident will involve <u>at least</u> one of the following conditions as a contributing factor.

Environmental Factors (Unsafe Conditions)				
Conditions	Definition of Condition		Suggested Corrective Action	
Unsafe procedures	Hazardous Process. House of Worship Leadership failed to make adequate plans for safety.	Α.	Formulation of safe working procedures	
Improperly guarded	Work areas, machines, or equipment that are unguarded or inadequately guarded.	A. B. C.	chase orders, contracts, and materials for safety	
Defective through use	Buildings, machines, or equipment that have become rough, slippery, sharp edged, worn, cracked, broken, or otherwise defective through use or abuse.	A. B.	Inspection Proper Maintenance	
Defective through design	Failure to provide for safety in the design, construction, and installation of buildings, machinery, and equipment. Too large, too small, not strong enough.	B.	Source of supply must be reliable Checking plans, blueprints, pur- chase orders, contracts, and mate- rials for safety Correction of defects	
Unsafe clothing or personal protective equipment	House of Worship Leadership's failure to provide or specify the use of goggles, respirators, safety shoes, hard hats, and other articles of safe dress or apparel.		Provide safe apparel or personal protective equipment.	
Unsafe housekeeping facilities	Unsuitable layout or lack of equipment necessary for good housekeeping (i.e. shelves, boxes, bins, aisle markers, etc.)	A.	ment necessary for good house-keeping.	
Improper ventilation	Poorly or not ventilated area	A.	Improve ventilation	
Improper illumination	Poorly or not illuminated area	A.	Improve illumination	

Behavioral Factors (Unsafe Acts)				
Factor	Suggested Corrective Action			
Lack of knowledge or skill	Unaware of safe practice; Unskilled. Not properly instructed or trained.	A. B.	Job training Improved hiring practices	
Improper attitude	Worker was properly trained and instructed, but failed to follow instructions.	A. B. C.	Supervision Discipline Improved hiring practices	
Physical Deficiencies	Worker has impaired eyesight or hearing, heart trouble, hernia, previous injuries, etc.	B.	Periodic physicals	
Substance Abuse	Worker was under the influence of (illegal or prescribed) drugs or alcohol while completing task	A. B. C.	Drug-Free Workplace Policy with drug/alcohol testing Discipline Rehabilitation	

HOUSE OF WORSHIP INCIDENT INVESTIGATION REPORT

Please complete this form in the event of a house of worship volunteer, member, or visitor incident. Be courteous and supportive. Do not admit any fault. If necessary, call an ambulance. Do not transport volunteer, member, visitor or injured party to the hospital. Gather as much information as possible. Maintain this completed report with your accident records for analysis.

House of Worship Name:	Phone:	
Activity Leader:		
Person Involved		
Name of Volunteer, Member or Visitor:	Date of Birth:	Sex:
Address		
Home Phone:		
Nature of Injury or Property Damage (Body parts	affected: broken, strained; or left, front fende	er dented, etc.):
Assistance Provided? (Describe what and by who	om, i.e., first aid, medical center, hospital, etc	c.):
Transported by: Ambulance Pri Accompanied by: (Name/relationship) Incident Description Location of Incident (Be specific):		
Date Occurred:	Time Occurred:	A.M.
Description of Incident by injured party:		
Description of Incident by Employee (if present at	time):	
Non-Employee Witnesses Were there any witnesses? List name/address/pho	one number. Report all statements of witness	es on supplemental form.

Provide names of all employees in the vicinity of the area. Atta	ch written statement	s to this rep	oort.
Any additional comments made by injured party which may be pert	inent. THIS IS NOT T O	D BE COMP	LETED BY INJURED PARTY.
When/where were comments made? To whom?			
Injured Person's Attitude: Hostile Neutral	☐ Cooperative	☐ Other	
Did injured party appear intoxicated? ☐ Yes ☐ No			
<u>Falls</u>			
Description of weather at time of incident (Examples: sunny, ra	ainy, snowing, drizzl	e, clear). N	ote any precautions taken to
prevent potential slip/falls (i.e. ice melt, "wet floor" signs, etc.)_		4	
Description of surfaces involved (i.e. cracked sidewalk, unever carpeting, etc.) Also include any foreign substances believed to			•
Describe item(s) injured party was carrying, if any, and how blocking vision?			eing carried such that it was
Type of footwear and clothing injured party was wearing:			
Were photos taken? ☐ Yes ☐ No If yes: Date taken:		Time:	
By Whom:			Attach photos to report.
Depart prepared by:		Data:	

Reviewed by: _____ Date: _____

FOOD INCIDENT INVESTIGATION REPORT

Please complete this form in the event of a food incident. Be courteous and supportive. Do not admit any fault. If necessary, call an ambulance. Do not transport volunteer, member, visitor or injured party to the hospital. Gather as much information as possible. Maintain this completed report with your accident records for analysis.

House of Worship Name:	Phone:	· · · · · · · · · · · · · · · · · · ·	
Activity Leader where incident occurred:			
Person Involved			
Name of injured party:	Date of Birth:	Sex: 🗌 M 🏻 [F
Address	City/State/Zip:		
Home Phone:	Work Phone:		
Nature of food incident (i.e. injured person alleged broken	tooth on food served, foreign object	in food, illness follov	ving
meal, etc.):			
, 			
Assistance Provided? Describe what and by whom (i.e. first	aid, medical center, hospital, etc.):		
			
		 	
			
Transported by			
	Other		
Accompanied by: (Name/relationship)			
Witnesses			
Provide names, phone number, address, and relationship to		-	red
person, friend dining with injured person, etc.):			
,			
	(International Control		
Comments made by witnesses (Attach written statements to	tnis report):		
,			

Employee Witnesses Provide names of all employees in the vicinity of the area. Attach written statements to this report. _______ Any additional comments made by injured party which may be pertinent. THIS IS NOT TO BE COMPLETED BY INJURED PERSON. When/where were comments made? To whom? _____ Injured Person's Attitude: Hostile Neutral Cooperative Other Did injured person appear intoxicated? ☐ Yes ☐ No If yes: Date taken: Time: Were photos taken? ☐ Yes ☐ No By Whom: _____ Attach photos to report. **Food Incident** Describe food product(s) involved: Foreign objects? Food retained? Yes No Object retained? Yes No Food preparers: Supplies received from: _____ Date: _____ Purchase Order Number: _____ Any other pertinent information? Report prepared by: _____ Date: _____

Reviewed by: _____ Date: _____

Section VI – Safety Violation

PRIOR TO IMPLEMENTING ANY EMPLOYEE DISCIPLINARY PROCEDURE, THE ENTIRE PROGRAM INCLUDING THE ACTIONS THAT WILL BE TAKEN SHOULD THE EMPLOYEE VIOLATE SAFETY RELATED POLICIES, SHOULD BE REVIEWED WITH YOUR HOUSE OF WORSHIP'S LEGAL COUNSEL.

Should any employee commit an unsafe act, intentional or not, this action should be addressed by the immediate Supervisor and reviewed by the Senior House of Worship Leadership Group. The House of Worship reserves the right to use disciplinary actions, depending upon the seriousness of the violation, and the impact of the violation upon the House of Worship. It is not required to complete all steps of the disciplinary procedure in every case. Discipline may begin at any step appropriate to the situation. Discipline includes, but is not limited to:

- 1. Verbal Reprimand
- 2. Written Reprimand
- 3. Suspension
- 4. Termination of Employment

The "Safety Violation Notice" form should be completed for all written reprimands. A copy should be maintained in the employee's personnel file and submitted to the House of Worship Leadership Group, if corrective action(s) is required.

SAFETY VIOLATION NOTICE

Employee Name:		
Department:	Violation Date:	
	As a condition of the house of worshi ent unsafe actions of yourself, co-work	
Rule Violated	Violation Description	Corrective Action Required*
1)		
2)		
3)		
Corrective Action Required*		
1 = Cease operation until corrective a 2 = Warn personnel and instruct them 3 = Provide proper personal protective 4 = Change procedure/work method 5 = Initiate and complete corrective ac 6 = Other (specify above)	on proper safety procedures e equipment	
Comments:		
Disciplinary Action Imposed Verbal Reprimand along with this not Written Reprimand with a last chance Suspension (from Termination of Employment	tice e warning	

Section VII – Special Emphasis Programs

A. Chemical Handling Procedures/Hazard Communications Program

1. Purpose:

To ensure that information about the dangers of all chemicals/hazardous materials used by the House of Worship are known by all affected employees, volunteers, and members. A secondary purpose is to comply with the requirements of the OSHA Hazard Communication Standard and corresponding state laws.

2. Responsibility:

All affected employees, volunteers, and members of the house of worship will participate in the hazard communication program and comply with all provisions of this policy. The Safety Director or supervisors of employees handling chemicals are responsible for maintaining this program and ensuring compliance with all local, state, and federal laws.

3. Scope:

This program covers container labeling, material safety data sheets, employee training and information, hazardous non-routine tasks, list of hazardous chemicals (i.e. cleaning chemicals, re-fueling chemicals, lawn care chemicals, office chemicals, etc.), chemicals in unlabeled pipes, and safety procedures.

4. Program:

a. Container Labeling

- (1) The Safety Director or Supervisors will verify that all containers received for use will be clearly labeled with the following: 1) contents, 2) the appropriate hazard warning (i.e. flammable, toxic, etc.), and 3) the name and address of the manufacturer. Existing labels will not be removed or defaced on incoming containers.
- (2) All materials on site are to be stored in their original container with the label attached.
- (3) Any material with a label missing or illegible should be reported to the Safety Director or Supervisor immediately for proper labeling and/or disposal in accordance with the Material Safety Data Sheet.
- (4) Stationary, secondary, or portable containers should be clearly labeled with either an extra copy of the original manufacturer's label or with generic labels which have a block for identification and blocks for the hazard warning.
- (5) Signs, placards, or other written materials that convey specific hazard information may be used in place of individual container labels if there are a number of stationary process containers within a work area which store similar materials.
- (6) Portable containers do not need to be labeled if the chemicals are transferred to labeled containers and used by the employee making the transfer during that shift. No unmarked containers of any size shall be left unattended in the work area.

b. Material Safety Data Sheets (MSDS)

- (1) Any product having a hazardous warning on its label requires a MSDS.
- (2) The manufacturer, distributor, or vendor shall provide the MSDS for the hazardous product.
- (3) All MSDS's shall be forwarded to the Safety Director or Supervisor and reviewed by this individual and employees using the product to determine safe work practices and to determine what if any personal protective equipment may be needed. The MSDS's will be maintained and kept at the following location:

(4) The MSDS provides:

- (a) chemical information
- (b) hazardous ingredients
- (c) physical data, such as the potential for fire, explosion, and reactivity
- (d) health hazards
- (e) spill or leak procedures

- (f) special protection and precautions
- (g) personal protective equipment needed
- (h) name, address, and phone of MSDS preparer or distributor

b. Employee Training and Information

- (1) The Safety Director or Supervisor will provide training to employees when hired and to volunteers prior to handling chemicals for the first time within work area (i.e. due to chemical substitution, job reassignment) and routinely thereafter on the hazardous nature of chemical products. Training will include:
 - (a) The Hazard Communication Policy
 - (b) Chemicals present in workplace operations
 - (c) Physical and health effects of the hazardous chemicals
 - (d) Appropriate work practices and controls when using chemicals
 - (e) Emergency and first-aid procedures
 - (f) How to read labels and review an MSDS to obtain appropriate hazard information
 - (g) Location of the MSDS file and written hazard communications program
- (2) After attending the training class, each employee or volunteer will sign a form to verify that they attended the training, received the written materials, and understand the house of worship's policies on Hazard Communication. See the Training Documentation for Chemical Handling Procedures/Hazard Communication Program.

c. Hazardous Non-Routine Tasks

- (1) Periodically, employees, and volunteers are required to perform hazardous non-routine tasks.
- (2) Prior to starting work on such projects, each affected employee or volunteer will be given information by the Safety Director or Supervisor about the hazardous chemical he/she may encounter during such an activity. This information will include specific chemical hazards, protective safety measures the employee or volunteer can use, and measures the house of worship has taken to lessen the hazards including ventilation, respirators, presence of other employees or other volunteers, and emergency procedures.

d. Informing Contractors and Others

- (1) The Safety Director or Supervisor shall advise contractors that may work at our facility and other clients of our Hazard Communication Program.
- (2) Copies of the MSDS's for all materials brought onto the site will be made available upon request to each client, contractor or visitor to the facility by the Safety Director or Supervisor.
- (3) The Safety Director or Supervisor will also obtain chemical information from contractors that may expose our employees or volunteers to hazardous chemicals which they bring into our workplace.

e. List of Hazardous Chemicals

Attached is a list of all known hazardous substances presently being used (see sample form "List of Hazardous Chemicals"). Listed chemicals are denoted as **EX** for explosive, **HT** for highly toxic, **C-R** for corrosive or irritant, and **CAR** for proven or suspected carcinogen-mutagen in humans or animals. Further information on each chemical can be found by reviewing the MSDS sheet on that chemical.

f. Safety Procedures and Recommendations

(1) Work Habits

- (a) Never work alone, eat, drink, or use tobacco products within an area where chemicals are handled or within a chemical storage room. Do not store food or beverages in such an area.
- (b) Wash hands before and after working within a chemical handling area, and after spill cleanups.
- (c) Restrain loose clothing, long hair, and dangling jewelry.
- (d) Never leave heat sources unattended.
- (e) Never place reactive chemical containers near the edge of a table, bench, etc. where they may fall and break, thus releasing chemical vapors into the room and/or come into contact with other chemicals causing an unsafe reaction.

- (f) Use a fume hood when working with volatile substances.
- (g) Obtain and read the MSDS for each chemical before handling/dispensing any chemicals.
- (h) Analyze new chemical handling procedures in advance to pinpoint hazardous areas.
- (i) Analyze accidents to prevent repeat performances.
- (j) Protection should be provided for not only the employees working within the chemical handling/ processing room, but also for any visitors to the area.
- (k) Do not mix chemicals in the sink.
- (I) Always inform co-workers and volunteers of plans to carry out hazardous work.
- (m) Carry out regular fire or emergency drills with critical reviews of the results.
- (n) Have actions pre-planned in case of an emergency (i.e. gas shut-off location, escape routes posted, meeting places).

(2) Safety Wear

- (a) ANSI approved eye or face protection should be worn at all times within those work areas where eye injuries could be expected if appropriate eye protection is not worn.
- **(b)** Gloves, which will resist penetration by the chemical being handled and have been checked for pin holes, tears, or rips, should be worn.
- (c) Footwear should cover feet completely; no open-toed shoes or sandals.

(3) Facilities and Equipment

- (a) Have separate container for trash and broken glass.
- **(b)** Never block any escape routes and plan alternate escape routes.
- (c) Never block a fire door open.
- (d) Never store materials in storage aisles.
- (e) All moving belts and pulleys should have safety guards.
- (f) Ensure that eye-wash fountains will supply at least 15 minutes of water flow.
- (g) Regularly inspect safety showers and eye-wash fountains and keep records of inspections.
- (h) Keep up-to-date emergency phone numbers posted next to the phone.
- (i) Place fire extinguishers near an escape route, not in a "dead end" corridor.
- (j) Regularly maintain fire extinguishers, maintain records, and train personnel in the proper use of extinguishers.
- (k) Acquaint personnel with the meaning of "Class A fire", "Class B fire", etc., and how they relate to fire extinguisher use.
- (I) Secure all compressed gas cylinders when in use and transport them secured on a hand truck.
- (m) Install chemical storage shelves with lips, and never use stacked boxes in lieu of shelves.
- (n) Replace appropriate equipment and materials for spill control when they become dated.

(4) Chemical Storage

- (a) Do not store materials on the floor.
- **(b)** Separately store organic and inorganic chemicals.
- (c) No above eye level chemical shelf storage should be permitted.
- (d) Shelf assemblies should be firmly secured to walls.
- (e) Store acids, poisons, and flammable liquids in separate dedicated cabinets.

(5) Purchasing, Use, and Disposal

- (a) If possible, purchase chemicals in class-size quantities only. Label all chemicals accurately with date of receipt, or preparation, initialed by the person responsible, and pertinent precautionary information on handling.
- **(b)** Follow all directions for disposing of residues and unused chemicals.
- **(c)** Properly store flammable liquids in small quantities in containers with a provision for bonding to receiving vessels when the liquid is transferred.
- (d) Have a Material Safety Data Sheet on hand before using a chemical.
- (e) Prepare a complete list of chemicals of which you wish to dispose.
- (f) Classify each of the chemicals on the disposal list into a hazardous or non-hazardous waste chemical. (Check with the local environmental agency office for details.)

(6) Substitutions

- (a) Reduce risk by diluting substances instead of using concentrates.
- **(b)** When conducting training involving chemical handling, use handouts, films, videotapes, and other methods rather than experiments involving hazardous substances.
- (c) Undertake all substitutions with extreme caution.

TRAINING DOCUMENTATION FOR CHEMICAL HANDLING PROCEDURES/HAZARD COMMUNICATION PROGRAM

I have received training and understand how to read the Materials Safety Data Sheets (MSDS) and container labels regarding hazardous products.

I have received general training on the hazardous chemicals in which I might be exposed.

I understand that I am required to review MSDS's for any material I am using for the first time.

I know where the MSDS's for my work area are kept and understand that they are available for my review.

I understand that I am required to follow the necessary precautions outlined in the Chemical Handling Procedures/Hazard Communication Program and MSDS's, including use of personal protective equipment and/or apparel.

I know the location of emergency phone numbers, the location and method of operating communications systems (i.e. cell phone, 2-way radio system, etc), the location of medical, fire, and other emergency supplies.

I am aware of my right to obtain copies of the Hazardous Chemical list, written Chemical Handling Procedures/Hazard Communication Program, and MSDS's at my request.

Employee or Volunteer's Name:_	
Signature:	Date:

LIST OF HAZARDOUS CHEMICALS

The following is a list of known hazardous chemicals used by our employees and/or our House of Worship Volunteers. Further information on each chemical can be found by reviewing the MSDS's.

CHEMICAL NAME	EX (Explosive)	HT (Highly Toxic)	C-R (Corrosive/Irritant)	CAR (Proven/Suspected Carcinogen)	OTHER

B. Personal Protective Equipment

1. Purpose

To provide guidelines concerning the proper use of Personal Protective Equipment and to comply with OSHA standards outlined in Title 29, Code of Federal Regulations (CFR), parts 1900-1999.

2. Definition

PPE includes clothing and other accessories designed to create a barrier between the user and workplace hazards. It should be used in conjunction with engineering, work practice and/or administrative controls to provide maximum employee and volunteer safety and health in the workplace.

3. Responsibility

All employees and volunteers should use protective equipment described by local, state, federal, and house of worship rules and regulations to control or eliminate any hazard or other exposure to illness or injury.

4. Training

Proper employee and volunteer training on the correct usage of PPE will help to decrease the probability of accidents and injuries from occurring. Before performing any work that requires the use of PPE, the Safety Director, Supervisor, or Activity Leader, or his/her delegate, must train employees and volunteers on the following:

- a. When and what types of PPE are necessary;
- **b.** How the PPE is to be used;
- c. What the PPE's limitations are; and
- **d.** How PPE should be handled, maintained and stored in accordance with the PPE manufacturer's recommendations.

In many cases, more than one type of PPE will provide adequate protection. In such cases, employees and volunteers should have their choice of which type of protection they would like to use.

The house of worship is required to document, in writing, that training has been performed and that employees and volunteers understand all trained materials. Written certifications should contain the names of all employees and volunteers that have received training, the date(s) of training, and the PPE requirements.

An example of Training Documentation for Personal Protective Equipment follows.

5. Types of Protection

- a. Eye and Face Protection Safety glasses with side shields should be provided by the Safety Director, Supervisor, or Activity Leader and use of such equipment should be mandatory for all employees, volunteers, and visitors (including subcontractors and their employees) in those areas where eye injuries are likely to occur, if appropriate eye protection is not worn.
 - (1) All construction areas require 100% eye protection at all times. Minimum eye protection includes approved safety glasses with side shields or mono-goggles meeting the standards specified in ANSI Z87.1-1968.
 - (2) Additional eye and face protection should be used by employees, volunteers, and visitors when:
 - (a) Welding, burning, or using cutting torches
 - (b) Using grinding equipment
 - (c) Operating saws, drills, cutting tools
 - (d) Working with any materials subject to scaling, flaking, or chipping
 - (e) Sanding or water blasting
 - (f) Working with compressed air or other gases
 - (g) Working with chemicals or other hazardous materials
 - (h) Working near any of the above named operations

(3) Selection

There are different types of eye and face protection designed for particular hazards. In selecting protection, consider type and degree of hazard. When a choice of protection is given, worker comfort should be the deciding factor in selecting eye protection.

Employees, volunteers and visitors who use corrective eye glasses should wear face shields, goggles, or spectacles of one of the following types:

- (a) Spectacles with protective lenses providing optical correction;
- (b) Goggles or face shields worn over corrective spectacles without disturbing the adjustment of the spectacles; or
- (c) Goggles over contact lenses. (Exception: If handling chemicals and the Material Safety Data Sheet on the chemical indicates "contact lenses should not be worn when handling this chemical", employee, volunteers, and visitors should be required to follow (a) or (b) above).

(4) Fit

Skilled persons should fit all employees, volunteers, and visitors with goggles or safety spectacles. Prescription safety glasses should be fitted by qualified optical personnel.

(5) Inspection and Maintenance

Eye protection lenses should be kept clean at all times. Continuous vision through dirty lenses can cause eye strain. Daily inspection and cleaning of eye protection with hot, soapy water is also recommended. Pitted lenses should also be replaced immediately as they can be a source of reduced vision. Deeply scratched or excessively pitted lenses are also more likely to break. Employees, volunteers, and visitors are responsible for taking care of their eye protection. They are also responsible for turning in eye protection that is in poor shape to their immediate Supervisor, house of worship Safety Director or house of worship Activity Leader for the project where employees, volunteers, and/or visitors maybe working.

- **b.** Respiratory Protection Respiratory protection devices, approved by the U.S. Bureau of Mines, should be worn by employees, volunteers, and visitors exposed to hazardous concentrations of toxic or noxious dust, fumes or mists as required by OSHA. The Hazard Communications Program should include respiratory protection programs.
- **c.** Foot and Leg Protection Work shoes/boots are to be worn by all employees, volunteers and/visitors handling heavy materials which are likely to cause foot/toe injuries if dropped. Tennis shoes, sandals, docksiders, hush puppies, steel toed sneakers, and bare feet are prohibited.
- **d. Glove and Hand Protection** Gloves provided by the house of worship should be worn when handling objects or substances that could cut, tear, burn, or otherwise injure the hand. Gloves should not be used when operating machinery.
- e. Clothing Wear safe and practical working apparel. Be sure that any clothing you wear is not highly flammable. Neckties and loose, torn, or ragged clothing should not be worn while operating tools or equipment. Jewelry of any kind should not be worn when working around machinery or exposed electrical equipment.
- f. Other Personal Protective Equipment Other required equipment to be used under unusual circumstances such as high temperature work, handling corrosive liquids, etc., furnished by the house of worship and not specifically covered in this section should be reviewed by the Safety Director, Supervisor or house of worship Activity Leader involved in the project where employees, volunteers, and/or visitors maybe working.

A sample Hazard Assessment Form to assist you in determining the PPE needed by your employees, volunteers and visitors follows.

HAZARD ASSESSMENT FORM

Da	te:Location:
Ass	sessment Conducted By:
Spe	ecific Tasks Performed at this Location:
_	
	Hazard Assessment and Selection of Personal Protective Equipment
I.	Overhead Hazards –
	Hazards to consider include:
	 Suspended loads that could fall Overhead beams or loads that could be hit against Energized wires or equipment that could be hit against Employees, volunteers, or visitors working at elevated levels who could drop objects on others below Sharp objects or corners at head level
	Specific Hazards Identified at this location which require Head Protection:
	Head Protection
	Hard Hat Needed: Yes No
	If yes, type: Type A (impact and penetration resistance, plus low-voltage electrical insulation) Type B (impact and penetration resistance, plus high-voltage electrical insulation) Type C (impact and penetration resistance)
II.	Eye and Face Hazards –
	Hazards to consider include:
	 Chemical splashes Dust Smoke and fumes Welding operations Lasers/optical radiation Bioaerosols Projectiles Specific Hazards at this location identified which require eye and/or face protection:
	Eye Protection
	Safety glasses or goggles needed? ☐ Yes ☐ No
	Face shield needed? Yes No
III.	Hand Hazards –
	 Hazards to consider include: Chemicals Sharp edges, splinters, etc.

GMRC 1173 12-07

Temperature extremesBiological agents

	 Construction/demolition Specific hazards identified at this location wh 	ich require foot protection:
	Foot Protection	
	Safety shoes ☐ Yes ☐ No	
	Type Needed based on Hazards Identified Toe protection Puncture resistant Electrical insulation Other (Explain)	
V	Other Identified Safety and/or Health Haza	
٧.	Hazard	Recommended Protection
	1 14241 V	Necommended i Totection

Hazards to consider include: (Cont'd)

TRAINING DOCUMENTATION FOR PERSONAL PROTECTIVE EQUIPMENT

I have received training on the details of (insert name of house of worship here followed by an 's) Personal Protective Equipment Program.

I understand that I am required to follow all necessary precautions outlined in the Personal Protective Equipment Program.

I know the location of emergency phone numbers and communications systems, and the location of medical, fire, and other emergency supplies.

Employee,	Volunteer, or Visitor Name:	

C. Smoking Policy

1. Purpose

To establish guidelines whereby the house of worship provides a smoke-free work environment for our employees, volunteers and visitors and is in compliance with all federal and state Indoor Clean Air Acts.

2. Scope

This policy applies to all employees, volunteers, vendors, visitors, and contractors.

3. Policy

- a. Smoking is prohibited throughout the buildings, unless clearly posted as a "Smoking Permitted" area.
- **b.** Employees, volunteers, and visitors will refrain from smoking in any house of worship owned vehicle.

4. Discipline

All employees, volunteers, and visitors share in the responsibility for adhering to and enforcing the policy. In all cases, the right of the non-smoker to protect his/her health and comfort will take precedence over an employee's, volunteer's, or visitor's desire to smoke. Employees who violate this policy will be subject to the house of worship's Disciplinary Action Program.

D. Violence Prevention Program

1. Purpose

To establish guidelines to protect employees, volunteers, members, guests, and visitors against violence.

2. Policy

Nothing is more important to the Senior Leadership of this house of worship than the safety and well being of our employees, volunteers, members, and house of worship guests. Threats, threatening behavior, or acts of violence against employees, visitors, guests, or other individuals by anyone on company property will not be tolerated. Violations of this policy will lead to disciplinary action, which may include dismissal, arrest, and prosecution.

Any person who makes substantial threats, exhibits threatening behavior, engages in violent acts, or brings a weapon onto house of worship property shall be removed from the premises as quickly as safety permits and shall remain off premises pending the outcome of an investigation. The house of worship will initiate an appropriate response, including but not limited to suspension, reassignment of duties, termination of employment and/or house of worship membership, and/or criminal prosecution of the person(s) involved.

No existing policy, practice, or procedure should be interpreted to prohibit decisions designed to prevent a threat from being carried out, a violent act from occurring, or a life-threatening situation from developing.

All house of worship volunteers and employees are responsible for notifying their Supervisor, Safety Director or Activity Leader or the representative(s) designated below of any threats that they have witnessed, received, or have been told that another person has witnessed or received. Even without an actual threat, personnel should also report any behavior they have witnessed which they regard as threatening or violent, when that behavior might be carried out on house of worship property or at an off premises house of worship function. Employees, volunteers, and visitors are responsible for making this report regardless of the relationship between the individual initiating the threat or threatening behavior and the person(s) receiving the threat, including domestic problems which they fear may result in violent acts against them or another individual.

All individuals who apply for or obtain a protective or restraining order which lists the house of worship locations as protected areas must provide a copy of the petition used to obtain the order, as well as a copy of the protective or restraining order which was granted to their immediate Supervisor or the designated representative(s) listed below.

The house of worship understands the sensitivity of the information requested and has developed confidentiality procedures that recognize and respect the privacy of the reporting individual(s).

The designated house of worship representative(s):

Name:	
Title:	Dept:
Location:	Telephone:

THIS IS A SAMPLE ONLY. LEGAL COUNSEL SHOULD REVIEW YOUR POLICY AND ACKNOWLEDGEMENT FORM PRIOR TO DISTRIBUTION.

E. Lockout/Tagout

1. Purpose

To establish a procedure to protect and prevent personnel from injury by 1) accidental activation of any powered or damaged equipment, and 2) the uncontrolled release of electrical energy. A secondary purpose is to remain in compliance with OSHA regulations, 29 CFR 1910.147.

2. Responsibility

The Safety Director, Supervisor (where tools/equipment are being operated), or the Activity Leader overseeing the project where tools/equipment are used is responsible for compliance. The responsible party mentioned in the prior sentence shall train all personnel on proper lockout/tagout procedures, audit and/or oversee the application of the procedures, ensure corrective actions are taken when problems arise, and conduct an annual inspection/evaluation. The Safety Director, Supervisors, or Activity Leaders are responsible for training effected and authorized employees and volunteers on the purpose and use of these procedures. The above mentioned responsible party should periodically monitor training activities and assist, as required, to ensure compliance with OSHA regulations and company goals. All effected and authorized employees and volunteers involved in lockout/tagout procedures must receive annual training. A list of authorized, trained individuals will be maintained by the Safety Director, Supervisors and/or Activity Leader. (See the attached List of Authorized Lockout/Tagout Individuals form.)

3. Scope

This procedure applies to all employees and volunteers operating power tools/equipment, temporary employment service employees, subcontractors, and their employees. Lockout/tagout procedures will be enforced during installation, cleaning, servicing, maintenance, or inspection work performed on any powered equipment. This procedure does not apply to adjustment or other activities, which require the equipment be operating at the time of service. Other protective measures must be in place to protect employees, volunteers, subcontractors, and their employees during adjustment or "inching" work.

4. Definitions

- a. Lockout: The application of a lock, chains, or other appropriate apparatus, and a danger identification tag to de-energize electrical equipment and/or process system to ensure that the equipment or system cannot be activated. Note: OSHA regulations require that locks be used to secure equipment whenever possible. Chains can be wrapped around valve handles and then locked in such a way that the valve cannot be operated. Tags alone can be used when it is not possible to use a lock.
- **b.** Tagout: The application of a danger identification tag when a physical lockout or de-energizing is not feasible or a lock has already been applied. Tags should bear the name of the individual applying the tag, the date of application, and a brief description of the work needed.
- **c. Energy Source:** The switch or valve through which energy is controlled to the unit (e.g. motor control center disconnect switches, circuit breaker panel switches, valves, locking pins, etc.). This energy may be: 1) electric power, 2) mechanical power, 3) hydraulic power, 4) pneumatic energy, 5) chemical system, or 6) thermal energy.
- **d. Authorized Employee:** A person who locks out or tags out machines or equipment in order to perform servicing or maintenance on that machine or equipment.
- e. Effected Employees and Effected Volunteers: An individual whose job requires him/her to operate or use a machine or equipment on which servicing or maintenance is being performed under lockout or tagout, or whose job requires him/her to work in an area in which such servicing or maintenance is being performed. An effected employee becomes an authorized employee when the effected employees' duties include servicing or maintenance.

5. Lockout/Tagout Procedures

- **a.** Each piece of equipment or system must be evaluated to identify all energy sources to be locked or tagged out. The evaluation should be done periodically by the Safety Director, a Supervisor, or an authorized employee with familiarity with the equipment/system, using the attached Energy Source Determination Checklist.
- **b.** If the machine is determined by OSHA that formal lockout/tagout procedures are required, this should be done by an authorized employee and logged on the attached form List of Lockout/Tagout Procedures. These procedures should then be followed. If no specific procedures are required or provided by the equipment manufacturer, complete the following tasks:
 - (1) Deactivate (turn off) and secure the equipment/system at the energy source. Relieve pressure, release stored energy from all systems, and restrain or block them. (Operators must tag the appropriate switches or controls inside the control room as part of this step.)

- (2) Attach a lock to each isolation device and a tag to the lock. Sign and date the tag, along with providing pertinent information.
- (3) Check to ensure that no personnel are exposed to the equipment/system, then attempt to activate the normal operating controls to ensure proper lockout/tagout. A voltmeter can be used to check the switch.

<u>CAUTION:</u> Always return the operating control to the "neutral" or "off" position after completing this test. The equipment/system is now locked and tagged out.

6. Lockout/Tagout Removal Procedures

- a. After installation, servicing, maintenance, inspection, or cleaning is complete, verify that all tools have been removed, all guards have been reinstalled, the area is clean and orderly, and the equipment is safe to operate.
- **b.** Ensure that employees and volunteers are not exposed to the equipment and all employees and volunteers are aware of the removal of the lock and tag.
- **c.** The locks and tags should be removed only by the employee who applied them, the Supervisor, or the Safety Director. Locks and tags may be removed by the Supervisor or Safety Director only after receiving approval from the employee who locked out/tagged out, and/or confirmation that the necessary repair has been completed. The tags should be signed and dated and submitted to the Safety Director or Supervisor.
- **d.** Activate energy source as required.

7. Procedures Involving More Than One Person

If more than one individual is required to lockout or tagout equipment, each shall use his/her own assigned lockout/tagout device on the energy source. When the energy source cannot accept multiple locks or tags, a multiple lockout/tagout device (hasp) should be used. A single key should be used to lockout the equipment/system, with the key being placed in a lockout box or cabinet. This cabinet or lockout box must allow multiple locks to secure it. Each employee will then use his/her own lock to secure the box or cabinet. As each person no longer needs to maintain the lockout protection, that person will remove his/her lock from the cabinet. Proper removal procedures should be followed.

8. Annual Inspection/Evaluation of Lockout/Tagout Program

The Lockout/Tagout Program should be reviewed on an annual basis to determine if changes in the program are needed. These changes may be due to additions of machinery/equipment, revisions in the way specific machines are locked out or tagged out, machinery has been removed from the premises, etc. The attached Lockout/Tagout Annual Inspection/Evaluation Report form may be of assistance in completing this very important procedure.

9. Training Documentation

All lockout/tagout training should be properly documented. Documentation forms should be kept on file within the Safety Director or Supervisor's office. Updated training should be provided when lockout/tagout procedure changes occur. Training documentation forms should be updated following each lockout/tagout training class. The attached Training Documentation for Lockout/Tagout Program form should assist you in maintaining proper documentation of your training procedures.

LIST OF AUTHORIZED LOCKOUT/TAGOUT INDIVIDUALS

Work Center	Lock Number	Name	Mechanical (yes/no)	Electrical (yes/no)

LOCKOUT/TAGOUT ANNUAL INSPECTION/EVALUATION REPORT

Date of Evaluation:		
Evaluation was made by:		
Policy has been reviewed: Yes No		
Comments on policy:		
The following procedures have been review	ved:	
The following present was were modified.		
The following procedures were modified: _		
The following procedures were added:		
A review of the OSHA log 300, associated The following injuries resulted from lockout		1 were conducted? Yes No
Injury	Procedure Number for Applicable Equipment	Process or Machinery
Comments:		
Signati	 ure	Date

ENERGY SOURCE DETERMINATION CHECKLIST

Da	ıte: _		House of Worship Name:		
			: In order to determine all energy sources for each piece of equipment, all questions must be answered. If the s not apply, write N/A.		
Lo	catio	n:	Work Center:		
Equipment Name:Equipment #:					
Se	rial: _		Lockout/Tagout Procedure #:		
1.	Do	es this	equipment have:		
	a.	Elect	ric power (including battery)?		
		If yes	, Motor Control Center (MCC) or power panel and breaker number:		
			it have a lockout device? Yes No N/A ry location:		
			ry disconnect location:		
	b.		nanical power?		
			each type of energy source that applies:		
			ingine driven? ☐ Yes ☐ No ☐ N/A		
		lf	yes, switch or key location:		
		- Is	s lockout device installed?		
		lf	no, method of preventing operation:		
		(2) S	Spring loaded? Yes No N/A		
		lf	yes, is there a method of preventing spring activation? Yes No		
		lf	no, how can spring tension be safely released or secured?		
		(3) C	Counter weight(s)?		
		lf	yes, is there a method of preventing movement? Yes No		
		lf	yes, can it be locked? Yes No		
		lf	no, how can it be safely secured?		
		(4) F	lywheel? ☐ Yes ☐ No ☐ N/A		
		lf	yes, is there a method of preventing movement? Yes No		
		lf	yes, can it be locked? Yes No		
		lf	no, how can it be safely secured?		
		-			

ENERGY SOURCE DETERMINATION CHECKLIST (Page 2)

1.	Do	oes this equipment have: (continued)						
	C.	Hydraulic Power? ☐ Yes ☐ No ☐ N/A						
		If yes, location of main control/shut-off valve:						
		Can control/shut-off valve be locked in the "OFF" position? Yes No						
		If no, location of closest manual shut-off valve:						
		Does manual shut-off valve have a lockout device? ☐ Yes ☐ No						
		If no, what is needed to lock valve closed?						
		Is there a bleed or drain valve to reduce pressure to zero? Yes No						
		If no, what will be required to bleed off pressure?						
	d.	Pneumatic Energy? Yes No N/A						
	u.	If yes, location of main control/shut-off valve:						
		Tryes, location of main control/shut-on valve.						
		Can control/shut-off valve be locked in the "OFF" position? Yes No						
		If no, location of closest manual shut-off valve:						
		Does manual shut-off valve have a lockout device? ☐ Yes ☐ No						
		If no, what is needed to lock valve closed?						
		Is there a bleed or drain valve to reduce pressure to zero? Yes No						
		If no, what will be required to bleed off pressure?						
	e.	Chemical System?						
		If yes, location of main control/shut-off valve:						
		Can control/shut-off valve be locked in the "OFF" or closed position? Yes No						
		If no, location of closest manual shut-off valve:						
		Is there a bleed or drain valve to safely reduce system pressure and drain system of chemicals? Yes No						
		If no, how can the system be drained and neutralized?						
		What personal protective clothing or equipment is needed for this equipment?						

ENERGY SOURCE DETERMINATION CHECKLIST (Page 3)

f.	Thermal Energy? ☐ Yes ☐ No ☐ N/A						
	If yes, location of main control/shut-off valve:						
	Can control/shut-off valve be locked in the "OFF" or closed position? Yes No						
	If no, location of closest manual shut-off valve:						
	Is there a bleed or drain valve to safely reduce system pressure and temperature and drain system chemicals? Yes No						
	If no, how can the system be drained and neutralized?						
	What personal protective clothing or equipment is needed for this equipment?						
Special	precautions not noted above (i.e. fire hazards, chemical reactions, required cool down periods, etc.):						
Recom	mendations or Comments:						
Comple	eted by:						
-							
Review	ed by:						
Approve	ed by:						

LIST OF LOCKOUT/TAGOUT PROCEDURES

PROCEDURE NUMBER	EQUIPMENT, MACHINERY OR PROCESS
	-
_	
<u> </u>	<u> </u>
	
·	
	-

TRAINING DOCUMENTATION FOR LOCKOUT/TAGOUT PROGRAM

I have received training and understand all rules and regulations regarding the lockout/tagout program.

I understand that I am required to follow the necessary precautions outlined in the lockout/tagout program.

I know the location of emergency phone numbers and communications systems, and the location of medical, fire, and other emergency supplies.

Department_____

F. Transportation & Passenger Van Policies

1. Vehicle Safety

The following Vehicle Safety Rules/Regulations may not all apply to your house of worship. Please add any formal or informal vehicle rules/regulations your house of worship may have in place to this list and delete those that do not apply to your house of worship. Developing a Vehicle Safety Program unique to your house of worship's operation should be much more effective in helping you to control frequent/severe vehicle losses.

All employees, volunteers, and house of worship members who drive a vehicle owned or leased by the house of worship must abide by the following safety rules:

- **a.** The Driver of the vehicle is required to inspect the vehicle (before taking it on the road) to ensure that it is in safe working condition. This includes properly working brakes, horns, and back-up alarms. Note the sample *Vehicle Inspection Report* in the Appendix.
- b. Any defects in the vehicle should be reported promptly to (insert name of individual or group that is responsible for overseeing House of Worship vehicle safety).
- c. All DRIVERS are required to obey all state, local, and house of worship traffic regulations.
- d. Engines are to be stopped and ignition keys removed when parking, refueling, or leaving the house of worship owned/leased vehicles.
- e. Employees, volunteers, and house of worship members are not permitted to use personal cars or motorcycles for house of worship business, unless specifically authorized by (insert name of individual or group overseeing safety associated with motor vehicle operations). If personal vehicles are driven on house of worship business, proof of personal auto coverage (i.e. copy of personal auto Declarations Page or copy of the Insurance Card from the vehicle) will be requested on an annual unannounced basis from all individuals that operate their own vehicles on house of worship business.
- **f.** Passengers that are not house of worship employees, volunteers, members or individuals that have received prior approval from appropriate house of worship personnel to be transported, should not be transported in a house of worship owned, leased, or member vehicle at any time.
- g. All drivers of house of worship owned, leased, employee/member, or volunteer owned vehicle should be driven in a safety manner and all drivers of such vehicles should practice defensive driving techniques at all times.
- **h.** Seat belts and shoulder harnesses are to be worn at all times.
- Vehicles must be locked when unattended to avoid criminal misconduct.
- j. Vehicles must be parked in legal spaces and must not obstruct traffic.
- **k.** Employees, volunteers, and members should park their vehicles in well-lighted areas at or near entrances to avoid criminal misconduct.
- **I.** Employees, volunteers, and house of worship members transporting other members, visitors, or others on business for the house of worship should keep their headlights on at all times.
- m. A vehicle, when loaded with any material extending 4 feet or more beyond its rear, shall have a red flag or cloth 12 inches square attached by day or a red light visible for 300 feet by night on the extreme end of the load.
- **n.** Articles, tools, equipment, etc. placed in cars or vans are to be placed and secured in such a manner as not to impair vision or in any way interfere with proper operation of the vehicle.
- o. When you cannot see behind your vehicle (van), the driver should walk behind the van prior to backing.
- p. Personal use of house of worship owned or leased vehicles is not permitted without written approval from (insert the name of the individual or House of Worship group that is permitted to make decisions on issues such as this for your House of Worship). Family members of house of worship employees that are provided with a house of worship owned or leased house of worship vehicle are prohibited from driving said vehicle at any time unless prior written approval has been obtained from (insert the name of the individual or group listed above that is permitted to make decisions such as this on behalf of the House of Worship organization). (Exception: in case of an emergency, where the employee is not able to operate the house of worship vehicle, no prior written approval is required). Violation of this policy may result in disciplinary action which may include termination of employment.

- q. Every accident should be reported to (insert title of individual or group within the House of Worship that monitors motor vehicle accidents such as the Safety Director, House of Worship Council, House of Worship Board, etc.). The INDIVIDUAL LISTED IN PRIOR SENTENCE should investigate all accidents and review them with the employee or house of worship volunteer driving the house of worship owned or leased vehicle at the time of the accident. Note the sample Supervisors Motor Vehicle Accident Investigation Report in the Appendix.
- **r.** When operating vehicles within the house of worship parking lot or at an off-premise function parking lot, speeds must not exceed 5 mph.
- s. Drivers should not, at any time, operate a house of worship owned, leased, or privately owned vehicle (transporting house of worship members, volunteers, or visitors) if fatigued, if alcohol has been consumed, or if legal or illegal substances have been consumed. These conditions can dramatically affect the driver's reaction time in the event of an emergency or impair the driver's judgment and thus increase the probability of a motor vehicle accident.

2. Considerations When Operating Vans

- a. All passengers and cargo transported in vans should be placed, if at all possible, **IN FRONT OF THE REAR**AXLE OF THE VAN. This practice will help to decrease the probability of van rollover.
- **b.** All drivers of vans should require, without exception, passengers fill each row of seats beginning in the front of the vehicle prior to sitting in the rows towards the middle or rear of the vehicle. **This should help to decrease the probability of van rollover accidents.**
- **c.** All passenger van drivers should require, without exception, that each passenger within the van wear the seat and shoulder belt supplied with the vehicle prior to trip departure. Failure to wear the seat/shoulder belts should be grounds for removing the passenger from the vehicle. Approximately 80% of passengers that die in passenger van rollovers were not wearing seat belts and were ejected from the vehicle.
- **d.** Within passenger vans, always place passengers 12 years of age or younger in rear seats (after the front seats are filled by adults or older children). This is extremely important if the vehicle is equipped with front or side air bags.
- e. Passenger vans should not be used at any time to tow trailers or other vehicles.
- f. Passenger vans should not be used at any time to transport cargo on the roof of the vehicle. This practice will increase the probability of the vehicle, with an already high center of gravity, being involved in a rollover accident.
- **g.** On long trips, a minimum of two experienced drivers of passenger vans should travel in each vehicle. This will allow for changing of drivers prior to one becoming fatigued and operating a motor vehicle in an unsafe condition.
- h. In addition to evaluating a prospective driver's motor vehicle record (MVR), each prospective driver of a passenger van should be required to complete a road test monitored by (insert name of the individual or individuals responsible for evaluating motor vehicle safety at your House of Worship). Those individuals that do not successfully complete a road test should not be permitted to operate a motor vehicle for your organization. A re-evaluation of the driver's skill level should not be permitted until the driver has successfully completed a defensive driving course or has obtained a minimum of one year additional experience operating the vehicle for which he/she was being evaluated to operate.
- i. Although not required within vans transporting less than 15 passengers and 1 driver, it is recommended that all drivers of vans with 10 or more passengers, including the driver, be required to have a Commercial Drivers License (CDL) or have passed a defensive driving course.
- **j.** All drivers of vans with 10 or more passengers should be required to have a minimum of 1 year experience driving equipment similar to the type for which they were hired by the house of worship.
- **k.** Drivers of passenger vans with 10 or more passengers should be limited to those screened and hired for such purposes. Volunteers not meeting the above listed requirements should not be permitted, at any time, to operate vans transporting passengers.
- **I.** All drivers of vans with 10 or more passengers should be informed of the potential for vehicle rollover and preventive measures to avoid vehicle rollovers.
- **m.** Vehicles should not be used for livery, taxiing, or transportation of persons for pay or donations.

- n. Vehicles should not be provided to other organizations or individuals for non-house of worship functions.
- **o.** All 15-passenger vans must have a dual rear wheel system, after market Roadmaster Active Suspension (RAS) system or one of the following factory installed ESC (Electron Stability Control) systems:
 - (1) StabiliTrak
 - (2) Advance Trac
 - (3) Vehicle Dynamics Control
 - (4) Precision Control System
- **p.** All drivers of vans with 10 or more passengers should be required to sign a van safety acknowledgement form. Note the sample *15-Passenger Van Safety Acknowledgement* form in the Appendix.
- **q.** The National Highway Traffic Safety Administrations 15-Pasenger Van Safety Alert, designed to be hung from rearview mirrors within these vans, should be present in all such vehicles to remind drivers of methods to prevent vehicle rollover.
- r. All vans with 10 or more passengers should be loaded from the front of the vehicle to the back. Passengers, luggage, and cargo should NOT be present behind the rear axle of the van, unless all seats in front of the rear axle are filled.
- **s.** All vehicles should be equipped with a seatbelt for each passenger. Those vehicles not meeting these requirements should be retrofitted to add seatbelts for the rated capacity of the vehicles OR those seats without a seat belt for each passenger should be removed from the vehicle.
- t. Van drivers should have a cell phone and a list of emergency numbers. The cell phone should be used for emergencies only, and is to be used only when the van is safely parked.
- **u.** All van passengers should be requested to sign a passenger agreement before being allowed to ride in the van on trips. Note the sample *Passenger Van Agreement* in the Appendix.

3. Accident Reporting

a. Driver Conduct at the Scene of the Accident

- (1) Take immediate action to prevent further damage or injury.
 - (a) Pull onto the shoulder or side of the road.
 - **(b)** Activate hazard lights (flashers) and place warning signs promptly.
 - (c) Assist any injured person, but don't move them unless they are in danger of further injury.
- (2) Call the Police
 - (a) If someone is injured, request medical assistance.
- (3) The vehicle should not be left unattended, except in an extreme emergency.
- (4) Exchange identifying information with the other driver. <u>Make no comments about assuming responsibility.</u>
- **(5)** Secure names, addresses, and phone numbers of all witnesses, or the first person on the scene, if no one witnessed the accident.
- (6) Call the house of worship immediately and report the accident to the Safety Director or Supervisor.

b. Complete the Vehicle Accident Report Form

(1) Complete the Vehicle Accident Report Form. A copy can be obtained from the (insert title of person or group responsible for fleet safety within your House of Worship here, such as Safety Director, Supervisor, House of Worship Council, House of Worship Board, etc.) and provide it to the (insert title of person listed that should receive completed Accident Report Form here). Write legibly. Answer all questions completely or mark "not known". Use additional sheets of paper as needed to provide pertinent information. Note the sample Vehicle Accident Summary Report and Supervisors Motor Vehicle Accident Investigation Report in the Appendix.

4. Inspection Records & Preventative Maintenance

All drivers of house of worship owned or leased vehicles must regularly inspect and confirm that vehicles remain in good repair, and receive appropriate preventative maintenance in a timely manner. All vehicle parts and accessories must be in a safe and proper working order at all times. Note the *Preventative Maintenance Report* in the Appendix. The following apply:

- **a.** Drivers of passenger vans should check tire pressure prior to each trip. The tires should not be OVER IN-FLATED OR UNDER INFLATED. The tire pressure should be equal to that recommended on the sidewall by the tire manufacturer or vehicle owner's manual. Tire blowouts are one of the leading causes of van drivers losing control of vehicles and van rollovers occurring.
- **b.** Prior to the start of each trip, a vehicle walk around inspection should be conducted by the driver. Any defective condition should be noted and corrective actions implemented prior to the start of the trip. Special attention should be given to leaking fluids, poor tire tread, frayed or damaged engine belts, headlight/taillight with defective bulbs, etc.
- **c.** All van drivers must complete a vehicle inspection report at the beginning of each day the van is issued. Note the sample *Vehicle Inspection Report* in the Appendix.
- **d.** Drivers of all passenger vans should complete a vehicle preventative maintenance report form on a monthly basis. Notify the **(insert title of individual that monitors fleet maintenance program here)** of any unsafe conditions or defective parts immediately. Before the vehicle is driven again, any safety defects must be repaired. Note the sample *Preventative Maintenance Report* in the Appendix.
- **e.** A copy of the last vehicle inspection report must be kept in the vehicle for at least 3 months.
- **f.** Quarterly preventative maintenance must be conducted on each vehicle.
- **g.** Maintenance and inspection records must be kept in the house of worship office with other important documents for 1 year or for 6 months after the vehicle is sold or the lease on the vehicle expires.
- **h.** All vehicles are subject to a search at any time.

5. Other Information Sources

Note in the Appendix a list of helpful resources on 15-passenger vans.

VEHICLE INSPECTION REPORT

(Use your safety belt)

	Date:
House of Worship Name	Vehicle Number
Location (City, State)	
Driver Name	Driver Signature
Instructions: Drivers will perform necessary inspections improper conditions. An (O) indicates condition does not house of worship member(s) responsible for monitor	A (\sqrt) indicates satisfactory condition. An (X) indicates unsafe or apply. Corrected deficiencies should be circled by (insert title of ing motor vehicle safety at the house of worship).
INSIDE	Cleft (Right)
	End time:Mileage:
Remarks/Other Defects: Defects corrected (initial) Yes No	Defect correction unnecessary (initial)
Cartified by:	Data

PREVENTATIVE MAINTENANCE REPORT

Date/Time:	House of Worship:		Location:
Inspected by:		Employee I.D. Number:	
Vehicle License:		Vehicle Number:	
		Satisfactory	Needs Attention
Brakes:			
Brake adjustment:	☐ Left ☐ Right		
Brake hoses			
Brake drums			
Brake shoes			
Parking brake			
Brake pedal travel			
Steering			
Steering suspension	1		
Change in steering			
Steering component			
Tires			
Wear/Defect			
Overloading			
Groove depth 2/32"	minimum		
Wheels			
Cracks			
Loose Nuts			
Rims			
Windows			
Windows and Winds	shields		
Wipers and Washer			
Lights			
Headlights			
Taillights			
Turn signals			
Reflectors			
Mirrors			
Horn			
Instruments/Gauges			
Seat belts			
Battery			
Radiator and Hoses			
Exhaust system			
Suspension			
Fuel system			
Oil/Water leaks			
Oil level			
Water level			
Transmission			
Engine performance			
General condition of	body and interior		
Comments:			

									DRIVER'S NAME		
Totals									DATE OF		
0 0									Collision with a Moving Vehicle		1
									Collision with a Fixed Object	>	
									Collision with a Stopped or	1 ⊠	
									Collision with a Bike Rider or	┪	
							\vdash		Upset or Jackknife	┤ 록 ː	
									Ran Off Road	┤	_
									Fire, Theft or Glass Breakage	ACCIDENT TYPES	VEHICLE
0 0			5 3		0 0				Other – Provide Attachment	ر ا	늘
									Following Too Closely		Ï
							┢		Driving Too Fast for Conditions	-	
-							-		Exceeding the Speed Limit	-	S
									Failure to Observe Clearances	-	ACCIDENT
-							<u> </u>		Failure to Obey Stop Signal or	-	lΨ
									Failure to Observe Warning Signs	-	=
-	-		-				<u> </u>		Improper Turns	- 9	
									Improperly Parked	┤ ૣ	I≥
\vdash			-			_	┢		Improperly Passing on	유유	3
			_				┢		Passing on Curve or Hill	ACCIDENT CAUSES (Check all that apply)	SUMMARY REPORT
									Failure to Yield Right of Way	┧┋Ğ	~
							<u> </u>		Improper Backing	d ₹ ±	유
							┢		Defective or Missing Equipment	- <u>a</u> ₽	Ö
							┢		Failure to Secure Load	무함 SE	×
-									Improper Inspection by Driver	-de ES	
							┢	\vdash	Improper Inspection by Mechanic	-	
-									Driver Fatigue		
						\vdash	\vdash		Lack of Driving Skill	-	
			H				H		Lack of Driving Knowledge	-	
							H		Influence of Alcohol/Drugs	-0	
							\vdash		Attitude	1	
H						\vdash	\vdash	\vdash	Lack of Security	1	
									On Straight Road		1
									On Grade		
									At Curb	ACCIDENT LOCATION	
									Driveway, Alley or Parking Lot		
									On Curve	199	
									Off the Highway	ŽĨ	
									Intersection		
									Preventable – Yes/No		1
									PROFILE STATE OF STAT		1
5 10	× ×	v ×		, ,					Driver Cited – Yes/No		

SUPERVISOR'S MOTOR VEHICLE ACCIDENT INVESTIGATION REPORT

DRIVER	VEHICLE		DATE OF ACCIDENT		
LOCATION OF ACCIDENT	ı		TIME OF ACCIDENT		
DESCRIPTION OF ACCIDENT: (What happened	d?)		I .		
SEAT BELT WORN?					
CAUSES OF ACCIDENT: (Why did it happen?)					
RECOMMENDATIONS FOR PREVENTION OF	A RECURRENCE	: (What should be do	ne?)		
FOLLOW UP: (What actions were taken? Were	they effective?)				
- INDICATE WITH DIAGRAM WHAT HAPPEN	NED	CLASSIFICATION	OF ACCIDENT REVIEW		
SHOW POSITION OF VEHICLESINDICATE DIRECTION (NORTH, SOUTH, E	EAST,	PREVENTABLE	☐ NON-PREVENTABLE		
WEST) WITH ARROWS		ACCIDENTS USU	IALLY PREVENTABLE		
		Intersection	Cut In or Out		
		Backing Hit Other in Rear	Pulled from Curb Hit Stationary Object		
		Skidded	Hit Pedestrian		
	,	ACCIDENTS USUALLY NON-PREVENTABLE			
		Hit in Rear	Hit When Properly Parked		
Investigating House of Worship Employee's Signatu	rre S	Leadership group suc	sert title of Senior House of Worship ch as House of Worship Council, Worship Trustee, etc.)		
Date Of Report			ne of individual selected to oversee ety for the House of Worship)		
Reviewed By Manager			Date		

PASSENGER VAN AGREEMENT

The following safety rules are designed for use prior to each trip; regardless if it is taken in a house of worship owned or leased vehicle or a private vehicle. The driver for the trip will ensure all participants read and understand the following "rules for the road".

- 1. Seat belts must be worn at ALL times.
- 2. No hazardous, disruptive activity or noise will be permitted while the vehicle is moving. All passengers must follow the driver's requests.
- 3. Keep all objects inside the vehicle.
- 4. All windows must be kept clear of objects that may disrupt the driver's view.
- 5. In cases of a crash or emergency, stop and do not exit the vehicle unless instructed by the driver or a designee. Use caution and whenever possible, exit on the sidewalk or shoulder side of the vehicle, never on the traffic side.
- 6. Equipment and luggage should be properly secured.
- 7. Violation of these rules may result in the termination of the trip for the entire group or the removal of a participant from the trip.
- 8. The safety of others and myself is a priority on this trip.

I have read, understand and will comply with these rules during the entire trip.

Name:	Date:
Name:	Date:

15-PASSENGER VAN SAFETY ACKNOWLEDGEMENT

Anyone who may, for any reason, need to drive a house of worship owned, rented or leased vehicle for the purpose of transporting 10-15 passengers must complete the 15-Passenger Van Safety Training program and initial/sign this form.

Acknowledgement of the possible risk associated with operating a 15 passenger van.

- 1. 15-passenger vans have a rollover risk similar to other light trucks and vans.
- 2. The risk of rollover increases dramatically as the number of occupants is increased from fewer than five to more than ten. Vans should be loaded according to manufacturer's recommendations.
- 3. The weight of the van, particularly when fully occupied, causes the center of gravity to shift rearward and upward increasing the likelihood of rollover.
- 4. The shift in the center of gravity will also increase the potential for loss of control in panic maneuvers.
- 5. The weight of the van when fully occupied requires additional stopping distance.
- 6. The width of the van allows for less lane room.
- 7. The length of the van increases distance needed for making turns, changing lanes, and backing.

I have read and understand the possible risk involved while operate	ting a 15-passenger van.									
(initials) I am aware that the handling characteristics of a 15-passenger van may change dramatically, especially when fully loaded. Extra caution is required when operating this vehicle (initials)										
									The wearing of seat belts by the operator and passengers are man	ndatory at all times.
									(initials)	(initials)
I have completed the required 15-passenger van defensive driver	training and road test.									
(initials)										
Operator's Name:	Department:									
Operator's Signature:	Date:									

OTHER INFORMATIONAL SOURCES

15-Passenger Van Information

National Highway Traffic Safety Administration www.nhtsa.dot.gov

Insurance Institute of Highway Safety www.iihs.org

National Transportation Safety Board www.ntsb.gov

United Educators www.ue.org

NCAA www.ncaa.org

National Safety Council www.nsc.org

G. Pastoral Counseling

Pastoral Counseling, by general definition, includes all forms and types of counseling.

For the purposes of this booklet, Pastoral Counseling means both:

- · Spiritual counseling or counseling of a religious nature; and
- Non-spiritual counseling or counseling of a non-religious nature.

Spiritual counseling or counseling of a religious nature includes counseling to achieve a greater understanding of, a higher commitment to, a deeper passion for, one's faith.

Non-spiritual counseling or counseling of a non-religious nature includes counseling for such diverse psychological or family problems as anger management, stress management, depression, suicide prevention, substance abuse, marriage, divorce, children, abusive relationship, etc.

Non-spiritual counseling or counseling of a non-religious nature does not include giving advice or assistance in regard to a matter such as, but not limited to, charitable contributions, finance, insurance, investment, law, real estate, or tax.

Spiritual counseling or non-spiritual counseling should be done only by clergy qualified house of worship officials, or qualified and/or certified psychologists. Any house of worship member doing non-spiritual counseling or counseling of a non-religious nature must be closely supervised by clergy, qualified house of worship officials, or qualified and/or certified psychologists. Ideally, however, house of worship members will not be allowed to do non-spiritual counseling or counseling of a non-religious nature, even when they would be closely supervised.

Persons qualified to do both types of pastoral counseling include:

- clergy;
- qualified house of worship officials, meaning those house of worship officials whose educational background includes advanced course-work in counseling related to psychological problems as well as spiritual problems;
- qualified psychologists, meaning having at least a Master's Degree, ideally a PhD; and
- certified physiologists, meaning being a member of and certified by a recognized counseling association, such as the American Association of Pastoral Counselors, the Association for Pastoral Counseling and Supervision, the American Association for Marriage and Family Therapy, the American Psychological Association, etc.

NOTE: Pastoral Counselors are able to work with a state license in most states. A qualified and/or certified psychologist should be licensed by their state. Licenses and states include:

LPC - Licensed Professional Counselor (IL, MO, NE, ND, OH, SD, WI)

LCPC - Licensed Clinical Professional Counselor (IL)

LMHC – Licensed Mental Health Counselor (IN, IA)

LMFT – Licensed Marriage and Family Therapist (IL, IN, IA, MN, MO, NE, SD, WI)

H. Sexual Misconduct and Molestation

For the purposes of this booklet, sexual misconduct and molestation means any contact or interaction between anyone and clergy, house of worship officials, employees and volunteers, members, or visitors, in which the sexually molested person is being used for sexual stimulation.

Clergy, officials, employees and volunteers, members, and house of worship visitors also includes family members and other persons in positions of trust – such as teachers, day care workers, volunteers and pastoral counselors.

A house of worship must have formal written programs in place to address sexual misconduct and molestation. These programs should include selective hiring, supervisory guidelines, and educational program.

Recommended are the 1 year rule, which requires an individual be a house of worship member for at least 1 year before being allowed to work with children/youth and the two-adult rule.

The Two (2) Adult Rule should be used.

The Two Adult Rule: Two (2) or more unrelated adults should always be present in a room with a child.

I. Registered Sex Offenders (FOR INFORMATION ONLY)

For the purposes of this booklet, a registered sex offender means a person who has been convicted of a sexual crime, has served the sentence for that sexual crime, has been returned back into society, and who is required to register in the state's sex offender registry.

Some registered sex offenders, wishing to lead a law-abiding life, may turn to faith and wish to attend house of worship ceremonies and seek to become house of worship members.

These registered sex offenders may or may not advise the house of worship of their past sexual crimes.

Those who do not initially advise the house of worship of their past sexual crimes still may be found out. With the proliferation of public access to state sex offender registries, another house of worship member may make the discovery and alert the house of worship leadership.

But, regardless of how the house of worship leadership and membership becomes aware of the registered sex of-fender in their midst, how to respond is a new and major house of worship issue.

One house of worship's response may be to deny the registered sex offender house of worship membership and any access to the house of worship. The registered sex offender filing suit against the house of worship, alleging the house of worship sponsored or this action may result in condoned discrimination.

Another house of worship response may be to accept the registered sex offender into the house of worship, if the registered sex offender agrees to follow a strict risk-management program. The Quaker's "Circles of Support" and Canada's "Circles of Support and Accountability" are examples of strict risk management programs.

Essentially, a "circles" program involves the registered sex offender agreeing to a small group of trusted and discreet house of worship members providing emotional support and guidance. This is in combination with a written agreement about practical matters of conduct, such as always being chaperoned when on house of worship property and never being allowed in the nursery or day care, even with a chaperone. This agreement has to be reviewed regularly and any breaches addressed promptly.

CONCLUSION:

This booklet takes no position regarding registered sex offenders.

If your house of worship does not allow registered sex offenders to attend house of worship ceremonies and to seek membership, you should work with your legal counsel to establish official guidelines for such.

If a house of worship does allow registered sex offenders to attend house of worship ceremonies and to seek membership, you should develop appropriate guidelines.

J. Sanctuary and Acts of Sanctuary (FOR INFORMATION ONLY)

BACKGROUND: Providing sanctuary is a new and possibly illegal house of worship-related activity which has the goal of protecting illegal immigrant workers and families from deportation. A house of worship may declare itself a sanctuary either formally (by a vote or consensus) or informally (by actions).

NEW SANCTUARY MOVEMENT: Founded in January, 2007, The New Sanctuary Movement currently consists of 12 religious traditions and 7 denominational and interdenominational organizations – including Roman Catholic, United Methodist, United House of Worship of Christ, Presbyterian, Evangelical Christian, Muslim, and Sikh.

The New Sanctuary Movement seeks to keep parents (illegal immigrants) and children (possibly US citizens) from being separated by deportation until there is immigration reform.

THE LAW: Immigration and Nationality Act 274(a)(1)(1)(iii), 8 U.S.C.1324(a)(1)(A)(iii)(1988), a person is guilty of a felony who with knowing or in reckless disregard of the fact that an alien has come to, entered or remains in the U.S. in violation of the law conceals, harbors, or shields from detection or attempts to conceal, harbor or shield from detection, such alien in any place, including any building or means of transportation.

However, Senate Bill 2611, Comprehensive Immigration Reform Act of 2006, provides a specific exemption from liability for individuals or organizations who encourage a person to reside in the United States or harbors an illegal alien from detention with knowing or reckless disregard of their illegal status. The exemption applies to individuals or organizations, not previously convicted of a violation of this section, who provide an alien who is present in the United States with humanitarian assistance, including medical care, housing, counseling, victim services and food, or to transport the alien to a location where such assistance can be rendered.

THE SITUATION:

Sanctuary is controversial. It has generated protests and counter-protests. House of worship properties have been damaged. Bodily injury and property damage have occurred, on both sides.

The police are being called upon to restore order. The police incur expenses while restoring order. Governmental entities are holding the house of worship responsible, and are beginning to charge-back the police expenses to the house of worship. As a result, the house of worship may receive a bill for several thousands of dollars.

CONCLUSION:

This document takes no position regarding sanctuary or acts of sanctuary.

RESERVED FOR FUTURE USE

Section VIII – Inspections

Periodic inspections will be conducted to identify hazardous conditions and unsafe behavior. The (insert title and name of person or group responsible for house of worship inspections within your organization) will conduct inspections and may request employees to participate. The inspector should look for unsafe practices and conditions that can cause an accident and take corrective action immediately. Other individuals, not employed by our organization, such as OSHA representatives, insurance companies, local fire department representative, etc. may decide to make an inspection of our facility. All employees, volunteers, and house of worship members are asked to treat these onsite visitors with the same courtesy, cooperation, and respect as you would any visitor to our house of worship.

Every month, a facility inspection should be completed and provided to the (insert name of individual or group within the house of worship that is held responsible for monitoring building safety). The (title of person mentioned in previous sentence should be inserted here) will review the report, take any corrective action needed, and maintain a file of inspections.

Examples of the Self-Inspection Checklist can be found in Appendix C.

RESERVED FOR FUTURE USE

SECTION IX – OSHA (Occupational Safety and Health Administration)

A. OSHA Records Requirements

Copies of required accident investigations and certification of employee safety training shall be maintained by the (insert the title of individual or group that oversees safety within your organization here). A written report will be maintained on each accident, injury, or on-the-job illness requiring medical treatment. A record of each such injury or illness is recorded on OSHA Log and Summary of Occupational Injuries Form 300 according to instructions provided in the web site shown below. Supplemental records of each injury are maintained on OSHA Form 301. Every year, a summary of all reported injuries or illnesses is posted no later than February 1, for two months, until April 1, on OSHA Form 300A. These records are maintained for five years from the date of preparation.

A copy of the OSHA 300 Log, the OSHA 300A Summary Form, and the OSHA 301 Injury and Illness Report Forms, and instructions on how to complete these forms can be obtained by double clicking on:

http://www.osha.gov/recordkeeping/new-osha300form1-1-04.pdf

B. OSHA Inspection: What you can expect during an OSHA inspection

1. Arrival of the Compliance Officer (OSHA Inspector)

- a. Request to see credentials.
- b. Record his name, identification number, the name of his/her supervisor, and office location.
- c. Notify the (insert name of Senior House of Worship Leadership group here). If unable to reach someone within the above listed house of worship group, ask the OSHA Compliance Officer to wait until a member of this group can be reached. If he/she cannot wait, the lead person at the house of worship property should accompany the Compliance Officer on his/her inspection.
- **d.** Do not volunteer any information, only answer questions.

2. Opening Conference

- a. The scope of the inspection will be discussed.
- **b.** The Officer will explain the reason for the inspection (i.e. employee complaint, scheduled inspection, etc.).
- c. If the reason for the inspection is an employee complaint, request a copy of the complaint.
- d. Take comprehensive notes and request to record the meeting and walk-around.

3. The Walk-Around (inspection)

- a. A house of worship representative should accompany the Compliance Officer throughout the inspection.
- **b.** The Officer may ask to interview employees. Employees should cooperate. The house of worship representative, accompanying the compliance officer on the inspection, should attempt to participate in the interview.
- **c.** The house of worship representative should be prepared to show the officer: 1) Safety Manual, 2) Hazard Communication Program, 3) OSHA poster, 4) OSHA 300A Log.
- d. If at all possible, correct any violations immediately as the compliance officer points them out.
- e. Take photographs of the same items or areas that are photographed by the compliance officer.
- f. Take notes. Write down every possible violation, standards cited, corrective action needed, and a deadline date.

4. Closing Conference

- **a.** The compliance officer will review any violations discovered during the inspection. Compare these to the notes you took during the inspection. Point out any discrepancies and areas already corrected.
- **b.** Be polite. Do not argue or get defensive with the compliance officer.
- **c.** If you are not clear on something, ask questions.
- **d.** This is a good opportunity to produce records of compliance efforts and other safety practices.

5. Citations and Penalties

a. Our goal is to provide a safe and healthy work environment. If the house of worship is cited for OSHA violations, corrective action will be completed before the deadline provided by OSHA and as quickly as possible. It will be the (insert the name of the individual or Senior House of Worship Leadership group that would make this decision here) to appeal any citations.

OSHA

Forms for Recording Work-Related Injuries and Illnesses

Dear Employer:

occupational injury and illness records for 2004. These new forms have changed in several important ways from the 2003 recordkeeping forms. This booklet includes the forms needed for maintaining

to use these forms on January 1, 2004. Employers required to complete the injury and illness forms must begin 300A which incorporate the additional column M(5) Hearing Loss column to OSHA's Form 300, Log of Work-Related Injuries and Illnesses. This forms package contains modified Forms 300 and OSHA announced its decision to add an occupational hearing loss In the December 17, 2002 Federal Register (67 FR 77165-77170).

clearer and easier to use: changes to the forms package to make the recordkeeping materials In response to public suggestions, OSHA also has made several

- On Form 300, we've switched the positions of the day count the days "on job transfer or restriction. columns. The days "away from work" column now comes before
- We've clarified the formulas for calculating incidence rates.
- We've added new recording criteria for occupational hearing loss On Form 300, we've made the column heading "Classify the to the "Overview" section.

Accurate injury and illness records will help us achieve that goal the goal of preventing injuries and illnesses in our nation's workplaces. The Occupational Safety and Health Administration shares with you mark only one selection among the four columns offered. Case" more prominent to make it clear that employers should

Occupational Safety and Health Administration U.S. Department of Labor

What's Inside...

OSHA's Log and the Summary of Work-Related Injuries and Illnesses for the next several years. On the following pages, you'll find: In this package, you'll find everything you need to complete

- An Overview: Recording Work-Related Injuries and Illnesses your cases as injuries or illnesses. and definitions of terms you should use when you classify General instructions for filling out the forms in this package
- How to Fill Out the Log An example to guide you in filling out the Log properly.
- Log is separate from the Summary. the Log as you need.) Notice that the (but you may make as many copies of **Illnesses** — Several pages of the Log 1111 1111 1111

Log of Work-Related Injuries and





- Summary of Work-Related Injuries and Note that you post the Summary only, for easy posting at the end of the year. Illnesses - Removable Summary pages
- figuring the average number of employees who worked for your establishment and the total number of hours worked.

Worksheet to Help You Fill Out the Summary - A worksheet for

OSHA's 301: Injury and Illness Incident provide details about the incident. You Report - A copy of the OSHA 301 to use an equivalent form. may make as many copies as you need or



questions, visit us online at www.osha. gov OT call your local OSHA office. Take a few minutes to review this package. If you have any We'll be happy to help you.

Recording Work-Related Injuries and Illnesses An Overview:

The Occupational Safety and Health (OSH) Act of 1970 requires certain employers to prepare and maintain records of work-related injuries and illnesses. Use these definitions when you classify cases on the Log. OSHA's record keeping regulation (see 29 CFR Part 1904) provides more information about the definitions below.

illnesses occurring in their workplace. employees are aware of the injuries and category. At the end of the year, post the occurs, use the Log to record specific details and severity of each case. When an incident The Log of Work-Related Injuries and Illnesses Summary in a visible location so that your The Summary — a separate form (Form 300A) about what happened and how it happened injuries and illnesses and to note the extent (Form 300) is used to classify work-related shows the totals for the year in each

review your injury and illness records. For is expected to be in operation for one year or Log and Summary for each physical location that one establishment, you must keep a separate Note that your employees have the right to

establishment or site. If you have more than

Employers must keep a Log for each

or that an OSHA standard was violated. mean that the employer or worker was at fault benefits. Listing a case on the Log does not for workers' compensation or other insurance Injuries and Illnesses are not necessarily eligible Regulations Part 1904.35, Employee Involvement more information, see 29 Code of Federal Cases listed on the Log of Work-Related

work-related? When is an injury or illness considered

preexisting condition. Work-relatedness is condition or significantly aggravated a work environment caused or contributed to the work-related if an event or exposure in the An injury or illness is considered

> applies. See 29 CFR Part 1904.5(b)(2) for the See 29 CFR Part 1904.5(b)(1). present as a condition of their employment. one or more employees are working or are the establishment and other locations where exceptions. The work environment includes workplace, unless an exception specifically from events or exposures occurring in the presumed for injuries and illnesses resulting

illnesses should you record? Which work-related injuries and

illnesses that result in: Record those work-related injuries and

- ▼ death,
- ▼ loss of consciousness
- days away from work,
- medical treatment beyond first aid. ▼ restricted work activity or job transfer, or
- listed below. below) or meet any of the additional criteria and illnesses that are significant (as defined You must also record work-related injuries

punctured eardrum. See 29 CFR 1904.7. disease, a fractured or cracked bone, or a case involving cancer, chronic irreversible professional. You must record any work-related physician or other licensed health care related injury or illness that is diagnosed by a You must record any significant work

What are the additional criteria?

they are work-related: You must record the following conditions when

- any needlestick injury or cut from a sharp infectious material; person's blood or other potentially object that is contaminated with another
- of an OSHA health standard;
- tuberculosis infection as evidenced by a positive skin test or diagnosis by a physician or other licensed health care professional after exposure to a known case of active tuberculosis.
- ▼ an employee's hearing test (audiogram) reveals 1) that the employee has experienced a Standard Threshold Shiff (STS) in hearing in one or both ears 2) the employee's total hearing level is 25 decibels (dB) or more above audiometric Hz) in the same ear(s) as the STS. zero (also averaged at 2000, 3000, and 4000 (averaged at 2000, 3000, and 4000 Hz) and

What is medical treatment?

Medical treatment includes managing and caring for a patient for the purpose of combating disease or disorder. The following are not considered medical treatments and are NOT recordable:

▼ visits to a doctor or health care professional solely for observation or counseling;

- any case requiring an employee to be medically removed under the requirements

How to work with the Log

Identify the employee involved unless

- Identify when and where the case occurred. perow it is a privacy concern case as described
- Describe the case, as specifically as you
- Classify the seriousness of the case by being the least serious. (Death) being the most serious and associated with the case, with column G recording the most serious outcome column J (Other recordable cases)
- Identify whether the case is an injury or illness. If the case is an injury, checl illness, check the appropriate illness the injury category. If the case is an

What do you need to do?

- Within 7 calendar days after you the OSHA recordkeeping decide if the case is recordable under receive information about a case,
- 2. Determine whether the incident is a one. new case or a recurrence of an existing
- 3. Establish whether the case was work-
- If the case is recordable, decide which illness incident report. form you will fill out as the injury and

the OSHA 301. tion, insurance, or other reports may form. Some state workers compensa-Illness Incident Report or an equivalent they provide the same information as be acceptable substitutes, as long as You may use OSHA's 301: Injury and

- ▼ diagnostic procedures, including are used solely for diagnostic purposes; and administering prescription medications that
- any procedure that can be labeled first aid. (See below for more information about first aid.)
- ▼ using non-prescription medications at non record the case if it involves only: prescription strength;

administering tetanus immunizations;

of treatment, consider it first aid. Do NOT If the incident required only the following types

What is first aid?

- ▼ cleaning, flushing, or soaking wounds on the skin surface;
- ▼ using wound coverings, such as bandages. BandAids⁷¹, gauze pads, etc., or using SteriStrips⁷¹ or butterfly bandages.
- using hot or cold therapy; using any totally non-rigid means of support,

back belts, etc.;

such as elastic bandages, wraps, non-rigid

- using temporary immobilization devices (splints, slings, neck collars, or back boards) while transporting an accident victim
- using eye patches; ▼ drilling a fingernail or toenail to relieve pressure, or draining fluids from blisters;
- ▼ using simple irrigation or a cotton swab to ▼ using irrigation, tweezers, cotton swab or adhered to the eye; foreign material from areas other than the other simple means to remove splinters or remove foreign bodies not embedded in or

- using massages; ▼ using finger guards;
- ▼ drinking fluids to relieve heat stress

How do you decide if the case involved

restricted work?

injury or illness occurred. would have been scheduled to work before the working the full workday that the employee the routine functions of his or her job or from employer or health care professional keeps, or result of a work-related injury or illness, an Restricted work activity occurs when, as the recommends keeping, an employee from doing

of restricted work activity or the number of days away from work? How do you count the number of days

both reaches 180 days. once the total of either or the combination of restricted work activity or days away from work of days for each. You may stop counting days of involved both days away from work and days of incident occurs. If a single injury or illness Begin counting days from the day after the away from work as a result of the recordable employee was on restricted work activity or was Count the number of calendar days the restricted work activity, enter the total number the injury or illness occurred in this number. injury or illness. Do not count the day on which

OSHA Form 300? NOT enter the employee's name on the

Under what circumstances should you

 an injury or illness to an intimate body part injuries or illnesses to be privacy concern cases: You must consider the following types of

- an injury or illness resulting from a sexual or to the reproductive system,
- a mental illness
- ▼ a case of HIV infection, hepatitis, or
- a needlestick injury or cut from a sharp ▼ other illnesses, if the employee 29 CFR Part 1904.8 for definition), and other potentially infectious material (see object that is contaminated with blood or

asked to do so. and provide information to the government if concern cases so that you can update the cases employee names for the establishment's privacy confidential list of the case numbers and the employee's name. You must keep a separate, OSHA 300 Log for these cases. Instead, enter 'privacy case" in the space normally used for You must not enter the employee's name on the his or her name not be entered on the log. independently and voluntarily requests that

cause of the incident and the general severity of must enter enough information to identify the on both the OSHA 300 and 301 forms. You use discretion in describing the injury or illness the employee's name has been omitted, you may case may be personally identifiable even though that information describing the privacy concern If you have a reasonable basis to believe

record the case?

include details of an intimate or private nature. the injury or illness, but you do not need to

What if the outcome changes after you

most serious outcome for each case. if you wish, delete or white-out the original simply draw a line through the original entry or If the outcome or extent of an injury or illness belongs. Remember, you need to record the entry. Then write the new entry where it changes after you have recorded the case,

Classifying injuries

resulting from an event in the work An injury is any wound or damage to the body

a thermal, chemical, electrical, or radiation other similar accidents. injuries when they result from a slip, trip, fall or tooth, amputation, insect bite, electrocution, or abrasion, fracture, bruise, contusion, chipped joints, and connective tissues are classified as burn. Sprain and strain injuries to muscles Examples: Cut, puncture, laceration

Classifying illnesses

Skin diseases or disorders

or poisonous plants; oil acne; friction blisters, substances. exposure to chemicals, plants, or other Skin diseases or disorders are illnesses involving chrome ulcers; inflammation of the skin. rash caused by primary irritants and sensitizers the worker's skin that are caused by work Examples: Contact dermatitis, eczema, or

Respiratory conditions

Respiratory conditions are illnesses associated chemicals, dust, gases, vapors, or fumes at work with breathing hazardous biological agents,

occupational asthma, reactive airways hypersensitivity pneumonitis, toxic inhalation obstructive pulmonary disease (COPD), dysfunction syndrome (RADS), chronic obstructive bronchitis, and other injury, such as metal fume fever, chronic farmer's lung, beryllium disease, tuberculosis, pharyngitis, rhinitis or acute congestion; Examples: Silicosis, asbestosis, pneumonitis,

abnormal concentrations of toxic substances in Poisoning includes disorders evidenced by Poisoning oneumocomoses.

absorption of toxic substances into the body. Examples: Poisoning by lead, mercury,

breath that are caused by the ingestion or blood, other tissues, other bodily fluids, or the

> tetrachloride, or other organic solvents; gases; poisoning by benzene, benzol, carbon carbon monoxide, hydrogen sulfide, or other cadmium, arsenic, or other metals; poisoning by chemicals, such as formaldehyde. parathion or lead arsenate; poisoning by other poisoning by insecticide sprays, such as

Hearing Loss

2000, 3000 and 4000 hertz, and the employee's 3000, and 4000 hertz) in the same ear(s). above audiometric zero (also averaged at 2000, total hearing level is 25 decibels (dB) or more an average of 10 dB or more in either ear at threshold relative to the baseline audiogram of recordkeeping purposes as a change in hearing Noise-induced hearing loss is defined for

All other illnesses

All other occupational illnesses.

tumors; histoplasmosis; coccidioidomycosis hepatitis C; brucellosis; malignant or benign diseases, such as AIDS, HIV, hepatitis B or rays, lasers); anthrax; bloodborne pathogenic nonionizing radiation (welding flash, ultra-violet radiation (isotopes, x-rays, radium); effects of decompression sickness; effects of ionizing other effects of exposure to low temperatures; environmental heat; freezing, frostbite, and exhaustion, heat stress and other effects of Examples: Heatstroke, sunstroke, heat

When must you post the Summary?

until April 30 of that year. year covered by the form and keep it posted Log — by February I of the year following the You must post the Summary only — not the

and Summary on file? How long must you keep the Log

pertain. 5 years following the year to which they You must keep the Log and Summary for

OSHA at the end of the year? Do you have to send these forms to

forms to OSHA unless specifically asked to No. You do not have to send the completed

do so.

How can we help you?

If you have a question about how to fill out

- ☐ visit us online at www.osha.gov or
- call your local OSHA office.

۵

Optional

Calculating Injury and Illness Incidence Rates

What is an incidence rate?

problems in your workplace and/or progress involved, these rates can help you identify of workers and a specific period of time are compare your firm's experience with that of (usually one year). To evaluate your firm's time workers) over a given period of time number of full-time workers (usually 100 fullrelated injuries and illnesses. you may have made in preventing workyour incidence rate. Because a specific number your industry as a whole, you need to compute injury and illness experience over time or to injuries and illnesses occurring among a given An incidence rate is the number of recordable

How do you calculate an incidence

rates the instructions in paragraph (c). involved days away from work, and for both illness incidence rate for all recordable cases or cases or those in paragraph (b) for cases that paragraph (a) below for the total recordable your firm quickly and easily. The formula for cases that involved days away from work for requires that you follow instructions in (a) To find out the total number of recordable

column (H), or refer to the entry for column the number of line entries on your OSHA illnesses that involved days away from work, count Form 300 that received a check mark in (b) To find out the number of injuries and

a survey of occupational injuries and illnesses The Bureau of Labor Statistics (BLS) conducts

rate to?

What can I compare my incidence

each year and publishes incidence rate data by

You can compute an occupational injury and

300A and sum the entries for columns (G), (H). OSHA Form 300, or refer to the OSHA Form injuries and illnesses that occurred during the year, count the number of line entries on your

(H) on the OSHA Form 300A

300A and optional worksheet to calculate this worked during the year. Refer to OSHA Form (c) The number of hours all employees actually

the following formula: recordable cases of injuries and illnesses using You can compute the incidence rate for all

Number of hours worked by all employees = Total recordable case rate Total number of injuries and illnesses x 200,000

calculating incidence rates.) 40 hours per week, 50 weeks per year would work, and provides the standard base for the number of hours 100 employees working (The 200,000 figure in the formula represents

transfer (DART) using the following formula work, days of restricted work activity or job recordable cases involving days away from You can compute the incidence rate for

(Number of entries in column H + Number ofworked by all employees = DART incidence rate entries in column I) \times 200,000 \div Number of hours

on Form 300A), cases involving skin disorders the total number of injuries and illnesses. from Form 300A, into the formula in place of (column (M-2) on Form 300A), etc. Just involving restricted work activity (column (I) incidence rates for other variables such as cases You can use the same formula to calculate substitute the appropriate total for these cases

BLS Regional Office.

employer size, etc.). You can obtain these published data at www.bls.gov/iif or by calling a various classifications (e.g., by industry, by

Number of entries in Column H + Column I	Worksheet Total number of injuries and illnesses X
× 200,000 +	× 200,000 +
Number of hours worked by all employees	Number of hours worked by all employees
DART incidence rate	Total recordable case rate

How to Fill Out the Log

of each case. When an incident occurs, use happened and how it happened. the Log to record specific details about what illnesses and to note the extent and severity used to classify work-related injuries and The Log of Work-Related Injuries and Illnesses is

one year or longer. that is expected to remain in operation for we provided, you may photocopy and use as Log in this package. If you need more than separate records for each physical location We have given you several copies of the


incidents in each category and transfer the illnesses occurring in their workplace. your employees are aware of injuries and post the Summary in a visible location so that totals from the Log to the Summary. Then You don't post the Log. You post only

the Summary at the end of the year.

totals for the year in each category. At the

end of the year, count the number of

shows the work-related injury and illness establishment or site, you must keep many as you need. If your company has more than one The Summary — a separate form —



OSHA's Form 300 (Rev. 01/2004)

Log of Work-Related Injuries and Illnesses

Attention: This form contains information relating to employee health and must be used in a manner that protects the confidentiality of employees to the extent possible while the information is being used for occupational safety and health purposes.

Year 20

U.S. Department of Labor Decupational Safety and Health Administration

You must record information shout even work related of	looth and shout allow war	k related in involved these that invo	You must record information about aware unab related pleath and about aware related in time or fileses that involves loss of consciousness restricted work activities in the transfer	onofor		Section France		Cooupariona	Form approved OMB no. 1218-0176
days away from work, or medical treatment beyond first care professional. You must also record work-related in	taid. You must also record juries and illnesses that m	I significant work-related injunes a seet any of the specific recording	days away from work, or medical treatment beyond first aid. You must also record significant work-related injuries and illnesses that are diagnosed by a physician or licensed health care professional. You must also record work-related injuries and illnesses that meet any of the specific recording criteria listed in 29 CFR Part 1904 8 through 1904 12. Feel free to	health free to				Establishment name	
use two lines for a single case if you need to, you must complete an injury and litness from firm. If you're not sure whether a case is recordable, call your local OSHA office for help.	ell your local OSHA office	riess incident Report (USHA For for help.	use two lines for a single case it you need to, not must complete an tiquiy and tilness incident Report (USHA Form 301) on equivalent form for each injury of timess recorded on this form. If you're not sure whether a case is recordable, call your local OSHA office for help.	on this				City	Sas
Identify the person	Describe the case	the case		Classify th		e case			
(A) (B) (C) Case Employee's name Job title	(D) e Date of injury	(E) Where the event occurred	(F) Describe injury or illness, parts of body affected,	CHECK ONLY based on the that case:		ONE box for each case most serious outcome for	tcome for	Enter the number of days the injured or ill worker was:	Check the "Injury" column or choose one type of illness:
no. (e.g., Welder)		(e.g., Loading dock north end)	and object/substance that directly injured or made person ill (e.g., Second degree burns on			Remain	Remained at Work		ory i
			right forearm from acetylene torch)	Death	Days away from work	Job transfer or restriction	Other record- able cases	from transfer or work restriction	Injury Skin das Respirate condition Possonin Hearing All other illnesses
				(G)	Œ) =) (5	(K) (L)	(2) (3) (4) (5) (6
	month/day							days days	0 0 0 0 0
	month idea	6						days days	
	month/day							days days	
	month/day							days days	0 0 0 0 0 0
						0		days days	
	, constant					0		days days	
	month/day /							days days	
	month/day			1	1) () (
	month/day				C	C	۵	days	
	month/day					0		days days	0 0 0 0 0
	month/day					0		days days	
	month/day/							days days	0 0 0 0 0
	month/day							days days	0 0 0 0 0
	month/day							days days	
			Page totals	1	1	I]]	y y B
Pablic reporting burden for this collection of information is estimated to average 14 minutes per response, including time to review the instructions, search and gather the data needed, and compiler and review the collection of information persons are not required to respond to the collection of information unless it displays a currently valid OMB control number If you have any comments about these estimates or any other aspects of this data collection, contact: US Department of Labor, COHA Office of Statistical haulysis, &coom N-2964, 200 Contitution Avenue, NW, Washington, DC 2021.0, Do not send the completed forms to this office.	mated to average 14 minutes pete and review the collection ourrently valid OMB control nucleon to Contact: US Department of L. ton, DC 20210. Do not send to	per response, including time to review information. Persons are not required mber. If you have any comments abor, OSHA Office of Statistical he completed forms to this office.	Be sure to transfer these totals to the Summary page (Form 300A) before you post it. Pag	ese totals t	o the Summa	y page (Form 3	ioA) before you poo	Set it.	Skin disorde Sepirator condition Poisoning Hearing Ico All other illnesses
201									

OSHA's Form 300A (Rev. 01/2004)

Summary of Work-Related Injuries and Illnesses



Form approved OMB no. 1218-0176

All establishments covered by Part 1904 must complete this Summary page, even if no work-related injuries or illnesses occurred during the year. Remember to review the Log to verify that the entries are complete and accurate before completing this summary. Using the Log, count the individual entries you made for each category. Then write the totals below, making sure you've added the entries from every page of the Log. If you

Employees, former employees, and their representatives have the right to review the OSHA Form 300 in its entirety. They also have limited access to the OSHA Form 301 or its equivalent. See 29 CFR Part 1904.35, in OSHA's recordiseeping rule, for further details on the access provisions for these forms. had no cases, write "0."

Number of Cases	ses		
Total number of deaths	Total number of cases with days away from work	Total number of cases with job transfer or restriction	Total number of other recordable cases
(G)	(H)	(3)	(2)
Number of Days	iys .		
Total number of days away from work	s away	Total number of days of job transfer or restriction	
(K)		(F)	
Injury and Illness Types	ess Types		
Total number of (M) (1) Injuries		(4) Poisonings	
(2) Skin disorders (3) Respiratory conditions	ns	(5) Hearing loss (6) All other illnesses	

Post this Summary page from February 1 to April 30 of the year following the year covered by the form.

Public reporting burden for this collection of information is estimated to average 58 minutes per response, including time to review the instructions, search and gather the data needed, and complete and review the collection of information. Persons are not required to respond to the collection of information unless it diplays a currently valid OME control number. If you have any comments about these estimates or any other apects of this data collection, contact: US Department of Labor, OSHA Office of Statistical Analysis, Room N-3644, 209 Countinion Avenue, NW Washington, DC 20210. Do not send the completed forms to this office.

Establishment information
Your establishment name
Street
City State ZIP
Industry description (e.g., Manufacture of motor inuk inalters)
Standard Industrial Classification (SIC), if known (e.g., 3715)
OR
North American Industrial Classification (NAICS), if known (e.g., 346212)
Employment information (If you don't have these figures, see the Worksheet on the back of this page to estimate.)
Annual average number of employees
Total hours worked by all employees last year
Sign here
Knowingly falsifying this document may result in a fine.
I certify that I have examined this document and that to the best of my knowledge the entries are true, accurate, and complete.
Company executive 71th () / / Phone Date

For pay period...

For example, Acme Construction figured its average employment this way:

Acme paid this number of employees...

26 25 ₹

 $\frac{830}{26} = 31.92$

Number of pay periods = 26 Number of employees paid = 830

31.92 rounds to 32

32 is the annual average number of employees

Worksheet to Help You Fill Out the Summary

At the end of the year, OSHA requires you to enter the everage number of employees and the total hours worked by your employees on the summary. If you don't have these figures, you can use the information on this page to estimate the numbers you will need to enter on the Summary page at the end of the year.

How to figure the average number of employees who worked for your establishment during the

 Add the total number of employees your establishment paid in all pay periods during the temporary, seasonal, salaried, and hourly, year. Include all employees: full-time, part-time,

0

Count the number of pay periods your

paid in all pay periods = The number of employees 0

The number of pay periods during the year 0 0 0

0

0

Round the answer to the next highest whole

marked Annual average number of employees.

0

employees.

include any pay periods when you had no establishment had during the year. Be sure to

pay periods.

Divide the number of employees by the number of

number. Write the rounded number in the blank The number rounded

temporary, seasonal)

How to figure the total hours worked by all employees:

your establishment (e.g., temporary help services workers). well as hours worked by other workers subject to day to day supervision by Include hours worked by salaried, hourly, part-time and seasonal workers, as

estimate the hours that the employees actually worked the hours paid or if you have employees who are not paid by the hour, please even if employees were paid for it. If your establishment keeps records of only Do not include vacation, sick leave, holidays, or any other non-work time,

estimate it. If this number isn't available, you can use this optional worksheet to

Optional Worksheet

×

employee in a year. **Multiply** by the number of work hours for a full-time establishment for the year.

Find the number of full-time employees in your

This is the number of full-time hours worked

Add the number of any overtime hours as well as the hours worked by other employees (part-time,

hours worked by all employees last year. Write the rounded number in the blank marked Total Round the answer to the next highest whole number:

OSHA's Form 301

Injury and Illness Incident Report

protects the confidentiality of employees to the extent Attention: This form contains information relating to possible while the information is being used for employee health and must be used in a manner that occupational safety and health purposes.

(Pransfer the case number from the Log after you record the case.)

Information about the case



Form approved OMB no. 1218-0176

and severity of work-related incidents. employer and OSHA develop a picture of the extent accompanying Summary, these forms help the the Log of Work-Related Injuries and Illnesses and the related injury or illness has occurred. Together with first forms you must fill out when a recordable work-This Injury and Illness Incident Report is one of the Within 7 calendar days after you receive

asked for on this form. any substitute must contain all the information substitutes. To be considered an equivalent form, insurance, or other reports may be acceptable equivalent. Some state workers' compensation, illness has occurred, you must fill out this form or an information that a recordable work-related injury or

this form on file for 5 years following the year to 1904, OSHA's recordkeeping rule, you must keep According to Public Law 91-596 and 29 CFR

may photocopy and use as many as you need. If you need additional copies of this form, you

Completed by

Date

9

Yes

Was employee hospitalized overnight as an in-patie

Yes

No

5) Date of birth// 4) Date hired// 5) □ Male □ Female	CityStateZIP	2) Street	I) Full name	וווייווומווייוו מציעו ווופ פווויייץפס
14) What was the employee tools, equipment, or mat carrying roofing materia	13) Time of event	 Date of injury or illness Time employee began work 	10) Case number from the Log	mormanon about

professional Information about the physician or other health care

6) Name of physician or other health care professional

œ		
Was empl	City	Succi
oyee treate		
employee treated in an emergency room:		
ergency ro		
om?	State	
	ZIP	
	1	ı

eat?	eZIP	re was it given? 16) Wh. no
	17) What object or substance directly harmed the employee? Examples: "concrete floor"; "chlorine"; "radial arm saw." If this question does not apply to the incident, leave it blank.	16) What was the injury or illness? Tell us the part of the body that was affected and how it was affected; be more specific than "hurt," "pain," or sore." Examples: "strained back"; "chemical burn, hand"; "carpal tunnel syndrome."

18) If the employee died, when did death occur? Date of death

Public reporting burden for this collection of information is entiremented to average 22 minute per response, including time for reviewing instructions, searching data sources, guthering and maintaining the data needed, and completing and reviewing the collection of information in the information is a criterion and in the collection of information in the information of information in the in

15) What happened? Tell us how the injury occurred. Examples: "When ladder slipped on wet floor, worker fell 20 feet"; "Worker was sprayed with chlorine when gasket broke during replacement"; "Worker

developed soreness in wrist over time."

tools, equipment, or material the employee was using. Be specific. Examples: "climbing a ladder while carrying roofing materials"; "spraying chlorine from hand sprayer"; "daily computer key-entry."

What was the employee doing just before the incident occurred? Describe the activity, as well as the

AM / PM Check if time cannot be determined

AM / PM

If You Need Help...

If you need help deciding whether a case is recordable, or if you have questions about the information in this package, feel free to contact us. We'll gladly answer any questions you have.

												▼ Call your State Plan office	Q	coordinator	▼ Call your OSHA Regional office	▼ Visit us online at www.osha.gov
Idaho	Region 10 - 206 / 553-5930	Region 9 - 415 / 975-4310	Colorado; Montana; North Dakota; South Dakota	Region 8 - 303 / 844-1600	Region 7 - 816 / 426-5861 Kansas; Missouri; Nebraska	Arkansas; Louisiana; Okianoma; rexas	Region 6 - 214 / 767-4731	Region 5 - 312 / 353-2220 Illinois; Ohio; Wisconsin		Region 4 - 404 / 562-2300 Alabama: Florida: Georgia: Mississippi	DC; Delaware; Pennsylvania; West Virginia	Region 3 - 215 / 861-4900	Region 2 - 212 / 337-2378 New York; New Jersey	Hampshire; Rhode Island	Region 1 - 617 / 565-9860 Connecticut: Massachusetts: Maine: New	Federal Jurisdiction
North Carolina - 919 / 807-2875	*New York - 518 / 457-2574	New Mexico - 505 / 827-4230	*New Jersey - 609 / 984-1389	Nevada - 702 / 486-9020	Minnesota - 651 / 284-5050	Michigan - 517 / 322-1848	Maryland - 410 / 527-4465	Kentucky - 502 / 564-3070	Iowa - 515 / 281-3661	Indiana - 317 / 232-2688	Hawaii - 808 / 586-9100	*Connecticut - 860 / 566-4380	California - 415 / 703-5100	Arizona - 602 / 542-5795	Alaska - 907 / 269-4957	State Plan States
					*Public Sector only		Wyoming - 307 / 777-7786	Washington - 360 / 902-5554	Virgin Islands - 340 / 772-1315	Virginia - 804 / 786-6613	Vermont - 802 / 828-2765	Utah - 801/530-6901	Tennessee - 615 / 741-2793	South Carolina - 803 / 734-9669	Puerto Rico - 787 / 754-2172	Oregon - 503 / 378-3272

Have questions?

If you need help in filling out the *Log* or *Summary*, or if you have questions about whether a case is recordable, contact us. We'll be happy to help you. You can:

Visit us online at: www.osha.gov

Call your regional or state plan office. V

▼ Call your regional or state plan office. You'll find the phone number listed inside this cover.

Section X – Acknowledgment Form

The rules, programs, and procedures stated within the house of worship's Safety Program are not intended to cover all the possible situations you will be faced with as an employee, volunteer, or house of worship member. The house of worship encourages you to act in a safe and responsible manner at all times, both on and off house of worship property.


I have read the house of worship's Safety Program, understand it, and agree to abide by it. I understand that violation of these rules may lead to termination of my employment with this organization.
Print Name:
Signature:

The following applies to house of worship Employees only:

Date _____

RESERVED FOR FUTURE USE

APPENDIX A – Sample Safety Policy Statements



"Safety and health in our house of worship must be a part of every operation. Without question it is every employee's, volunteer's and house of worship member's responsibility at all levels."

"It is the intent of this house of worship to comply with all laws. To do this we must constantly be aware of conditions in all areas of our facility that can produce injuries. No employee or volunteer is required to work at a job he or she knows is not safe or healthful. Your cooperation in detecting hazards and, in turn, controlling them is a condition of your employment. Inform (insert name or title of appropriate person or group here) immediately of any situation beyond your ability or authority to correct."

"We will maintain a safety and health program conforming to the best practices of organizations of this type. To be successful, such a program must embody the proper attitudes toward injury and illness prevention on the part of all house of worship employees, volunteers, and members. It also requires cooperation in all safety and health matters, not only between supervisor and employee, but also between each employee, volunteer and house of worship member. Only through such a cooperative effort can a safety program in the best interest of all be established and preserved."

"Our objective is a safety and health program that will reduce the number of injuries and illnesses to an absolute minimum, not merely in keeping with, but surpassing, the best experience of operations similar to ours. Our goal is zero accidents and injuries."

"Our safety and health program will include:

- Providing mechanical and physical safeguards to the maximum extent possible.
- Conducting a program of safety and health inspections to find and eliminate unsafe working conditions or practices, to control health hazards, and to comply fully with the safety and health standards for every job.
- Training all employees and volunteers in good safety and health practices.
- Providing necessary personal protective equipment and instructions for its use and care.
- Developing and enforcing safety and health rules and requiring that employees and volunteers cooperate with these rules at all times.
- Investigating, promptly and thoroughly, every accident to find out what caused it and to correct the problem so that it won't happen again.
- Setting up a system of recognition and awards for outstanding safety service or performance."

"We recognize that the responsibilities for safety and health are shared:

- The (insert name of group that oversees the house of worship operations. Example may be: House of Worship Board, House of Worship Elders, Trustees, etc.) accepts the responsibility for leadership of the safety and health program, for its effectiveness and improvement, and for providing the safeguards required to ensure safe conditions.
- Supervisors are responsible for developing the proper attitudes toward safety and health in themselves and in those
 they supervise, and for ensuring that all operations are performed with the utmost regard for the safety and health of
 all personnel involved, including themselves.
- Employees and volunteers are responsible for "wholehearted, genuine cooperation with all aspects of the safety and health program, including compliance with all rules and regulations and for continuously practicing safety while performing their duties".

and promoting the health and safety of employees."

"It is the desire of *(insert the house of worship name)* to comply with state and federal laws and to provide a safe working environment for its employees and volunteers. The house of worship, however, recognizes that the responsibilities for safety and health are shared:

- The house of worship leadership accepts the responsibility for leadership of the safety and health program, for its effectiveness and improvement, and for providing the safeguards required to ensure safe conditions.
- Supervisors are responsible for developing the proper attitude toward safety and health in themselves and in those they supervise. They are also responsible for ensuring that all operations are performed with the utmost regard for safety and health of all personnel involved, including themselves. When safety practices are necessary, the Supervisor shall communicate them to the employee or volunteer on his/her first day of employment. If safety procedures are not being followed, disciplinary action will be taken. This action might include, but is not limited to, reprimand, suspension, or dismissal of the employee or volunteer from the house of worship project. Periodic review of this policy with employees and volunteers will be done by the Supervisor.
- Employees and volunteers are responsible for wholehearted cooperation in all aspects of the safety and health program including compliance with all rules and regulations and for continuously practicing safety while performing their job functions."

STATEMENT OF SAFETY POLICY

It is the policy of	
This safety program has been developed to assure compliance with the safety of all employees, the general public, and subco	
(Insert house of worship name here). Accidents can be prevented	and the safety of all is the goal we want to achieve.

Providing a safe place to work and worship, the proper protective equipment and a work environment conducive to safe work practices and policies is a primary and a major concern for the leadership of this house of worship.

 Senior House of Worship Leader	

Appendix B – Sample Checklist – Planning for Emergencies

- 1. Has a contingency analysis been conducted to determine what emergencies might arise?
- 2. Have emergency plans and procedures been developed for potentially catastrophic events such as:
 - a. Fires
 - **b.** Explosions
 - c. Leaks and spills
 - d. Severe weather
 - e. Floods

- f. Earthquakes
- g. Bomb threats
- h. Employee Violence
- Theft/Robbery Attempts
- i. Other
- 3. Do these plans provide for procedures for extinguishing different types of fires which might occur?
- 4. Do these plans have adequate evacuation and recovery procedures for each type of emergency?
- 5. Have responsibilities been assigned in the plan to specific personnel to direct operations and to respond to emergencies? Are these persons aware of their responsibilities? Are they qualified to lead in the necessary actions which might be required?
- 6. Are emergency crews qualified, designated and on site?
- 7. Are different communications channels assigned to support emergency operations?
- **8.** Are there plans to evacuate employees, volunteers, house of worship members, and visitors from all areas of the facility in the event of emergencies?
- 9. Are evacuation route and warning signals information posted in each area of the building? Are the evacuation routes and exits marked?
- 10. Can egress routes from work areas be followed by personnel in the dark or in smoke?
- 11. Are the emergency plans and procedures posted in prominent areas?
- **12.** Have personnel received training in emergency procedures?
 - a. House of worship leadership
 - b. House of worship members
 - c. Volunteers
 - d. House of worship employees
 - e. Visitors
 - f. Supervisory personnel
 - g. Firefighters
 - h. Medical personnel
 - i. Communications personnel
- 13. Are there drills on simulated emergencies being conducted periodically for personnel?
- **14.** Is there a procedure to ensure that all personnel have been alerted to the emergency and those who will not combat it have been evacuated?
- 15. Are the egress provisions adequate (i.e., doors, stairways, elevators) for the evacuation in the event of an emergency?
- **16.** Do all doors open in the proper direction to facilitate egress of all building occupants in emergencies?
- 17. Are there procedures to preclude obstructions to personnel or equipment in critical evacuation or emergency equipment access routes or areas?
- **18.** Is the emergency equipment called for in the emergency procedures available at the facility, and is it operational? Can the equipment be reached easily if an emergency occurs?
- **19.** Are warning systems installed (sirens, loudspeakers, etc.) and are they tested periodically? Are all employees, volunteers, senior leadership members, house of worship members, and visitors familiar with the meanings of warning signals and required action to be taken?

- **20.** Is there a fire detection system at each facility? Are fire extinguishers sized, located, and of the types required by standards, and are they suitable for the types of fires which might occur?
- **21.** Is there fire-fighting equipment located near flammables or hazardous areas?
- 22. Are emergency telephone numbers posted for the fire department, ambulance, hospital emergency room, law enforcement, and others?

Appendix C - Self-Inspection Checklist

The most widely accepted way to identify hazards is to conduct safety and health inspections. The only way you can be certain of the actual situation is for you to look at it from time to time.

Make a Self-Inspection of Your House of Worship and Surrounding Facility

Begin a program of self-inspection in your own place of worship. Self-inspection is a must if you are to know where probable hazards exist and whether they are under control.

Later in this Section, you will find checklists designed to assist you in this fact-finding. They will give you some indication of where you should begin action to make your facility safer and more healthful for all of your employees, house of worship volunteers, members and house of worship visitors.

These checklists are by no means all inclusive. You may wish to add to them or delete portions that do not apply to your house of worship. Consider carefully each item as you come to it and then make your decision.

Don't spend time with items that obviously have no application to your organization. Make sure each item is seen by you or your designee, and leave nothing to memory or chance. Write down what you see, or don't see, and what you think you should do about it.

When you have completed the checklists, add this material to your injury information, your employee information, and your process and equipment information. You will now possess many facts that will help you determine what problems exist. Then, if you use the OSHA standards in your problem-solving process, it will be much easier for you to determine the action needed to solve these problems.

Once the hazards have been identified, you can institute control procedures.

Technical assistance in self-inspection may be available to you as a worship facility through your insurance carrier, the local safety council, and many local, state, and federal agencies, including the state consultation programs and OSHA Area Offices. Additional checklists are available from the National Safety Council, trade associations, insurance companies and other similar service organizations. Note portions of the following self-inspection checklists were taken from various sources including OSHA's publication entitled *OSHA Handbook for Small Businesses*.

Self-Inspection Scope

The scope of your self-inspections should include the following:

- Building and Grounds Conditions floors, walls, ceilings, exits, stairs, walkways, ramps, platforms, driveways, aisles.
- **Housekeeping Program** waste disposal, tools, objects, materials, leakage and spillage, cleaning methods, schedules, work areas, remote areas, storage areas.
- **Electricity** equipment, switches, breakers, fuses, switch-boxes, junctions, special fixtures, circuits, insulation, extensions, tools, motors, grounding, NEC compliance.
- Lighting type, intensity, controls, conditions, diffusion, location, glare and shadow control.
- Heating and Ventilation type, effectiveness, temperature, humidity, controls, natural and artificial ventilation and exhausting.

- **Personnel** training, experience, methods of checking machines before use, type clothing, personal protective equipment, use of guards, tool storage, work practices, method of cleaning, oiling, or adjusting machinery.
- **Kitchen Equipment (if present)** purchasing standards, inspection, storage, repair, types, maintenance, grounding, use and handling.
- **Chemicals** storage, handling, transportation, spills, disposals, amounts used, toxicity or other harmful effects, warning signs, supervision, training, protective clothing and equipment.
- **Fire Prevention** extinguishers, alarms, sprinklers, smoking rules, exits, personnel assigned, separation of flammable materials and dangerous operations, waste disposal.
- **Maintenance** regularity, effectiveness, training of personnel, materials and equipment used, records maintained, method of locking out machinery, general methods.
- **Personal Protective Equipment** type, size, maintenance, repair, storage, assignment of responsibility, purchasing methods, standards observed, training in care and use, rules of use, method of assignment.

CHECKLISTS TABLE OF CONTENTS

<u>ITEM</u>	<u>PAGE</u>
CONTROL OF HARMFUL SUBSTANCES BY VENTILATION	C-13
DINING ROOM AND ENTRY	
ELECTRICAL	
ELEVATED SURFACES	
EMPLOYER POSTING	C-7
ENVIRONMENTAL CONTROLS	C-4 C-10
EXIT DOORS	
EXIT DOORSEXITING OR EGRESS	
FIRE PROTECTION	
FLAMMABLE AND COMBUSTIBLE MATERIALS	C-0 C-10
FLOOR AND WALL OPENINGS	
FOOD STORAGE	
FUELING	
GENERAL WORK ENVIRONMENT	
GROUNDS AROUND THE BUILDING	C-7
HAND TOOLS AND EQUIPMENT	C-9
HAZARDOUS CHEMICAL EXPOSURE	
HAZARDOUS SUBSTANCES COMMUNICATION	
KITCHEN	
LOCKOUT TAGOUT PROCEDURES	C-9
MACHINE GUARDING	
MATERIAL HANDLING	C-3
MEDICAL SERVICES AND FIRST-AID	
PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING	C-6
PLAYGROUNDS	
PORTABLE (POWER OPERATED) TOOLS AND EQUIPMENT	
PORTABLE LADDERS	
RECORDKEEPING	
SAFETY AND HEALTH PROGRAM	
SANITIZING EQUIPMENT AND CLOTHING	
STAIRS AND STAIRWAYS	
TRANSPORTING EMPLOYEES AND MATERIALS	C-13
WALKWAYS	
	• •

SELF-INSPECTION CHECKLISTS

These check lists are by no means all-inclusive. You should add to them or delete portions or items that do not apply to your operations: however, carefully consider each item as you come to it and then make your decision. You also will need to refer to OSHA standards for complete and specific standards that may apply to your work situation.

op c	some oranical are man may apply to your morn oranical
EN	IPLOYER POSTING
	Is the required OSHA workplace poster displayed in a prominent location where all employees are likely to see it?
	Are emergency telephone numbers posted where they can be readily found in case of emergency?
	Where employees, volunteers, house of worship members or visitors may be exposed to any toxic substances or harmful physical agents, has appropriate information concerning access to medical and exposure records and "Material Safety Data Sheets" been posted or otherwise made readily available to affected individuals?
	Are signs concerning "Exiting from buildings," room capacities, floor loading. biohazards, exposures to x-ray. microwave, or other harmful radiation or substances posted where appropriate?
	Is the OSHA 300A Summary of Occupational Illnesses and Injuries posted no later than February 1 st until April 1st?
RE	CORDKEEPING
	Are all occupational injury or illnesses, except minor injuries requiring only first aid, being recorded as required on the OSHA 300 log?
	Are employee medical records and records of employee exposure to hazardous substances or harmful physical agents up-to-date and in compliance with current OSHA standards?
	Are employee training records kept and accessible for review by employees, when required by OSHA standards?
	Have arrangements been made to maintain required records for the legal period of time for each specific type record? (Some records must be maintained for at least 40 years.)
	Are operating permits and records up-to-date for such items as elevators, air pressure tanks, liquefied petroleum gas tanks, etc.?

SAFETY AND HEALTH PROGRAM

	Do you have an active safety and health program in operation that deals with general safety and health program elements as well as the management of hazards specific to your worksite?
	Is one person clearly responsible for the overall activities of the safety and health program?
	Do you have a safety committee or group made up of Senior House of Worship Leaders, supervisors, employees, volunteers and house of worship members that meet regularly and report in writing on its activities?
	Do you have a working procedure for handling inhouse employee, volunteer or house of worship member complaints regarding safety and health?
	Are you keeping your employees, volunteers and house of worship members advised of the successful effort and accomplishments you and/or your safety committee have made in assuring they will have a workplace and worship facility that is safe and healthful?
ME	EDICAL SERVICES AND FIRST-AID
	Is there a hospital, clinic, or infirmary for medical care in proximity of your facility?
	If medical and first-aid facilities are not in proximity of your facility, is at least one employee on each shift currently qualified to render first aid?
	Have all employees who are expected to respond to medical emergencies as part of their work ∗
	(1) received first-aid training; (2) had hepatitis B vaccination made available to them; (3) had appropriate training on procedures to protect them from bloodborne pathogens, including universal precautions; and (4) have available and understand how to use appropriate personal protective equipment to protect against exposure to bloodborne diseases?
	Where employees have had an exposure incident involving bloodborne pathogens, did you provide an immediate post-exposure medical evaluation and follow-up?
	Are medical personnel readily available for advice and consultation on matters of employees' health?
	Are emergency phone numbers posted?
	Are first-aid kits easily accessible to each work area. with necessary supplies available, periodically inspected and replenished as needed?
	Have first-aid kit supplies been approved by a physician, indicating that they are adequate for a particular area or operation?
\Box	Are means provided for quick drenching or flushing of

the eyes and body in areas where corrosive liquids or

materials are handled?

employees who render first aid only as a collateral du-	Chairs and tables well maintained
ty do not have to be offered preexposure hepatitis B	☐ Smoking regulations posted
vaccine only if the employer puts the following requirements into his/her exposure control plan and im-	☐ Emergency lighting equipment functional
plements them: (1) the employer must record all first- aid incidents involving the presence of blood or other	KITCHEN
potentially infectious materials before the end of the work shift during which the first-aid incident occurred;	Cooking equipment protected by a fixed extinguishing system
(2) the employer must comply with post-exposure evaluation, prophylaxis, and follow-up requirements of the standard with respect to "exposure incidents," as	 Extinguishing system inspected and tagged semi- annually
defined by the standard; (3) the employer must train	Fire control manual release visible
designated first-aid providers about the reporting pro- cedure: (4) the employer must offer to initiate the hepatitis B vaccination series within 24 hours to all	 Hoods, vents and fans maintained free of grease and serviced regularly
unvaccinated first-aid providers who have rendered assistance in any situation involving the presence of blood or other potentially infectious materials.	 Sprinkler system in working order and periodically inspected and tested
blood of other potentially infectious materials.	☐ No storage within 18 inches of sprinkler heads
GROUNDS AROUND THE BUILDING	Fire alarm and smoke detector equipment in working order
Parking areas free of potholes, litter and major cracks	☐ Temperature limit controls in place
Parking areas lit adequately and free of hidden areasSidewalks clear and in good condition	Listed grease filters and other grease removal devices of approved type
☐ Ice and snow are removed and area is kept sanded and salted	Fire extinguishers visible, mounted properly, of proper type, tagged, inspected annually
PLAYGROUNDS	☐ Workers wear slip-resistant footwear
	☐ Flooring near sinks protected by non-slip surfaces
Fenced and gated	☐ Flooring near sinks protected by non-slip surfaces☐ Flooring free of grease, puddles and debris
 ☐ Fenced and gated ☐ Playground surfaces well maintained 	
 ☐ Fenced and gated ☐ Playground surfaces well maintained ☐ Equipment clean, maintained and secured 	Flooring free of grease, puddles and debris
 ☐ Fenced and gated ☐ Playground surfaces well maintained 	☐ Flooring free of grease, puddles and debris☐ Powered cutting machines equipped with guards
 ☐ Fenced and gated ☐ Playground surfaces well maintained ☐ Equipment clean, maintained and secured ☐ Regulations conspicuously posted DINING ROOM AND ENTRY 	 ☐ Flooring free of grease, puddles and debris ☐ Powered cutting machines equipped with guards ☐ Mixing machines provided with guards
 ☐ Fenced and gated ☐ Playground surfaces well maintained ☐ Equipment clean, maintained and secured ☐ Regulations conspicuously posted 	 ☐ Flooring free of grease, puddles and debris ☐ Powered cutting machines equipped with guards ☐ Mixing machines provided with guards ☐ Air compressors equipped with guards ☐ Machines are disconnected before removing food and
 ☐ Fenced and gated ☐ Playground surfaces well maintained ☐ Equipment clean, maintained and secured ☐ Regulations conspicuously posted DINING ROOM AND ENTRY ☐ Fire exits visible, well-marked, unobstructed and un- 	 ☐ Flooring free of grease, puddles and debris ☐ Powered cutting machines equipped with guards ☐ Mixing machines provided with guards ☐ Air compressors equipped with guards ☐ Machines are disconnected before removing food and before cleaning ☐ Plunger is used to feed foods into chopper and grinder
 ☐ Fenced and gated ☐ Playground surfaces well maintained ☐ Equipment clean, maintained and secured ☐ Regulations conspicuously posted DINING ROOM AND ENTRY ☐ Fire exits visible, well-marked, unobstructed and unlocked 	 ☐ Flooring free of grease, puddles and debris ☐ Powered cutting machines equipped with guards ☐ Mixing machines provided with guards ☐ Air compressors equipped with guards ☐ Machines are disconnected before removing food and before cleaning ☐ Plunger is used to feed foods into chopper and grinder ☐ Broken glass is removed safely and promptly
 ☐ Fenced and gated ☐ Playground surfaces well maintained ☐ Equipment clean, maintained and secured ☐ Regulations conspicuously posted DINING ROOM AND ENTRY ☐ Fire exits visible, well-marked, unobstructed and unlocked ☐ Tables arranged so none block emergency exits 	 ☐ Flooring free of grease, puddles and debris ☐ Powered cutting machines equipped with guards ☐ Mixing machines provided with guards ☐ Air compressors equipped with guards ☐ Machines are disconnected before removing food and before cleaning ☐ Plunger is used to feed foods into chopper and grinder
 ☐ Fenced and gated ☐ Playground surfaces well maintained ☐ Equipment clean, maintained and secured ☐ Regulations conspicuously posted DINING ROOM AND ENTRY ☐ Fire exits visible, well-marked, unobstructed and unlocked ☐ Tables arranged so none block emergency exits ☐ Aisles are kept clear 	 ☐ Flooring free of grease, puddles and debris ☐ Powered cutting machines equipped with guards ☐ Mixing machines provided with guards ☐ Air compressors equipped with guards ☐ Machines are disconnected before removing food and before cleaning ☐ Plunger is used to feed foods into chopper and grinder ☐ Broken glass is removed safely and promptly ☐ Workers are trained to use equipment and chemicals
 ☐ Fenced and gated ☐ Playground surfaces well maintained ☐ Equipment clean, maintained and secured ☐ Regulations conspicuously posted DINING ROOM AND ENTRY ☐ Fire exits visible, well-marked, unobstructed and unlocked ☐ Tables arranged so none block emergency exits ☐ Aisles are kept clear ☐ Exit doors are equipped with panic hardware 	 ☐ Flooring free of grease, puddles and debris ☐ Powered cutting machines equipped with guards ☐ Mixing machines provided with guards ☐ Air compressors equipped with guards ☐ Machines are disconnected before removing food and before cleaning ☐ Plunger is used to feed foods into chopper and grinder ☐ Broken glass is removed safely and promptly ☐ Workers are trained to use equipment and chemicals safely ☐ Knives are properly maintained, used, and stored
 ☐ Fenced and gated ☐ Playground surfaces well maintained ☐ Equipment clean, maintained and secured ☐ Regulations conspicuously posted DINING ROOM AND ENTRY ☐ Fire exits visible, well-marked, unobstructed and unlocked ☐ Tables arranged so none block emergency exits ☐ Aisles are kept clear ☐ Exit doors are equipped with panic hardware ☐ Signs are used to warn customers of wet floors 	 ☐ Flooring free of grease, puddles and debris ☐ Powered cutting machines equipped with guards ☐ Mixing machines provided with guards ☐ Air compressors equipped with guards ☐ Machines are disconnected before removing food and before cleaning ☐ Plunger is used to feed foods into chopper and grinder ☐ Broken glass is removed safely and promptly ☐ Workers are trained to use equipment and chemicals safely ☐ Knives are properly maintained, used, and stored FOOD STORAGE
 ☐ Fenced and gated ☐ Playground surfaces well maintained ☐ Equipment clean, maintained and secured ☐ Regulations conspicuously posted DINING ROOM AND ENTRY ☐ Fire exits visible, well-marked, unobstructed and unlocked ☐ Tables arranged so none block emergency exits ☐ Aisles are kept clear ☐ Exit doors are equipped with panic hardware ☐ Signs are used to warn customers of wet floors ☐ Floors, mats, and carpets are in good repair 	 ☐ Flooring free of grease, puddles and debris ☐ Powered cutting machines equipped with guards ☐ Mixing machines provided with guards ☐ Air compressors equipped with guards ☐ Machines are disconnected before removing food and before cleaning ☐ Plunger is used to feed foods into chopper and grinder ☐ Broken glass is removed safely and promptly ☐ Workers are trained to use equipment and chemicals safely ☐ Knives are properly maintained, used, and stored
 ☐ Fenced and gated ☐ Playground surfaces well maintained ☐ Equipment clean, maintained and secured ☐ Regulations conspicuously posted DINING ROOM AND ENTRY ☐ Fire exits visible, well-marked, unobstructed and unlocked ☐ Tables arranged so none block emergency exits ☐ Aisles are kept clear ☐ Exit doors are equipped with panic hardware ☐ Signs are used to warn customers of wet floors ☐ Floors, mats, and carpets are in good repair ☐ Workers are trained in first aid procedures ☐ First aid kit is available, maintained, and placed in 	 ☐ Flooring free of grease, puddles and debris ☐ Powered cutting machines equipped with guards ☐ Mixing machines provided with guards ☐ Air compressors equipped with guards ☐ Machines are disconnected before removing food and before cleaning ☐ Plunger is used to feed foods into chopper and grinder ☐ Broken glass is removed safely and promptly ☐ Workers are trained to use equipment and chemicals safely ☐ Knives are properly maintained, used, and stored FOOD STORAGE ☐ Walk-in refrigerators well maintain and equipped with
 ☐ Fenced and gated ☐ Playground surfaces well maintained ☐ Equipment clean, maintained and secured ☐ Regulations conspicuously posted DINING ROOM AND ENTRY ☐ Fire exits visible, well-marked, unobstructed and unlocked ☐ Tables arranged so none block emergency exits ☐ Aisles are kept clear ☐ Exit doors are equipped with panic hardware ☐ Signs are used to warn customers of wet floors ☐ Floors, mats, and carpets are in good repair ☐ Workers are trained in first aid procedures ☐ First aid kit is available, maintained, and placed in conspicuous area 	 ☐ Flooring free of grease, puddles and debris ☐ Powered cutting machines equipped with guards ☐ Mixing machines provided with guards ☐ Air compressors equipped with guards ☐ Machines are disconnected before removing food and before cleaning ☐ Plunger is used to feed foods into chopper and grinder ☐ Broken glass is removed safely and promptly ☐ Workers are trained to use equipment and chemicals safely ☐ Knives are properly maintained, used, and stored FOOD STORAGE ☐ Walk-in refrigerators well maintain and equipped with devices
 ☐ Fenced and gated ☐ Playground surfaces well maintained ☐ Equipment clean, maintained and secured ☐ Regulations conspicuously posted DINING ROOM AND ENTRY ☐ Fire exits visible, well-marked, unobstructed and unlocked ☐ Tables arranged so none block emergency exits ☐ Aisles are kept clear ☐ Exit doors are equipped with panic hardware ☐ Signs are used to warn customers of wet floors ☐ Floors, mats, and carpets are in good repair ☐ Workers are trained in first aid procedures ☐ First aid kit is available, maintained, and placed in conspicuous area ☐ CPR/choke charts are posted 	 ☐ Flooring free of grease, puddles and debris ☐ Powered cutting machines equipped with guards ☐ Mixing machines provided with guards ☐ Air compressors equipped with guards ☐ Machines are disconnected before removing food and before cleaning ☐ Plunger is used to feed foods into chopper and grinder ☐ Broken glass is removed safely and promptly ☐ Workers are trained to use equipment and chemicals safely ☐ Knives are properly maintained, used, and stored FOOD STORAGE ☐ Walk-in refrigerators well maintain and equipped with devices ☐ For opening the door from the inside
 □ Fenced and gated □ Playground surfaces well maintained □ Equipment clean, maintained and secured □ Regulations conspicuously posted DINING ROOM AND ENTRY □ Fire exits visible, well-marked, unobstructed and unlocked □ Tables arranged so none block emergency exits □ Aisles are kept clear □ Exit doors are equipped with panic hardware □ Signs are used to warn customers of wet floors □ Floors, mats, and carpets are in good repair □ Workers are trained in first aid procedures □ First aid kit is available, maintained, and placed in conspicuous area □ CPR/choke charts are posted □ Emergency telephone numbers are posted 	 ☐ Flooring free of grease, puddles and debris ☐ Powered cutting machines equipped with guards ☐ Mixing machines provided with guards ☐ Air compressors equipped with guards ☐ Machines are disconnected before removing food and before cleaning ☐ Plunger is used to feed foods into chopper and grinder ☐ Broken glass is removed safely and promptly ☐ Workers are trained to use equipment and chemicals safely ☐ Knives are properly maintained, used, and stored FOOD STORAGE ☐ Walk-in refrigerators well maintain and equipped with devices ☐ For opening the door from the inside ☐ Food stored on pallets or shelves

	Emergency interior door latch is in good repair		RSONAL PROTECTIVE EQUIPMENT AND
	Detergents, sanitizers, and drying agents are separated from other chemicals and stored away from food	CL	OTHING
	and dishes Material safety data sheets are readily available for		Are protective goggles or face shields provided and worn where there is any danger of flying particles or corrosive materials?
	employees' use		Are approved safety glasses required to be worn at all
	Pest control certificates available		times in areas where there is a risk of eye injuries such as punctures, abrasions, contusions or burns?
FIF	RE PROTECTION		Are employees who need corrective lenses (glasses
	Is your local fire department well acquainted with your facilities, its location and specific hazards?		or contacts) in working environments having harmful exposures, required to wear <i>only</i> approved safety glasses, protective goggles, or use other medically
	If you have a fire alarm system, is it certified as required?		approved precautionary procedures.
	If you have a fire alarm system, is it tested at least annually?	Ш	Are protective gloves, aprons, shields, or other means provided and required where employees could be cut or where there is reasonably anticipated exposure to
	If you have interior stand pipes and valves, are they inspected regularly?		corrosive liquids, chemicals, blood, or other potentially infectious materials. See OSHA 29 CFR 1910.1030(b) for the definition of "other potentially infectious mate-
	If you have outside private fire hydrants, are they flushed at least once a year and on a routine preven-	П	rials."
	tive maintenance schedule?	Ш	Is appropriate foot protection required where there is the risk of foot injuries from hot, corrosive, poisonous
	Are fire doors and shutters in good operating condition?		substances, falling objects, crushing or penetrating actions?
	Are fire doors and shutters unobstructed and protected against obstructions, including their counterweights?		Are approved respirators provided for regular or emergency use where needed?
	Are fire door and shutter fusible links in place?		Is all protective equipment maintained in a sanitary
	Are automatic sprinkler system water control valves, air and water pressure checked weekly/periodically as required?		condition and ready for use? Do you have eye wash facilities and a quick Drench Shower within the work area where employees are
	Is the maintenance of automatic sprinkler systems assigned to responsible persons or to a sprinkler contractor?		exposed to injurious corrosive materials? Where special equipment is needed for electrical workers, is it available?
	Are sprinkler heads protected by metal guards, when exposed to physical damage?		Where food or beverages are consumed on the premises, are they consumed in areas where there is no
	Is proper clearance maintained below sprinkler heads?		exposure to toxic material, blood, or other potentially infectious materials.
	Are portable fire extinguishers provided in adequate number and type?		Is protection against the effects of occupational noise exposure provided when sound levels exceed those of the OSHA noise standard?
	Are fire extinguishers mounted in readily accessible locations?		Are adequate work procedures, protective clothing and equipment provided and used when cleaning up
	Are fire extinguishers recharged regularly and noted on the inspection tag?		spilled toxic or otherwise hazardous materials or liquids?
	Are employees periodically instructed in the use of extinguishers and fire protection procedures?		Are there appropriate procedures in place for disposing of or decontaminating personal protective equipment contaminated with, or reasonably anticipated to be contaminated with, blood or other potentially infectious materials?

GE	ENERAL WORK ENVIRONMENT	STAIRS AND STAIRWAYS
	Are all areas inside and outside the facility clean, sanitary, and orderly?	Are standard stair rails or handrails on all stairway having four or more risers?
	Are work surfaces kept dry or appropriate means taken to assure the surfaces are slip-resistant?	☐ Are all stairways at least 22 inches wide?
	Are all spilled hazardous materials or liquids, including blood and other potentially infectious materials,	in width at every 12 feet or less of vertical rise?
	cleaned up immediately and according to proper procedures?	Do stairs angle no more than 50 and no less than 3 degrees?
	Is combustible scrap, debris and waste stored safely and removed from the worksite promptly?	
	Is all regulated waste, as defined in the OSHA blood- borne pathogens standard (29 CFR 1910.1030), dis-	
	carded according to federal, state, and local regulations?	
	Is combustible dust cleaned up with a vacuum system to prevent the dust going into suspension?	Are stairway handrails located between 30 and 3 inches above the leading edge of stair treads?
	Are covered metal waste cans used for oily and paint-soaked waste? Are all oil and got fired devices agains a with flame.	ance between the handrails and the wall or surface
Ш	Are all oil and gas fired devices equipped with flame failure controls that will prevent flow of fuel if pilots or main burners are not working?	Where doors or gates open directly on a stairway, there a platform provided so the swing of the do
	Are all toilets and washing facilities clean and sanitary?	does not reduce the width of the platform to less that 21 inches?
	Are all work areas adequately illuminated?	☐ Are stairway handrails capable of withstanding a loa of 200 pounds, applied within 2 inches of the to
W	ALKWAYS	edge, in any downward or outward direction?Where stairs or stairways exit directly into any are
	Are aisles and passageways kept clear?	where vehicles may be operated, are adequate bar
	Are aisles and walkways marked as appropriate?	ers and warnings provided to prevent employed stepping into the path of traffic?
	Are wet surfaces covered with nonslip materials?	Do stairway landings have a dimension measured the direction of travel, at least equal to the width of the
Ш	Are holes in the floor, sidewalk, or other walking surface repaired properly, covered or otherwise made	the direction of travel, at least equal to the width of the
	safe?	stairway?
	safe? Are materials or equipment stored in such a way that	stairway? Is the vertical distance between stairway landings lir
	safe? Are materials or equipment stored in such a way that sharp projectives will not interfere with the walkway?	stairway? Is the vertical distance between stairway landings lir
	safe? Are materials or equipment stored in such a way that sharp projectives will not interfere with the walkway? Are spilled materials cleaned up immediately?	stairway? Is the vertical distance between stairway landings lir ited to 12 feet or less? ELEVATED SURFACES
	safe? Are materials or equipment stored in such a way that sharp projectives will not interfere with the walkway?	stairway? Is the vertical distance between stairway landings lir ited to 12 feet or less? ELEVATED SURFACES Are signs posted, when appropriate, showing the el vated surface load capacity?
	safe? Are materials or equipment stored in such a way that sharp projectives will not interfere with the walkway? Are spilled materials cleaned up immediately? Are changes of direction or elevations readily identifi-	stairway? Is the vertical distance between stairway landings lir ited to 12 feet or less? ELEVATED SURFACES Are signs posted, when appropriate, showing the electric stairway?
	safe? Are materials or equipment stored in such a way that sharp projectives will not interfere with the walkway? Are spilled materials cleaned up immediately? Are changes of direction or elevations readily identifiable?	stairway? Is the vertical distance between stairway landings lir ited to 12 feet or less? ELEVATED SURFACES Are signs posted, when appropriate, showing the el vated surface load capacity? Are surfaces elevated more than 30 inches above the floor or ground provided with standard guardrails? Are all elevated surfaces (beneath which people
	safe? Are materials or equipment stored in such a way that sharp projectives will not interfere with the walkway? Are spilled materials cleaned up immediately? Are changes of direction or elevations readily identifiable? OOR AND WALL OPENINGS Are skylight screens of such construction and mounting that they will withstand a load of at least 200 pounds? Is the glass in the windows, doors, glass walls, etc., which are subject to human impact, of sufficient thick-	stairway? Is the vertical distance between stairway landings lir ited to 12 feet or less? ELEVATED SURFACES Are signs posted, when appropriate, showing the el vated surface load capacity? Are surfaces elevated more than 30 inches above the floor or ground provided with standard guardrails? Are all elevated surfaces (beneath which people machinery could be exposed to falling objects) provided with standard 4-inch toeboards? Is a permanent means of access and egress provided.
	Are materials or equipment stored in such a way that sharp projectives will not interfere with the walkway? Are spilled materials cleaned up immediately? Are changes of direction or elevations readily identifiable? OOR AND WALL OPENINGS Are skylight screens of such construction and mounting that they will withstand a load of at least 200 pounds? Is the glass in the windows, doors, glass walls, etc.,	stairway? Is the vertical distance between stairway landings lir ited to 12 feet or less? ELEVATED SURFACES Are signs posted, when appropriate, showing the el vated surface load capacity? Are surfaces elevated more than 30 inches above the floor or ground provided with standard guardrails? Are all elevated surfaces (beneath which people machinery could be exposed to falling objects) provided with standard 4-inch toeboards? Is a permanent means of access and egress provided to elevated storage and work surfaces? Is required headroom provided where necessary?

	Is material on elevated surfaces piled, stacked or racked in a manner to prevent it from tripping, falling, collapsing, rolling or spreading?		Are doors on cold storage rooms provided with an inside release mechanism which will release the latch and open the door even if it's padlocked or otherwise locked on the outside?
Ш	Are dock boards or bridge plates used when transfer- ring materials between docks and trucks or rail cars?		Where exit doors open directly onto any street, alley or other area where vehicles may be operated, are
EX	ITING OR EGRESS		adequate barriers and warnings provided to prevent employees, volunteers, house of worship members
	Are the directions to exits, when not immediately apparent, marked with visible signs?		and visitors from stepping into the path of traffic? Are doors that swing in both directions and are locat-
	Are doors, passageways or stairways. that are neither exits nor access to exits and which could be mistaken		ed between rooms where there is frequent traffic, provided with viewing panels in each door?
	for exits, appropriately marked "NOT AN EXIT," "TO BASEMENT," "STOREROOM," etc.?	PC	ORTABLE LADDERS
	Are exit signs provided with the word "EXIT," in lettering at least 5 inches high and the stroke of the lettering at least ½-inch wide?		Are all ladders maintained in good condition, joints between steps and side rails tight, all hardware and fittings securely attached and moveable parts operat-
	Are all exits kept free of obstructions?		ing freely without binding or undue play?
	Are there sufficient exits to permit prompt escape in case of emergency?		Are non-slip safety feet provided on each ladder?
	Are special precautions taken to protect employees,	Ш	Are non-slip safety feet provided on each metal or rung ladder?
	volunteer, house of worship members and visitors during construction and repair operations?		Are ladder rungs and steps free of grease and oil?
	Is the number of exits from each floor of a building and the number of exits from the building itself, appropriate for the building occupancy load?		Is it prohibited to place a ladder in front of doors opening toward the ladder except when the door is blocked open, locked, or guarded?
	Are exit stairways which are required to be separated from other parts of a building, enclosed by at least 2-		Is it prohibited to place ladders on boxes, barrels, or other unstable bases to obtain additional height?
	hour fire-resistive construction in buildings more than four stories in height, and not less than 1-hour fire-		Are employees and volunteers instructed to face the ladder when ascending or descending?
	resistive constructive elsewhere?		Are employees and volunteers prohibited from using
Ш	Where ramps are used as part of required exiting from a building, is the ramp slope limited to 1 ft. vertical and 12 ft. horizontal?		ladders that are broken, missing steps, rungs, or cleats, broken side rails or other faulty equipment?
	Where exiting will be through frameless glass doors,	Ш	Are employees and volunteers instructed not to use the top step of ordinary stepladders as a step?
	glass exit doors, storm doors, etc., are the doors fully tempered and meet the safety requirements for human impact?		When portable rung ladders are used to gain access to elevated platforms, roofs, etc., does the ladder always extend at least 3 feet above the elevated sur-
EX	IT DOORS		face?
	Are doors which are required to serve as exits designed and constructed so that the way of exit travel is obvious and direct?	Ш	Is it required that when portable rung or cleat type ladders are used, the base is so placed that slipping will not occur, or it is lashed or otherwise held in place?
	Are windows which could be mistaken for exit doors, made inaccessible by means of barriers or railings?		Are portable metal ladders legibly marked with signs reading "CAUTION" – Do Not Use Around Electrical Equipment" or equivalent wording?
	Are exit doors operable from the direction of exit travel without the use of a key or any special knowledge or effort when the building is occupied?		Are employees and volunteers instructed to only adjust extension ladders while standing at a base (not
	Is a revolving, sliding or overhead door prohibited from serving as a required exit door?		while standing on the ladder or from a position above the ladder)?
	Where panic hardware is installed on a required exit		Are metal ladders inspected for damage?
	door, will it allow the door to open by applying a force of 15 pounds or less in the direction of the exit traffic?		Are the rungs of ladders uniformly spaced at 12 inches, center to center?

ΗP	AND TOOLS AND EQUIPMENT	Ш	they do not offer a hazard in their use?
	Are all tools and equipment (house of worship - owned, employee-owned or volunteer-owned) used by employees and volunteers in good condition?		Are provisions made to prevent machines from automatically starting when power is restored after a power failure or shutdown?
	Are employees and volunteers made aware of the hazards caused by faulty or improperly used hand tools?		If machinery is cleaned with compressed air, is air pressure controlled and personal protective equipment or other safeguards utilized to protect operators
	Are appropriate safety glasses, face shields, etc. used while using hand tools or equipment which might produce flying materials or be subject to breakage?		and other workers from eye and body injury? Are fan blades protected with a guard having openings no larger than ½ inch, when operating within 7 feet of the floor?
	Are tool cutting edges kept sharp so the tool will move smoothly without binding or skipping?		
	Are tools stored in dry, secure location where they won't be tampered with?		OCKOUT TAGOUT PROCEDURES
	PRTABLE (POWER OPERATED) TOOLS ID EQUIPMENT	Ш	Is all machinery or equipment capable of movement, required to be de-energized or disengaged and tagged or locked-out during cleaning, servicing, adjusting or setting up operations, whenever required?
	Are rotating or moving parts of equipment guarded to prevent physical contact?		Where the power disconnecting means for equipment does not also disconnect the electrical control circuit:
	Are all cord-connected, electrically-operated tools and		Are the appropriate electrical enclosures identified?
	equipment effectively grounded or of the approved double insulated type?		Is means provided to assure the control circuit can also be disconnected and locked-out?
	Are effective guards in place over belts, pulleys, chains, sprockets, on equipment?		Is the locking-out of control circuits in lieu of locking-out main power disconnects prohibited?
	Are portable fans provided with full guards or screens having openings ½ inch or less?		Are all equipment control valve handles provided with a means for locking-out?
	Are ground-fault circuit interrupters provided on all temporary electrical 15 and 20 ampere circuits, used during periods of construction and remodeling?		Does the lock-out procedure require that stored energy (mechanical, hydraulic, air, etc.) be released or blocked before equipment is locked-out for repairs?
MA	ACHINE GUARDING		Are appropriate employees provided with individually keyed personal safety locks?
	Is there a training program to instruct employees and volunteers on safe methods of machine operation?		Are employees required to keep personal control of their key(s) while they have safety locks in use?
	Is there adequate supervision to ensure that employ- ees and volunteers are following safe machine oper-		Is it required that only the employee exposed to the hazard, place or remove the safety lock?
	ating procedures? Is there a regular program of safety inspection of machinery and equipment?		Is it required that employees check the safety of the lockout by attempting a start up after making sure no one is exposed?
	Is all machinery and equipment kept clean and properly maintained?		Are employees instructed to always push the control circuit stop button prior to re-energizing the main
	Can electric power to each machine be locked out for maintenance, repair, or security?		power switch? Is there a means provided to identify any or all employees who are working an locked out againment by
	Are the noncurrent-carrying metal parts of electrically operated machines bonded and grounded?		ployees who are working on locked-out equipment by their locks or accompanying tags?
	Are manually operated valves and switches control- ling the operation of equipment and machines clearly identified and readily accessible?		Are a sufficient number of accident preventive signs or tags and safety padlocks provided for any reasonably foreseeable repair emergency?
	Are all emergency stop buttons colored red?	Ц	In the event that equipment or lines cannot be shut down, locked-out and tagged, is a safe job procedure
	Are all pulleys and belts that are within 7 feet of the floor or working level properly guarded?		established and rigidly followed?

EN	IVIRONMENTAL CONTROLS		Are universal precautions observed where occupa-
	Are all work areas properly illuminated?		tional exposure to blood or other potentially infectious materials can occur and in all instances where differ-
	Are employees instructed in proper first-aid and other emergency procedures?		entiation of types of body fluids or potentially infectious materials is difficult or impossible?
	Are hazardous substances, blood, and other potentially infectious materials identified, which may cause harm by inhalation, ingestion, or skin absorption or contact?		AMMABLE AND COMBUSTIBLE ATERIALS
	Are employees and volunteers aware of the hazards involved with the various chemicals they may be exposed to in their work environment, such as ammonia,		Are combustible scrap, debris and waste materials (oily rags, etc.) stored in covered metal receptacles and removed from the worksite promptly? Is proper storage practiced to minimize the risk of fire
	chlorine, epoxies, caustics, etc.?	_	including spontaneous combustion?
	Is employee and volunteer exposure to chemicals in the workplace kept within acceptable levels?		Are approved containers and tanks used for the storage and handling of flammable and combustible liquids?
	Can a less harmful method or product be used?	П	Is liquefied petroleum gas stored, handled, and used
	Is the work area's ventilation system appropriate for the work being performed?		in accordance with safe practices and standards?
	Are caution labels and signs used to warn of hazard-	Ш	Are no smoking signs posted on liquefied petroleum gas tanks?
	ous substances (e.g., asbestos) and biohazards (e.g., bloodborne pathogens)?		Are liquefied petroleum storage stands guarded to prevent damage from vehicles?
	Is vacuuming with appropriate equipment used when- ever possible rather than blowing or sweeping dust? Are all local exhaust ventilation systems designed and		Is vacuuming used whenever possible rather than blowing or sweeping combustible dust?
	operating properly such as air flow and volume necessary for the application, ducts not plugged or belts slipping?		Are fire extinguishers selected and provided for the types of materials in areas where they are to be used?
	Is personal protective equipment provided, used and		Class A Ordinary combustible material fires.
_	maintained wherever required?		Class B Flammable liquid, gas or grease fires.
Ш	Are there written standard operating procedures for the selection and use of respirators where needed?		Class C Energized-electrical equipment fires.
	Are restrooms and washrooms kept clean and sanitary?		Are appropriate fire extinguishers mounted within 75 feet of outside areas containing flammable liquids,
	Is all water provided for drinking, washing, and cooking potable?		and within 10 feet of any inside storage area for such materials?
	Are all outlets for water not suitable for drinking clear-		Are extinguishers free from obstructions or blockage?
	ly identified?	Ш	Are all extinguishers serviced, maintained and tagged at intervals not to exceed one year?
	Are employees' physical capacities assessed before being assigned to jobs requiring heavy work?		Are all extinguishers fully charged and in their designated places?
Ш	Are employees and volunteers instructed in the proper manner of lifting heavy objects?		Where sprinkler systems are permanently installed, are the nozzle heads so directed or arranged that wa-
	Where heat is a problem, have all fixed work areas been provided with spot cooling or air conditioning?		ter will not be sprayed into operating electrical switch boards and equipment?
	Are employees and volunteers screened before assignment to areas of high heat to determine if their health condition might make them more susceptible to having an adverse reaction?		Are "NO SMOKING" signs posted where appropriate in areas where flammable or combustible materials are used or stored?
	Are exhaust stacks and air intakes so located that contaminated air will not be recirculated within a build-	Ш	Are safety cans used for dispensing flammable or combustible liquids at a point of use?
	ing or other enclosed area?		Are all spills of flammable or combustible liquids cleaned up promptly?
			Are "NO SMOKING" rules enforced in areas involving storage and use of hazardous materials?

HA	ZARDOUS CHEMICAL EXPOSURE	Is each container for a hazardous substance (i.e., vats, bottles, storage tanks, etc.) labeled with product
	Are employees and volunteers trained in the safe handling practices of hazardous chemicals such as	identity and a hazard warning (communication of the specific health hazards and physical hazards)?
	acids, caustics, etc.? Are employees and volunteers aware of the potential	Is there a Material Safety Data Sheet readily available for each hazardous substance used?
	hazards involving various chemicals stored or used in the workplace such as acids, bases, caustics, epoxies, phenols, etc.?	Is there an employee and volunteer training program for hazardous substances?
	Is employee and volunteer exposure to chemicals	Does this program include:
_	kept within acceptable levels?	(1) An explanation of what an MSDS is and how to use and obtain one.
	Are eye wash fountains and safety showers provided In areas where corrosive chemicals are handled?	☐ (2) MSDS contents for each hazardous substance or class of substances.
Ш	Are all employees and volunteers required to use personal protective clothing and equipment when han-	☐ (3) Explanation of "Right to Know."
	dling chemicals (gloves, eye protection, respirators, etc.)?	☐ (4) Identification of where an employee or volun-
	Are flammable or toxic chemicals kept in closed containers when not in use?	teer can see the employer's written hazard- communication program and where hazard- ous substances are present in their work are- as.
	Have standard operating procedures been established and are they being followed when cleaning up chemical spills?	(5) The physical and health hazards of sub- stances in the work area, and specific pro-
	Where needed for emergency use, are respirators stored in a convenient, clean, and sanitary location?	tective measures to be used. ☐ (6) Details of the hazard communication program, including how to use the labeling system and
	Are respirators intended for emergency use adequate for the various uses for which they may be needed?	MSDS's. ☐ Does the employee and volunteer training program on
	Are employees and volunteers prohibited from eating in areas where hazardous chemicals are present?	the bloodborne pathogens standard contain the following elements:
	Is personal protective equipment provided, used and maintained whenever necessary?	(1) an accessible copy of the standard and an explana- tion of its contents; (2) a general explanation of the epi-
	Do employees or volunteers complain about dizziness, headaches, nausea, irritation, or other factors of discomfort when they use solvents or other chemicals?	demiology and symptoms of bloodborne diseases; (3) an explanation of the modes of transmission of bloodborne pathogens; (4) an explanation of the employer's exposure control plan and the means by which employ-
	Is there a dermatitis problem? Do employees or vol- unteers complain about dryness, irritation, or sensiti- zation of the skin?	ees can obtain a copy of the written plan; (5) an explanation of the appropriate methods for recognizing tasks and the other activities that may involve exposure to blood only other potentially infectious metaricle; (6) and
	If internal combustion engines are used, is carbon monoxide kept within acceptable levels?	blood and other potentially infectious materials; (6) an explanation of the use and limitations of methods that will prevent or reduce exposure including appropriate
	Is vacuuming used, rather than blowing or sweeping dusts whenever possible for clean-up?	engineering controls, work practices, and personal pro- tective equipment; (7) information on the types, proper use, location, removal, handling, decontamination, and
	ZARDOUS SUBSTANCES OMMUNICATION	disposal of personal protective equipment; (8) an expla- nation of the basis for selection of personal protective equipment; (9) information on the hepatitis B vaccine
	Is there a list of hazardous substances used in your workplace?	(10) information on the appropriate actions to take and persons to contact in an emergency involving blood or other potentially infectious materials; (11) an explanation
	Is there a current written exposure control plan for oc- cupational exposure to bloodborne pathogens and oth- er potentially infectious materials, where applicable?	of the procedure to follow if an exposure incident occurs, including the methods of reporting the incident and the medical follow-up that will be made available; and (12) information on post-exposure evaluations and follow-up:
	Is there a written hazard communication program dealing with Material Safety Data Sheets (MSDS), labeling, and employee training?	(13) an explanation of signs, labels, and color coding?


	Are employees and volunteers trained in the following: How to recognize tasks that might result in occu-		Is the use of metal ladders prohibited in areas where the ladder or the person using the ladder could come in contact with energized parts of equipment, fixtures
	pational exposure?		or circuit conductors? Are all disconnecting switches and circuit breakers la-
	How to use work practice and engineering controls and personal protective equipment and to		beled to indicate their use or equipment served?
	know their limitations? How to obtain information on the types, selection,	Ш	Are disconnecting means always opened before fuses are replaced?
	proper use, location, removal, handling, decontamination, and disposal of personal protective equipment.		Do all interior wiring systems include provisions for grounding metal parts of electrical raceways, equipment and enclosures?
	☐ Who to contact and what to do in an emergency?		Are all electrical raceways and enclosures securely fastened in place?
EL	ECTRICAL		Are all energized parts of electrical circuits and
	Do you specify compliance with OSHA for all contract electrical work?		equipment guarded against accidental contact by approved cabinets or enclosures?
	Are all employees and volunteers required to report as soon as practicable any obvious hazard to life or property observed in connection with electrical		Is sufficient access and working space provided and maintained about all electrical equipment to permit ready and safe operations and maintenance?
	equipment or lines? Are employees and volunteers instructed to make		Are all unused openings (including conduit knockouts) in electrical enclosures and fittings closed with appro-
	preliminary inspections and/or appropriate tests to determine what conditions exist before starting work on		priate covers, plugs or plates? Are electrical enclosures such as switches, receptacles, junction boxes, etc., provided with tight-fitting
	electrical equipment or lines? When electrical equipment or lines are to be serviced,		covers or plates?
	maintained or adjusted, are necessary switches opened, locked out and tagged whenever possible?		Are disconnecting switches for electrical motors in excess of two horsepower, capable of opening the circuit of the control of
	Are portable electrical tools and equipment grounded or of the double insulated type?		cuit when the motor is in a stalled condition, without exploding? (Switches must be horsepower rated equal to or in excess of the motor hp rating.)?
	Are electrical appliances such as vacuum cleaners, polishers, vending machines, etc., grounded?		Is low voltage protection provided in the control device of motors driving machines or equipment which
	Do extension cords being used have a grounding conductor?		could cause probable injury from inadvertent starting? Is each motor disconnecting switch or circuit breaker
	Are multiple plug adapters prohibited?		located within sight of the motor control device?
	Is exposed wiring and cords with frayed or deteriorated insulation repaired or replaced promptly?	Ш	Is each motor located within sight of its controller or the controller disconnecting means capable of being locked in the open position or is a separate discon-
	Are flexible cords and cables free of splices or taps?		necting means installed in the circuit within sight of
	Are clamps or other securing means provided on flex- ible cords or cables at plugs, receptacles, tools, equipment, etc., and is the cord jacket securely held in place?		the motor? Is the controller for each motor in excess of two horsepower, rated in horsepower equal to or in excess of the rating of the motor it serves?
	Are all cord, cable and raceway connections intact and secure?		Are employees who regularly work on or around energized electrical equipment or lines instructed in the
	In wet or damp locations, are electrical tools and equipment appropriate for the use or location or oth-		cardio-pulmonary resuscitation (CPR) methods?
_	erwise protected?	FU	ELING
Ш	Is the location of electrical power lines and cables (overhead, underground, underfloor, other side of walls, etc.) determined before digging, drilling or simi-		Is it prohibited to fuel an internal combustion engine with a flammable liquid while the engine is running?
	lar work is begun?		Are fueling operations done in such a manner that likelihood of spillage will be minimal?

_	spilled fuel washed away completely, evaporated, or other measures taken to control vapors before restarting the engine?	or house of worship members equipped with lamp brakes, horns, mirrors, windshields and turn signals good repair?
	Are fuel tank caps replaced and secured before starting the engine?	☐ Is a full charged fire extinguisher, in good condition with at least 4 B:C rating maintained in each house
	In fueling operations, is there always metal contact between the container and the fuel tank?	worship owned or leased vehicle? CONTROL OF HARMFUL SUBSTANCES
	Are fueling hoses of a type designed to handle the specific type of fuel?	BY VENTILATION
	Is it prohibited to handle or transfer gasoline in open containers?	Is the volume and velocity of air in each exhaust sy tem sufficient to gather the dusts, fumes, mists, v
	Are open lights, open flames, or sparking, or arcing equipment prohibited near fueling or transfer of fuel	pors or gases to be controlled, and to convey them a suitable point of disposal?
	operations? Is smoking prohibited in the vicinity of fueling opera-	Are exhaust inlets, ducts and plenums designed, co structed, and supported to prevent collapse or failu of any part of the system?
	Are fueling operations prohibited in building or other enclosed areas that are not specifically ventilated for this purpose?	Are clean-out ports or doors provided at intervals n to exceed 12 feet in all horizontal runs of exhau ducts?
	Where fueling or transfer of fuel is done through a gravity flow system, are the nozzles of the self-closing	Is adequate makeup air provided to areas where e haust systems are operating?
	type?	Is the source point for makeup air located so that on clean, fresh air, which is free of contaminants, will e ter the work environment?
IVI /	ATERIAL HANDLING	<u> </u>
	Is there safe clearance for equipment through aisles and doorways?	Where two or more ventilation systems are serving work area, is their operation such that one will not o set the functions of the other?
	and doorways?	set the functions of the other?
	Are aisleways designated, permanently marked, and kept clear to allow unhindered passage?	SANITIZING EQUIPMENT AND CLOTHING
	Are aisleways designated, permanently marked, and	
	Are aisleways designated, permanently marked, and kept clear to allow unhindered passage? Are motorized vehicles and mechanized equipment	SANITIZING EQUIPMENT AND CLOTHING Is personal protective clothing or equipment that er ployees are required to wear or use, of a type capab of being cleaned easily and disinfected?
	Are aisleways designated, permanently marked, and kept clear to allow unhindered passage? Are motorized vehicles and mechanized equipment inspected daily or prior to use? Are vehicles shut off and brakes set prior to loading or	SANITIZING EQUIPMENT AND CLOTHING Is personal protective clothing or equipment that en ployees are required to wear or use, of a type capable
	Are aisleways designated, permanently marked, and kept clear to allow unhindered passage? Are motorized vehicles and mechanized equipment inspected daily or prior to use? Are vehicles shut off and brakes set prior to loading or unloading? Are containers of combustibles or flammables, when	SANITIZING EQUIPMENT AND CLOTHING ☐ Is personal protective clothing or equipment that en ployees are required to wear or use, of a type capable of being cleaned easily and disinfected? ☐ Are employees prohibited from interchanging personal protective clothing or equipment, unless it has been properly cleaned? ☐ Are machines and equipment, which process, hand
	Are aisleways designated, permanently marked, and kept clear to allow unhindered passage? Are motorized vehicles and mechanized equipment inspected daily or prior to use? Are vehicles shut off and brakes set prior to loading or unloading? Are containers of combustibles or flammables, when stacked while being moved, always separated by	SANITIZING EQUIPMENT AND CLOTHING ☐ Is personal protective clothing or equipment that en ployees are required to wear or use, of a type capable of being cleaned easily and disinfected? ☐ Are employees prohibited from interchanging personal protective clothing or equipment, unless it has been properly cleaned?
	Are aisleways designated, permanently marked, and kept clear to allow unhindered passage? Are motorized vehicles and mechanized equipment inspected daily or prior to use? Are vehicles shut off and brakes set prior to loading or unloading? Are containers of combustibles or flammables, when stacked while being moved, always separated by dunnage sufficient to provide stability? Are hand trucks maintained in safe operating condi-	SANITIZING EQUIPMENT AND CLOTHING ☐ Is personal protective clothing or equipment that er ployees are required to wear or use, of a type capab of being cleaned easily and disinfected? ☐ Are employees prohibited from interchanging perso al protective clothing or equipment, unless it has been properly cleaned? ☐ Are machines and equipment, which process, hand or apply materials that could be injurious to employees or volunteers, cleaned and/or decontaminated before being overhauled or placed in storage? ☐ Are employees and volunteers prohibited from smooning or eating in any area where contaminates the
	Are aisleways designated, permanently marked, and kept clear to allow unhindered passage? Are motorized vehicles and mechanized equipment inspected daily or prior to use? Are vehicles shut off and brakes set prior to loading or unloading? Are containers of combustibles or flammables, when stacked while being moved, always separated by dunnage sufficient to provide stability? Are hand trucks maintained in safe operating condition? ANSPORTING EMPLOYEES AND	SANITIZING EQUIPMENT AND CLOTHING ☐ Is personal protective clothing or equipment that er ployees are required to wear or use, of a type capab of being cleaned easily and disinfected? ☐ Are employees prohibited from interchanging perso al protective clothing or equipment, unless it has been properly cleaned? ☐ Are machines and equipment, which process, hand or apply materials that could be injurious to employees or volunteers, cleaned and/or decontaminated before being overhauled or placed in storage? ☐ Are employees and volunteers prohibited from smooth
	Are aisleways designated, permanently marked, and kept clear to allow unhindered passage? Are motorized vehicles and mechanized equipment inspected daily or prior to use? Are vehicles shut off and brakes set prior to loading or unloading? Are containers of combustibles or flammables, when stacked while being moved, always separated by dunnage sufficient to provide stability? Are hand trucks maintained in safe operating condition? ANSPORTING EMPLOYEES AND ATERIALS Do employees and volunteers who operate vehicles on public thoroughfares have valid operator's licens-	SANITIZING EQUIPMENT AND CLOTHING ☐ Is personal protective clothing or equipment that er ployees are required to wear or use, of a type capab of being cleaned easily and disinfected? ☐ Are employees prohibited from interchanging perso al protective clothing or equipment, unless it has been properly cleaned? ☐ Are machines and equipment, which process, hand or apply materials that could be injurious to employees or volunteers, cleaned and/or decontaminated before being overhauled or placed in storage? ☐ Are employees and volunteers prohibited from smooning or eating in any area where contaminates the

RESERVED FOR FUTURE USE

Appendix D – Food Preparation and Serving Safety Talks

The following pages contain Pre-written Safety Talks, which can be useful as Supervisors within our organization provide training to new or existing employees or volunteers. The Safety Talks are written such that Supervisors or their subordinates can conduct a safety meeting using these Safety Talks. Improving safety education throughout all areas of your organization should help reduce employee injuries, volunteer injuries, house of worship member injuries, property losses due to fire, etc.



KITCHEN HAZARDS

The major area in food handling operations where injuries occur is of course within the kitchen.

Perhaps the greatest offenders causing both major and minor injuries are knives, cleavers, peelers and graters. It goes without saying that caution should be taken at all times. It's also a good idea to warn co-workers when you put anything sharp in wash water. "Knife in the water" is a common warning in many kitchen areas. Those four words can help prevent serious cuts and puncture wounds.

Spills and liquids on the floor cannot always be avoided, but there is no excuse for not wiping up spills or putting down an anti-slip rug to lessen the danger of falls. When floors are being mopped, put a warning sign or barrier nearby. Slips and falls have caused many permanent injuries.

Food grinders are also hazardous. Never feed anything into them with your hands – use a pusher. Garbage disposals can present the same hazard. Don't reach into the disposal if it is stalled, without taking steps to prevent it from being turned on.

Meat and cheese slicers are particularly dangerous, and the temptation to hand feed, especially at the end of a piece of food, must be avoided.

Modern kitchen equipment is typically electrically operated. Be sure the equipment is properly grounded or double insulated especially in kitchens, where water and moisture are plentiful. An electric shock can be serious or even fatal.

Meat band saws can be guarded up to a point. Use what guarding is provided and exercise extreme care and alertness when approaching the blade.

Kitchens would be of little use without heat, and heat is provided by stove burners, ovens, steam-jacketed kettles and pressure cookers. All, of course, are capable of causing severe and painful burns and scalds. Caution must be used around these heat sources.

However, when using pressure and steam, you must be doubly cautious. You're exposed not only to heat but also escaping steam and the possibility of explosion from built-up pressure. Injuries may even involve internal damage – inhaling live steam for example. When operating pressure cookers or steam-jacketed equipment, follow the manufacturer's instructions.

When carrying hot liquids, be alert for slips and falls, and warn others of your approach. Yell "hot stuff" or "heads up." It may prevent a lot of pain.

Some doors swing one way, while others swing both ways. In either case, the door should be approached with caution.

An ever-present problem in kitchens is broken glass and the sharp edges of opened tin cans. Never attempt to pick up broken glass with your bare hands – always sweep it up and use a dustpan or clean up slivers with a wet paper towel.

Observe rules established in kitchens, especially those applying to rush period traffic patterns. It makes good sense. Play it safe – that's food for thought.

NOTE Use this space to list specific points or problems you wish to discuss during the safety meeting.

DISCUSSION LEADER	 DATE	
THE UNDERSIGNED CERTIFY THAT THEY HAVE A HAZARDS AND INSTRUCTIONS IT COVERED.		
THE UNDERSIGNED CERTIFY THAT THEY HAVE A		
THE UNDERSIGNED CERTIFY THAT THEY HAVE A HAZARDS AND INSTRUCTIONS IT COVERED.		
THE UNDERSIGNED CERTIFY THAT THEY HAVE A HAZARDS AND INSTRUCTIONS IT COVERED.		
THE UNDERSIGNED CERTIFY THAT THEY HAVE A HAZARDS AND INSTRUCTIONS IT COVERED.		
THE UNDERSIGNED CERTIFY THAT THEY HAVE A HAZARDS AND INSTRUCTIONS IT COVERED.		
THE UNDERSIGNED CERTIFY THAT THEY HAVE A HAZARDS AND INSTRUCTIONS IT COVERED.		
THE UNDERSIGNED CERTIFY THAT THEY HAVE A HAZARDS AND INSTRUCTIONS IT COVERED.		
THE UNDERSIGNED CERTIFY THAT THEY HAVE A HAZARDS AND INSTRUCTIONS IT COVERED.		

HANDLE MATERIALS SAFELY WITHIN A KITCHEN OR FOOD PREP AREA

More workers are injured on the job from the manual handling of materials than for any other reason. One out of every four work injuries, and one out of seven fatalities, results from the manual handling of some article or material. The trained, skilled and experienced employee or house of worship volunteer can do much to further his/her own safety and that of others by adhering to the following simple practices:

- STOP, LOOK AND LISTEN before starting a job. Identify the hazards involved and plan for their elimination or control.
- 2. Substitute mechanical handling or get someone to help you when materials are too heavy, bulky, or require prolonged or repeated lifting.
- 3. Wear gloves when handling rough, hot or sharp materials and equipment.
- 4. Wear shoes with slip resistant soles within the kitchen area.
- 5. Clean up, wipe up and pick up. Eliminate fall hazards.
- **6.** Store materials so they do not project in aisles. Protect sharp edges.
- 7. Wear prescribed protective clothing and use proper containers when handling cleaning chemicals and materials.
- 8. When exposed to eye hazards, wear safety glasses.
- **9.** When LIFTING, stoop and bend your knees. Keep your feet close to the load. Lift with your legs. Keep your back straight.
- 10. Wash thoroughly and carefully after handling dusty, dirty or skin irritating materials or cleaning compounds.

NOTE Use this space to list specific points or problems you wish to discuss during the safety meeting.

DISCUSSION LEADER	DATE
THE UNDERSIGNED CERTIFY THAT THEY HAVE AT HAZARDS AND INSTRUCTIONS IT COVERED.	TTENDED THIS SAFETY MEETING AND UNDERSTAND THE

ELECTRICAL SHOCK PREVENTION AT THE HOUSE OF WORSHIP FACILITIES

Electrical shock kills and injures thousands of individuals each year. Most of these accidents happen because people don't look, don't think or just don't understand the shocking power of electricity.

Voltage, current and resistance are the basic terms used when talking about electricity. Voltage is the force that causes the current to flow. Current (amperage) refers to the amount of electricity that is flowing. Resistance denotes the restrictions that try to slow down or stop the flow.

Electrical shock can only occur when a part of the body completes a circuit between a conductor and another conductor or a grounding source.

Death or injury is not caused by the voltage; the damage is done by the amount of current that flows through the body when the contact is made. Of course, the higher the voltage the greater the amount of current. Some people have survived shocks of several thousand volts, while others have been killed by voltages as low as 12.

The dry outer skin of the human body offers extremely high resistance to electrical flow. However, this resistance is reduced to almost zero when the skin is wet, especially if the skin is wet because of perspiration.

Electricity and proper grounding work together for safety. A ground is a conducting connection between an electrical circuit or equipment and the earth, or to some conducting body that serves in place of the earth.

If your body is sweaty or damp, an oversensitive ground within it is created, which easily causes electrical shock. One way to keep the body's resistance high is to keep it dry, particularly the hands and feet, which might make the contacts and be instrumental in completing the circuit. This can be accomplished by wearing rubber gloves, boots, drying your hands after washing hands or preparing foods within the kitchen.

Effects of electrical shock depend mainly on the total amount of current flow and the path of the current through the victim's body. To prevent electrical shock, which can cause several types of injuries, make sure that your body cannot become part of the electrical flow and the path of the current.

An important phase of electrical safety is knowing how to help an electrical shock victim. First, stop the current flowing from the circuit through the victim's body, if it hasn't already been done. Often, particularly in cases of low-voltage shock, victims are unable to pull away from the source of current. If the victim is still in contact with the current, disconnect or deenergize the circuit (i.e. at the Fuse Box or Circuit Breaker Box), if possible. If this cannot be accomplished, obtain a non-conductive item, such as dry clothing, dry rope or a dry stick, and remove the victim from the source of the current.

Then call or send for help. Next, check to see if the victim's heart or breathing has stopped. Give the required first aid until professional help arrives.

We can reduce the risk of accidents in our workplace by keeping in mind these guidelines:

- 1. Never use water to put out an electrical fire; water can cause a fatal shock. Use a Class C-rated fire extinguisher for electrical fires; shut off the source of power as quickly as possible.
- 2. Inspect the area you're working in for electrical hazards.
- 3. Don't overload circuits.
- **4.** Keep electrical equipment away from water and dampness.
- 5. Check electrical cords before, during and after each use for fraying and other signs of wear and defects.
- **6.** Extension cords are designed for short term use only. If necessary to use an extension cord for a microwave, a kitchen appliance, etc. permanent wiring and an approved receptacle should be installed in the area by a licensed electrician.
- 7. Be sure to tagout/lockout power sources when working on equipment.
- **8.** Do not plug in an appliance, portable tools, etc. into an electrical receptacle within an unfinished basement, damp location, within 6 feet of a sink or water faucet unless the electrical receptacle is a GFCI (i.e. Ground Fault Circuit Interrupter) receptacle. This type of receptacle will help to reduce potential electric shock.

NOTE Use this space to list specific points or problems you wish to discuss during the safety meeting.

DISCUSSION LEADER	 DATE	
THE UNDERSIGNED CERTIFY THAT THEY HAVE A HAZARDS AND INSTRUCTIONS IT COVERED.		
THE UNDERSIGNED CERTIFY THAT THEY HAVE A		
THE UNDERSIGNED CERTIFY THAT THEY HAVE A HAZARDS AND INSTRUCTIONS IT COVERED.		
THE UNDERSIGNED CERTIFY THAT THEY HAVE A HAZARDS AND INSTRUCTIONS IT COVERED.		
THE UNDERSIGNED CERTIFY THAT THEY HAVE A HAZARDS AND INSTRUCTIONS IT COVERED.		
THE UNDERSIGNED CERTIFY THAT THEY HAVE A HAZARDS AND INSTRUCTIONS IT COVERED.		
THE UNDERSIGNED CERTIFY THAT THEY HAVE A HAZARDS AND INSTRUCTIONS IT COVERED.		
THE UNDERSIGNED CERTIFY THAT THEY HAVE A HAZARDS AND INSTRUCTIONS IT COVERED.		
THE UNDERSIGNED CERTIFY THAT THEY HAVE A HAZARDS AND INSTRUCTIONS IT COVERED.		

FIRE EXTINGUISHERS WITHIN OCCUPANCIES WHERE COMMERCIAL COOKING OCCURS

Each year we observe National Fire Prevention Week as a reminder to all of us that we need to practice fire prevention and fire safety. If prevention fails and a fire starts, we need to know how to put it out. So let's take a few minutes to learn about fire extinguishers and how to use them effectively.

Do you know where the fire extinguisher is in your work area? If not, find out <u>today!</u> Within a dining room or reception area an extinguisher rated not less than 2A is required every 3000 square feet, however, the travel distance to reach this extinguisher must never be more than 100 feet. In multi-story buildings, at least one such extinguisher on each floor must be located adjacent to stairways. Take a moment to look around your workplace to find the location of the nearest fire extinguisher.

There are three common categories of fires:

- 1. Class A ordinary combustibles, like paper, wood, and trash
- 2. Class B flammable liquids, greases, or gases
- 3. Class C energized electrical equipment

The three above classes of fire extinguishers are the traditional types of fire extinguishers which were built to extinguish one or more classes of fires.

A fourth type of extinguisher can be found within most commercial kitchens today. This fourth type is a Class K Wet Chemical fire extinguisher. This type is recommended for use on grease fires within commercial kitchens. This extinguisher is the type recommended for use within kitchens where a UL 300 Wet Chemical Automatic extinguishing system may be present within the hood over commercial cooking equipment in house of worship kitchens. The use of a Class A fire extinguisher or the use of water within a kitchen near a grease fire will tend to splatter the grease and increase the probability of spreading the fire rather than extinguishing it. The Class BC fire extinguisher (the type frequently found within commercial kitchens in the past prior to the development of the UL 300 Automatic Extinguishing system) is a dry chemical fire extinguisher and the use of a dry chemical fire extinguisher within a kitchen may counteract the effectiveness of the UL 300 wet chemical automatic extinguishing system. Within kitchens near grease producing appliances only use the Class K wet chemical portable fire extinguisher.

If a Class K Wet Chemical portable fire extinguisher is present within the building, point out the differences between this extinguisher and the other extinguishers which you may have within other sections of the building outside the kitchen. This should help the employees and volunteers to remember to use only the Class K wet chemical extinguisher within the kitchen area near the commercial cooking equipment.

Never attempt to fight even a small fire until the fire department has been called and everyone has been evacuated. Do not fight the fire if you are unsure about the type of extinguisher, unsure how to use it, or if the fire is spreading or blocking your escape. If you can no longer safely fight the fire, leave the area immediately!

When using an extinguisher think of the acronym PASS — P.A.S.S. The "P" stands for **P**ull the pin, the "A" stands for **A**im the extinguisher nozzle at the base of the flames, the "S" stands for **S**queeze the trigger while holding the extinguisher upright, and the second "S" stands for **S**weep from side to side, covering the base of the fire with the extinguishing agent. Let's review this one more time. Remember to PASS: **P**ull, **A**im, **S**queeze, and **S**weep!

Even though we try to prevent fires, occasionally one may start and we must be prepared. If noticed quickly, and a fire extinguisher is available, the fire can be extinguished and property damage can be minimized. Make sure fire extinguishers are inspected on an annual basis by a fire extinguishing service contractor and confirm that the automatic extinguishing system within the hood over the cooking equipment is serviced by a fire extinguishing service contractor on a semi annual basis in accordance with National Fire Protection Association Standards.

NOTE Use this space to list specific points or problems you wish to discuss during the safety meeting.

DISCUSSION LEADER	DATE
THE UNDERSIGNED CERTIFY THAT THEY HAVE AT HAZARDS AND INSTRUCTIONS IT COVERED.	TTENDED THIS SAFETY MEETING AND UNDERSTAND THE

FOOD SERVICE OPERATIONS

The food service industry is not without its share of hazards that could injure or disable workers. And those hazards are no less serious than those found in manufacturing, construction and other types of businesses – they are merely different.

Recent figures from the Division of Safety and Hygiene showed that more than 4,200 food service workers were injured during the year. The largest number of injuries was classified as same-level falls caused by work surfaces.

Preventing these injuries involves housekeeping methods and proper clothing. Working and walking surfaces in Kitchens and dining areas can become slippery, particularly in areas where the food is prepared. If you work in these areas, wear shoes with low heels and soles made of rubber or other slip-resistant material.

A good rule to remember is "Pick up the things you drop and wipe up anything you spill." Grease is especially hazardous on floors, so wipe up the spill immediately and sprinkle some salt over the area. Salt provides extra traction until the floor can be cleaned more thoroughly.

Also, once the floors are mopped, place a "wet floor" sign in plain sight. Floors that have been soaked with warm; soapy water should be dry mopped to remove the excess water.

Falls can also occur on dimly lighted or congested stairways. If the stairs are used for storage, notify your supervisor or activity leader so the situation can be remedied. When bulbs are burned out or are too dim to provide adequate light, either change the bulb yourself or check with your supervisor.

If these hazards are ignored, they can result in sprains, strains, fractures, contusions and other injuries.

Fire is an ever-constant threat to your health and your job. Grease buildup under range hoods and on stovetops could result in a costly fire. Frequent cleaning will not only help prevent fires but also insure a clean, safe work environment.

Faulty ovens and pilot lights are also fire hazards. Check them regularly and thoroughly. Although most of the new kitchen equipment has systems that automatically control fires with dry chemicals, some of you may remember using baking soda to put out range-top fires. This practice was extremely hazardous because baking powder was often confused with baking soda, with disastrous consequences – baking powder will explode when sprinkled over a flame.

Electrical wiring should also be inspected periodically for wear, as another fire prevention measure.

But if a small fire does occur, you should know what steps to take.

NOTE TO DISCUSSION LEADER:

Demonstrate the type of fire extinguisher used in your work area. List the kinds of fires it can extinguish. Also point out where the escape routes are located and explain how to report a fire. Employees and volunteers should be able to give fire officials the correct street address, the type of fire, the nearest cross street or other physical or topographical reference, and any other information that may help the firefighters.

Although direct flames are responsible for only a small percentage of burn injuries, other heat sources account for a larger number of these injuries. Nearly 70 percent of the burns sustained in the food service industry in recent years were caused by hot grease or hot water and steam.

But this kind of injury can be prevented. For example, before stirring the contents of a covered boiling pot, lift the lid so that the steam escapes toward the back of the pot. Steam-cleaning equipment should be treated with the same respect. Wear the correct personal protective equipment when steam cleaning, including gloves and rubber boots.

Handling pots and pans can also be hazardous. Be sure that the handles do not extend over the edge of the stove. Use only dry potholders; wet potholders and towels conduct heat more rapidly. Do not use aprons as potholders, especially if you're working near open flames.

Other serious injuries in the food service business are cuts and punctures. It is important that you use the right knife for the job you're doing. For instance, don't use a boning knife for slicing foods. Never use a knife as a meat cleaver – it could break apart and send flying metal toward your eyes.

Make sure your knives are sharp. A dull knife is more likely to slip because of the extra force being exerted to use it effectively.

Knives should remain in the open while you're using them. Those hidden under towels or potholders could result in a serious cut. In addition, a knife extended over the edge of a sink or stove could also cause a cut or puncture. Avoid horseplay with knives, such as using them for swords in a mock duel.

Broken glass may also be a problem in the kitchen and dishwashing areas. Never pick up broken glass with your bare hands; sweep it up and put it in a separate trash container. Glass slivers can be picked up with several thicknesses of wet paper towels.

Cutting and slicing machines should be used properly.

NOTE TO DISCUSSION LEADER:

You may want to demonstrate proper operation of this type of machine, pointing out some of the associated hazards.

Never force food through a grinder or chopper with your hands – use a plunger or other approved tool. Machines should be turned off before cleaning or performing maintenance. Also disconnect the electrical cord. Before plugging the machine into the socket, make sure the switches are off.

When cleaning the blades of these machines, wipe with a stroking motion away from the blade edges. If you're using a mixer, make sure the attachments are locked into place. Do not remove guards or shields while using these kitchen machines.

Finally, you may be wearing some hazards. For example, your clothing should be tight fitting and all buttons should be fastened. Because of the possibility of catching on machine parts, jewelry should not be worn.

These are some of the hazards to watch for. If you are aware of any others, notify your supervisor. Let's all work together to provide a safer, more healthful working environment.

NOTE

Use this space to list specific points or problems you wish to discuss during the safety meeting.

DISCUSSION LEADER		DATE	
THE UNDERSIGNED CERTIFY THAT THEY HAVE A HAZARDS AND INSTRUCTIONS IT COVERED.		O THIS SAFETY MEETING AND	UNDERSTAND THE

Appendix E – Safety And Health Audio Visuals

Driving Safety

Animal Awareness Driving, #30-29 (15 min. video) – Learn the proper driving techniques for various road, traffic, and weather conditions.

Don't Let Up! (Anti-Lock Braking System), #30-26 (8 min. video) – Contains footage of high school driver education students using ABS for the first time.

Driving Drunk: Your Choice?, #30-20 (20 min. video) – Focuses on four real-life situations where someone made the decision to drive drunk and show the long-term effects of those choices. Great video for teenagers.

Highway Driving Tactics, **#30-35** (18 min. video) – *This video gives practical, easy-to-remember and easy-to-use rules, with on-the-road demonstrations, that help make highway driving safer.*

Motor Mania, **#30-17** (8 min. video) – *Humorous depiction of the personality changes that can take place behind the wheel. From Disney Educational Productions.*

Safe Driving Tactics, #30-19 (19 min. video) – This comprehensive program advises viewers on how to react to and avoid dangerous situations involving hydroplaning, rollovers, head-on collisions, highway hypnosis and wind waves caused by passing semi-trucks.

The National Driving Test – Volume 1, #30-12 (48 min. film) – Hosted by Christopher Reeves; addresses 25 questions that could save your life while driving your vehicle.

The National Driving Test – Volume 2, #30-13 (48 min. film) – Hosted by Robert Ulrich, this video will test your knowledge of the road. The viewer is asked to answer multiple choice questions regarding traffic safety.

Vehicle Safety: Driving on the Road, #30-25 (17 min. video) – Covers rules of the road, preparation, parking, vehicle inspection and much more.

Fire Safety

All About Fire, #31-4 (10 min. video) – Murphy the cat alerts viewers to home fire hazards.

Be Cool About Fire Safety, #31-8 (15 min. video) – *Viewers learn the basics about fire hazards and safety precautions.*

Fire Extinguisher Training: Using the P.A.S.S. Technique, #31-10 (15 min. video) – Using the wrong extinguisher could spread a fire. This program explains basic fire safety, the different classes and which extinguisher to use.

Fire in the Kitchen, #31-5 (16 min. video) – Focuses on the risks and potential hazards of this very active household area.

Fire Power, **#31-1** (17 min. video) – A powerful video documenting what happens as fire develops and spreads throughout a house.

Fire Safety: Fire Extinguishers, #31-7 (15 min. video) – *Teaches use of right kind of fire extinguishers in the right way on the right kind of fire.*

Home Fire Detectors: It's Your Life (National Fire Protection Association, slide set and cassette tape) – Fire detectors.

Insuring Property with a Woodburning Appliance, #33-2 (30 min. video) – *Gives agents, loss control specialists, underwriters and even insureds the security they need to properly inspect and insure dwellings that have woodburning appliances.*

Propane Safety Update, #30-37 (10 min. video) – *Viewers can be informed of proper refilling methods of tanks and cylinders, while learning the properties of propane, escape hazards and protective measures.*

Smush the Fire Out, #31-3 (11 min. video) – A documentary about children participating in a fire survival program, this film uses original music and the voices of other children to teach the basics of fire survival.

Teaching Children About Fire (National Fire Protection Association, slide set) – *Training guide for teachers on how to teach children about the dangers of fire.*

Think Safe: Fire, #31-9 (14 min. video) – Educates on fireplace safety, kitchen fire hazards such as grease fires, miscellaneous hazards such as smoking in bed and space heaters. Also shows the need for smoke detectors and family emergency plans.

General Safety

Deadly Dust II, #30-7 (30 min. video) – Demonstrates how primary and secondary dust explosions can occur and stresses the major causes and prevention methods.

Deadly Dust III, #30-22 (22 min. video) - Features 2 employees who survived major dust explosions.

Don't Give a Thief a Free Ride, **#33-6** (13 min. video) – Step-by-step demonstration by crime prevention experts of what car owners can do to help prevent the theft of a vehicle or personal property left inside.

I'm No Fool With a Bicycle, #30-14 (film) – Viewers learn the fundamentals of bicycle safety the fun way as Jiminy Cricket introduces this new edition of the popular safety film.

Lightening: The Silent Destroyer, **#33-5** (23 min. video) – Designed to help agents, adjusters, and loss control staff manage this costly problem.

Safety and Home: Electricity, #30-32 (20 min. video) – Learn common electrical dangers within the home and how to protect yourself and your loved ones.

Surviving the Cold, #30-16 (20 min. film) – Dramatic re-enactment's of real life cold weather emergencies proved the focus for winter after instruction in this life-saving film that teaches basic winter safety rules and heightens awareness of winter's dangers.

Think Safe: Accidents, #30-34 (17 min. video) – Heightens awareness of electrical and fire hazards, chemical storage and safety, trip hazards on stairs, carpet and cords, using fire extinguishers and first aid.

Think Safe: Home Security, #30-31 (17 min. video) – Shows how to prevent burglars from knowing you are away, outdoor security such as bushes, lighting and sensors and break-ins when you are home.

Tornado Warning!, **#34-2** (60 min. video) – Dramatic tornado footage is featured in this video. Also featured is a violent hail storm and severe weather. A brief presentation of severe weather and tornado safety is also included.

Tornado Warning! 3, #34-4 (60 min. video) – Footage in this video includes a rare tornado "family" captured as several tornadoes spin around each other.

Water Safety: The Basics, #30-15 (Film) – Viewers are instructed in a variety of water safety procedures that can save their lives.

You Make the Difference: Preventing Home Burglary, #33-8 (20 min. video) – A step-by-step demonstration on home burglary prevention techniques. Includes an interview with a convicted burglar, who describes how he picked places to rob.

Health

Basic First Aid, #30-24 (14 min. video) - Features basic first aid techniques.

CPR: The Way to Save Lives, #30-23 (72 min. video) - Informs general public how to perform CPR.

Fitness & Wellness, #35-1 – Addresses common health risks & strategies of smoking, stress and blood pressure, nutrition and weight control, alcohol and drug use and exercise.

Heat Stress, **#35-2** (12 min. video) – Teaches how to protect yourself by means of heat regulation in your body, eating, drinking, dressing to manage heat; and first aid for heat stress and smoke.

Occupational Exposures to Pesticides (Utah State University, 100 slides and a script) – Illustrates hazards with the use of pesticides.

Signs and Symptoms of Pesticide Poisoning (University of Nebraska, 21 min. slide-tape set) – Hazards of pesticides.

Personal Safety

Back Care and Safety, #264 (13 min. video) - Avoiding back injuries.

Back Injury Prevention, #B111 (5 min. video) - How to properly lift.

Construction - Safe Work Practices, #314 (12 min. video) - Outlines basic safety responsibilities on the job.

Ergonomics, #B120 (5 min. video) – The importance of ergonomics in the work place.

Eye Care and Safety, #265 (12 min. video) – Education video on safeguarding eyes using the correct protective gear for workplace hazards.

Eye Protection, **#B104** (6 min. video) – *Protecting your eyes in the workplace.*

Forklift Safety, #B106 (6 min. video) - Forklift operating requirements and safety tips to prevent accidents.

Forklift Safety, #131 (13 min. video) - Explains OSHA operating requirements and stresses the value of safety.

Framer Safety, #342 (12 min. video) – *Meets requirements for training employees in the "general hazards" to which they are exposed. Specifically for orientation or review of framers in their specific safety responsibilities.*

Ground Fault Circuit Interrupters & Electrical Safety, **#309** (12 min. video) – *Brief overview of the principles of avoiding electric shock and the two approved methods for protecting users of power tools on a construction site.*

Hand & Power Tool Safety, #270 (12 min. video) – General safety with cutting, striking, and power tools and tool groups.

Hand & Power Tool Safety, #B107 (6 min. video) - General safety in using hand and power tools.

Hand & Wrist Injuries, #B117 (6 min. video) - Preventing hand, finger, and wrist injuries.

Hazard Communication, #B108 (5 min. video) - Handling hazardous material such as chemicals.

Hazard Communication – Right to Know (25 min. video) – A discussion of OSHA's Workers Right to Know Program for employees working with ordinary chemicals in the workplace and how they can read and understand a Material Safety Data Sheet for those chemicals.

Hearing Conservation, #206 (12 min. video) – Awareness of noise as a hazards.

Hearing Conservation, #B131 (6 min. video) – Preventing hearing loss through a hearing protection program.

Housekeeping and Accidental Prevention, #272 (12 min. video) – General safety and hazardous substance labels.

Housekeeping on the Job Site, **#332** (10 min. video) – *Stresses each individual's obligation for job site housekeeping, team work and responsibility.*

Housekeeping Responsibilities in Manufacturing, #B118 (5 min. video) – *Maintaining an orderly, clean and safe workplace.*

Human Behavior - Unsafe Acts, #B109 (6 min. video) - Reducing unsafe acts y changing human behavior.

Human Behavior – Reducing Unsafe Acts, #149 (10 min. video) – *Motivational video on following rules and procedures, exercising good judgment and associate potential hazards to the job.*

Job Safety Hazards, #B121 (5 min. video) – Safety hazards in the workplace.

Ladder Safety, #B112 (5 min. video) – The safe use of ladders.

Ladder Safety in Construction, **#290** (9 min. video) – *Encourages employees to pick the right ladder for the job and use it safely and as intended.*

Ladder Safety in Construction, #B139 (5 min. video) - Choosing the correct ladder.

Ladders (9 min. slide set w/audio cassette) – A discussion of ladder safety based upon the Occupational Safety and Health Administration rules, regulations and standards.

Lock-Out/Tag-Out, #B115 (7 min. video) – Lock-out/Tag-out procedures.

Machine Guarding, #B132 (6 min. video) – Machine guarding for safety.

Machine Guarding Responsibility, #252 (9 min. video) – *Emphasis on individual responsibility on or around machines and equipment.*

Motor Fleet Maintenance Safety, #335 (12 min. video) – *Motivate your fleet repair personnel to see safety as part of their job as a professional! This video reviews the basic safety tips and also covers industry-specific safety items.*

Personal Protective Equipment, #207 (16 min. video) – *This video discusses the full spectrum of hazards and protective wear.*

Personal Protective Equipment, #B110 (6 min. video) - Using appropriate protective wear.

Powder Actuated Tools, #317 (12 min. video) – Reminds employees of the rules for safe storage, handling and use of powder actuated tools.

Respirators and How to Use Them, #204 (12 min. video) – If your employees are exposed to breathing hazards, train them about the respirator protection they must use. This video explains the basics of respiratory system functioning and exposure effects.

Respirator Protection, #B102 (7 min. video) – The use of appropriate respirators.

Safe Handling of Compressed Gas Cylinders, #B133 (6 min. video) - Handling gas cylinders safely.

Scaffold Safety, #288 (30 min. CD) – *Train workers* – *in English or Spanish* – *on how to safely build, use, and dismantle the most common types of scaffolding. This video highlights OSHA's general requirements for scaffolding and identifies the key safe work practices that address the most common scaffold hazards.*

Scaffold Safety, #289 (9 min. video) - Increases safety awareness while covering the basic safety procedures.

Slips, Trips and Falls, #266 (11 min. video) – Being aware of common hazards in the workplace and understanding the physical forces behind slips and falls.

Stanbo – Crusader For Safety (15 min. video) – *How to safely use a pneumatic nail gun. The video was developed by manufacturer, Stanley-Bostitch.*

Walking and Working Surfaces (12 min. slide set with audio cassette) – Common dangers encountered in the workplace. It reviews the safety principles for floors, stairways, and other walking and working surfaces.

Recreation Safety

McGruff on Gun Safety, **#30-30** (15 min. video) – Children learn the dangers of guns and what to do if they see a child with a gun.

Tractor Safety

Agricultural Tractor Safety (Converted to video by Breaking New Ground, Purdue University, West Lafayette, IN).

• • • • • • •

If you would like to use any of the audio visuals, please contact:

Corporate Loss Control Grinnell Mutual Reinsurance Company 4215 Highway 146 PO Box 790 Grinnell, IA 50112-0790 Phone: (800) 362-2041

Audiovisuals are available on a free loan basis.

Please be sure to indicate the desired audiovisual by title and/or number. The audiovisual should be reserved at least two weeks in advance to assure availability. Please return promptly when finished. If returning more than one video, please add an additional \$100 in UPS insurance for each video.

Appendix F - Resources

Resources Applicable to All States

RESOURCES FOR SAFETY AND HEALTH INFORMATION

Safety & Secure TV Channel, LLC 1616 Sevem Drive Annapolis, MD 21409 (443) 949-0456

ILLINOIS

RESOURCES FOR SAFETY AND HEALTH INFORMATION

Iowa/Illinois Safety Council

8013 Douglas Avenue Urbandale, IA 50322-4724 (515) 276-4724 www.iisc.org

Construction Safety Council of Illinois

4100 Madison St. Hillside, IL 60162 (708) 544-2082 www.buildsafe.org

Professor & Extension Safety Specialist

Dr. Robert Aherin
University of Illinois Chicago
Agricultural Engineering Sciences Building
360R AESB, MC-644
1304 W. Pennsylvania Avenue
Urbana, IL 61801
Ph: (217) 333-9417
Fax:(217) 244-0323
http://abe.illinois.edu/faculty/R Aherin

Illinois Dept. of Commerce & Economic Opportunity

Industrial Services Division
100 West Randolph St. – Suite 3-400
Chicago, IL 60601
(312) 814-2337
(Provides free OSHA safety & health consultation)
www.illinoisosha.com
(Click on "Resources)

Illinois Manufacturers' Association Headquarters

1301 W 22nd St, Suite 610 Oak Brook, IL 60523 (630) 368-5300 (800) 482-0462 (Regulatory & Compliance Information) www.ima-net.org

Illinois Network for Agriculture Safety & Health

Chip Petrea
University of Illinois
Agr & Bio Engineering
1304 W Pennsylvania Ave.
Urbana, IL 61801
(217) 333-5035
http://web.extension.uiuc.edu/agsafety/inash/

Illinois Occupational & Environmental Health & Safety Education & Research Center

The University of Illinois at Chicago 2121 W. Taylor Chicago, IL 60612 (312) 996-7887 www.uic.edu/sph/glakes/ce

National Safety Council

1121 Spring Lake Drive Itasca, IL 60143-3201 (630) 285-1121 (800) 621-7619 www.nsc.org

Safety & Health Policy Center

National Safety Council 1025 Connecticut Ave., NW, Suite 1200 Washington, DC 20036 (202) 293-2270 www.nsc.org

OSHA

www.osha.gov

Regional Office

230 Dearborn Street Room 3244 Chicago, IL 60604 (312) 353-2220

State Offices

OSHA - Calumet City Area Office

1600 167th Street – Suite 12 Calumet, IL 60409 (708) 891-3800

OSHA – Chicago Area Office

701 Lee Street – Suite 950 Des Plaines, IL 60016 (847) 803-4800

OSHA - North Aurora Area Office

365 SMOKE TREE PLAZA North Aurora, IL 60542 (630) 896-8700

OSHA - Peoria Area Office

2918 West Willow Knolls Rd. Peoria, IL 61614-1223 (309) 671-7033

INDIANA

RESOURCES FOR SAFETY AND HEALTH INFORMATION

Agricultural Safety and Health Program

Purdue University Department of Agricultural & Biological Engineering 225 South University Street West Lafayette, IN 47907-2093

Phone: (765) 494-1191 Fax: (765) 496-1356

http://pasture.ecn.purdue.edu/~agsafety/ASH/index.html

Indiana Division of Labor

Bureau of Safety, Education, and Training (INSafe) 402 West Washington Room W195 Indianapolis, IN 46204-2287 (317) 232-2688 (Provides free OSHA safety & health consultation)

http://www.in.gov/dol/insafe.htm

Indiana Rural Safety & Health Council

Purdue University Agricultural Engineering Department 1146 ABE Building W. Lafayette, IN 47907-1146 (765) 494-1191 www.farmsafety.org (Go to safetylinks.html)

Extension Safety Specialist

William E. Field, Professor Purdue University Department of Agricultural & Biological Engineering 225 South University Street West Lafavette, IN 47907-2093 Phone: (765) 494-1191 Fax: (765) 496-1356

http://pasture.ecn.purdue.edu/~agsafety/ASH/staff.html

OSHA

www.osha.gov

Regional Office

230 South Dearborn Street Room 3244 Chicago, IL 60604 (312) 353-2220

State Office

Indianapolis Area Office

46 East Ohio Street, Room 423 Indianapolis, Indiana 46204 (317) 226-7290

Central/Southern IN Served by National Safety Council, KY Office

3176 Richmond Rd. Suite 236 Lexington, KY 40509 (859) 294-4242 www.nsc.org

Northwestern IN Served by National Safety Council, Chicago Chapter

1121 Spring Lake Dr. Suite 100 Itasca, IL 60143-3201 (800) 621-2855 (630) 775-2213 www.chicago.nsc.org

National Safety Council

1121 Spring Lake Drive Itasca. II 60143-3201 (630) 285-1121 (800) 621-7619 www.nsc.org

IOWA

RESOURCES FOR SAFETY AND HEALTH INFORMATION

Iowa State University

College of Agriculture & Life Sciences 138 Curtiss Hall Ames, IA 50011-1051 (515) 294-2518 www.cals.iastate.edu

I-CASH

100 Oakdale Campus, 124 IREH Iowa City, IA 52242-5000 Phone: 319-335-4438 www.public-health.uiowa.edu/ICASH/index.html

Extension Safety Specialist

Charles Schwab, Ph.D.
Associate Professor
Iowa State University
214 D Davidson Hall
Ames, IA 50014-3080
(515) 294-4131
www.extension.iastate.edu/news
http://www-archive.abe.iastate.edu/safety.html

Iowa Workforce Development

Steve Slater, Program Manager
Bureau of Consultation and Education
100 E. Grand Avenue
Des Moines, IA 50319
(515) 281-7629
(Provides free OSHA safety & health consultation)
www.iowaworkforce.org/labor/iosh/consultation

Iowa-Illinois Safety Council

8013 Douglas Avenue Urbandale, Iowa 50322-2453 Phone: (515) 276-4724 www.iisc.org

National Safety Council

1121 Spring Lake Drive Itasca, II 60143-3201 (630) 285-1121 (800) 621-7619 www.nsc.org

OSHA

www.osha.gov

Regional Office

City Center Square 1100 Main Street, Suite 800 Kansas City, MO 64105 (816) 426-5861

State Office

Des Moines Area Office 210 Walnut Street, Room 815 Des Moines, IA 50309 (515) 284-4794

MINNESOTA

RESOURCES FOR SAFETY AND HEALTH INFORMATION

MNOSHA AREA OFFICES St Paul Area Office

443 Lafayette Road North St. Paul, MN 55155-4307 (651) 284-5050 (877) 470-6742

Duluth Area Office

5 North 3rd Ave. West, Suite 402 Duluth, MN 55802-1611 (218) 733-7830

Mankato Area Office

Nichols Office Center, Suite 520 410 Jackson Street Mankato, MN 56001 (507) 389-6507

Minnesota Department of Labor and Industry

Occupational Safety & Health Division 443 Lafayette Road North St. Paul, MN 55155-4307 (651) 284-5005 (800) 657-3776 www.dli.mn.gov

Minnesota Safety Council, Inc.

474 Concordia Avenue St. Paul, MN 55103-2430 (651) 291-9150 (800) 444-9150 www.mnsafetycouncil.org

Minnesota Department of Labor and Industry

James Collins, Program Director Consultation Division 443 Lafayette Road North St. Paul, MN 55155 (651) 284-5060 (**Provides free OSHA safety & health consultation**) www.dli.mn.gov

University of Minnesota Duluth

Environmental Health & Safety Office 31-32 Durland Admin. Building 1049 University Drive Duluth, MN 55812 (218) 726-7273 or (218) 726-7139 http://www.d.umn.edu/ehso/

National Safety Council

1121 Spring Lake Drive Itasca, II 60143-3201 (630) 285-1121 (800) 621-7619 www.nsc.org

OSHA

www.osha.gov

Regional Office

230 South Dearborn Street, Room 3244 Chicago, IL 60604 (312) 353-2220

State Offices

Eau Claire Area Office 1310 W. Clairemont Avenue Eau Claire, WI 54701 (715) 832-9019

Extension Safety Specialist

John Shutske University of Minnesota 1390 Eckles Avenue St. Paul, MN 55108 (612) 626-1250

MISSOURI

RESOURCES FOR SAFETY AND HEALTH INFORMATION

Extension Rural Safety & Health Specialist

Karen Fankenbusch University of Missouri 232 Ag Engy Bldg. Columbia, Missouri 65211 (573) 884-1268 www.extension.missouri.edu/main/displaycategory.aspx ?c=49

Missouri Department of Labor & Industrial Relations

3315 W. Truman Boulevard, Room 213 Jefferson City, Missouri 65102 (573) 751-4091 www.labor.mo.gov/

Missouri On Site Consultation Program

Robert Simmons, Program Mgr. – Department of Labor & Standards P.O. Box 449 Jefferson City, MO 65102 (573) 751-3403

(Provides free OSHA safety & health consultation)

http://labor.mo.gov/DLS/WorkplaceSafety/free_onsite_sharp.asp

OSHA

www.osha.gov

Regional Office

1100 Main St, Suite 800 Kansas City, MO 64105 (816) 426-5861

State Offices

Kansas City Area Office

6200 Connecticut Ave., Suite 100 Kansas City, Missouri 64106 (816) 483-9531 Toll Free {Missouri Residents Only}: (800) 892-2674

St. Louis Area Office

911 Washington Ave, Room 420 St. Louis, MO 63101 (314) 425-4249 Toll Free {Missouri Residents Only}: (800) 392-7743

National Safety Council

1121 Spring Lake Drive Itasca, II 60143-3201 (630) 285-1121 (800) 621-7619 www.nsc.org

Safety & Health Council of Western Missouri & Kansas

5829 Troost Ave. Kansas City, MO 64110 (816) 842-5223 www.safetycouncilmoks.com

Safety Council of the Ozarks

1111 South Glenstone Springfield, MO 65804 (417) 869-2121 (800) 334-1349 WWW.NSCOZARKS.ORG

St. Joseph Safety Council

118 S. 5th, Lower Level St. Joseph, MO 64501 (816) 233-3330

Safety Council of Greater St. Louis

1015 Locust Street, Suite 902 St. Louis, MO 63101 (314) 621-9200 www.stlsafety.org

NEBRASKA

RESOURCES FOR SAFETY AND HEALTH INFORMATION

University of Nebraska - Lincoln

Environmental Health & Safety Lincoln, NE 68588 (402) 472-7211 http://ehs.unl.edu

OSHA 21(d) Consultation Program

Eldon Diedrichs, Program Mgr. 550 S 16th St.
Lincoln, NE 68509
(402) 471-4717
www.dol.nebraska.gov
North Platte
(308) 535-8165
(Provides free OSHA safety & health consultation)

National Safety Council

1121 Spring Lake Drive Itasca, II 60143-3201 (630) 285-1121 (800) 621-7619 www.nsc.org

Nebraska Safety Council, Inc

4600 Valley Road – Suite 300 Lincoln, NE 68501 (402) 483-2581 www.nesafetycouncil.org

National Safety Council, Greater Omaha Chapter

11620 M Circle Omaha, NE 68137-2231 (402) 896-0454 (800) 592-9004 www.safenebraska.org

OSHA

www.osha.gov

Regional Office

1100 Main St., Suite 800 Kansas City, MO 64105 (816) 426-5861

State Office

Omaha Area Office

Overland-Wolf Building 6910 Pacific Street, Room 100 Omaha, Nebraska 68106 (402) 221-3182 Toll Free {Nebraska Residents Only}: (800) 642-8963

Extension Safety Specialist

William Campbell Biological Systems Engineering 204 L.W. Chase Hall Lincoln, NE 68583 (402) 472-6714

NORTH DAKOTA

RESOURCES FOR SAFETY AND HEALTH INFORMATION

Safety & Environmental Health

University of North Dakota 3851 Campus Road Auxiliary Services Bldg Grand Forks, ND 58202 (701) 777-3341

Workforce Safety & Insurance

1600 E. Century Ävenue, Suite 1 Bismarck, ND 58506 (701) 328-3800 (800) 777-5033 www.WorkforceSafety.com

North Dakota Department of Health

Injury Prevention & Control 2nd Floor – Judicial Wing 600 E. Blvd. Avenue, Dept 301 Bismarck, ND 58505-02200 (701) 328-4536

North Dakota Safety Council

1640 Burnt Boat Drive Bismarck, ND 58503 (701) 223-6372 (800) 932-8890 http://www.ndsc.org

North Dakota Occupational Safety & Health

Albert Koch
Consultation – Bismarck State College
Corporate & Continuing Education
1815 Shater St.
Bismarck, ND 58501
(701) 224-5778
(Provides free OSHA safety & health consultation)
http://www.bismarckstate.edu/ceti/ndosh/contact/

National Safety Council

1121 Spring Lake Drive Itasca, II 60143-3201 (630) 285-1121 (800) 621-7619 www.nsc.org

OSHA

www.osha.gov

Regional Office

1999 Broadway, Suite 1690 PO Box 46550 Denver, CO 80201-6550 (720) 264-6550

State Office

Bismarck Area Office Federal Office Building 1640 East Capitol Avenue Bismarck, ND 58501 (701) 250-4521

OHIO

RESOURCES FOR SAFETY AND HEALTH INFORMATION

Ohio State University

Dr. Tom Bean, Director Great Lakes Center for Agricultural Safety & Health 590 Woody Hayes Drive (614) 292-9455 http://www.ag.ohio-state.edu/~agsafety/glc

Ohio State University Extension Center at Piketon

1864 Shyville Road Piketon, OH 45661-9749 Phone: (740) 289-2071 Columbus Number: (614) 292-4900 www.southcenters.osu.edu

Extension Safety Specialist

Dr. Tom Bean Food, Ag & Biological Engineering Department 590 Woody Hayes Dr. Columbus, OH 43210 (614) 292-9455

National Safety Council

1121 Spring Lake Drive Itasca, II 60143-3201 (630) 285-1121 (800) 621-7619 www.nsc.org

National Safety Council, Central OH Chapter

919 Old Henderson Rd. Columbus, OH 43220 (614) 324-5934 www.nsc-centralohio.org

National Safety Council, Northern OH Chapter

Ohio One Building – Room 338 25 East Boardman St. Youngstown, OH 44503 (330) 747-8657 (800) 715-0358 www.nscnohio.org

OSHA

www.osha.gov

Regional Office

230 Dearborn Street, Room 3244 Chicago, IL 60604 (312) 353-2220

State Offices

Cincinnati Area Office

36 Triangle Park Drive Cincinnati, Ohio 45246 (513) 841-4132

Cleveland Area Office

Federal Office Building 1240 East 9th Street, Room 899 Cleveland, Ohio 44199 (216) 522-3818

Columbus Area Office

Federal Office Building 200 North High Street, Room 620 Columbus, Ohio 43215 (614) 469-5582

Toledo Area Office

Ohio Building 420 Madison Avenue, Suite 600 Toledo, Ohio 43604 (419) 259-7542

Public Employment Risk Reduction Program (PERRP) OSHA On-Site Consultation Program

Ohio BWC Division of Safety & Hygiene The customer contact center is open from

7:30 a.m. to 5:30 p.m. EST.

Toll-free: 1-800-OHIOBWC (1-800-644-6292) TTY: 1-800-BWC-4-TDD (1-800-292-4833)

Fax: 1-877-520-OHIO (6446)

Mailing address: BWC 30 W. Spring St.

Columbus, OH 43215-2256

https://www.bwc.ohio.gov/employer/programs/safety/SandHOSHAOnSite.asp

SOUTH DAKOTA

RESOURCES FOR SAFETY AND HEALTH INFORMATION

South Dakota Safety Council

1108 NW Avenue Sioux Falls, SD 57104 605-361-7785 or 1-800-952-5539 www.southdakotasafetycouncil.org

South Dakota Division of Labor & Management

Kneip Building 700 Governors Drive Pierre, SD 57501-2291 (605) 773-3681

South Dakota State University

Engineering Extension
James Manning, Department Head
West Hull 118, Box 510
907 Harvey Dunn St.
Brookings, SD 57007
(605) 688-4101
(Provides free OSHA safety & health consultation)

National Safety Council

1121 Spring Lake Drive Itasca, II 60143-3201 (630) 285-1121 (800) 621-7619 www.nsc.org

OSHA

www.osha.gov

Regional Office

1999 Broadway, Suite 1690 PO Box 46550 Denver, CO 80201-6550 (720) 264-6550

NO Area office in South Dakota

Contact Regional Office

WISCONSIN

RESOURCES FOR SAFETY AND HEALTH INFORMATION

University of Wisconsin

Center for Agricultural Safety & Health Dept. of Biological Systems Engineering Cheryl Sdjolaas Sr. Outreach Specialist 460 Henry Mall Madison, WI 53706 (608) 262-6330 http://fyi.uwex.edu/agsafety/

Wisconsin Council of Safety

501 E. Washington Avenue Madison, WI 53703-2944 (608) 258-3400 (800) 236-3400 http://www.wmc.org/programs/wisconsin-safety-council/

Wisconsin OSHA Consultation Program (Health)

University of WI State Laboratory of Hygiene Environmental Health Division 2601 Agricultural Drive Madison, WI 53707 (608) 226-5240 (**Provides free OSHA safety & health consultation)** www.slh.wisc.edu

Wisconsin Department of Safety and Professional Services

Division of Industry Services
PO Box 8935
1400 E Washington Ave, Room 12
Madison, WI 53708-8935
(608) 266-2112
(877) 617-1565
(Provides free OSHA safety & health consultation)
http://dsps.wi.gov/programs/industry-services

Extension Safety Specialist

Cheryl Skjolaas University of Wisconsin 460 Henry Mall Madison, WI 53706 (608) 265-0568

National Safety Council

1121 Spring Lake Drive Itasca, II 60143-3201 (630) 285-1121 (800) 621-7619 www.nsc.org

OSHA

www.osha.gov

Regional Office

City Center Square 1100 Main Street, Suite 800 Kansas City, Missouri 64105 (816) 426-5861

State Offices

Appleton Area Office

1648 Tri Park Way Appleton, WI 54914 (920) 734-4521

Eau Claire Area Office

1310 W. Clairemont Avenue Eau Claire, WI 54701 (715) 832-9019

Madison Area Office

4802 E. Broadway Madison, WI 53716 (608)441-5388

Milwaukee Area Office

Henry S. Reuss Building, Suite 1180 310 West Wisconsin Avenue Milwaukee, WI 53203 (414) 297-3315

For more information, contact:



4215 Highway 146, Grinnell, IA 50112-0790 **Phone:** 800-362-2041